




TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 1/22)

idx	start	end
1	100631052	100631806
2	100631885	100633001
3	100631052	100632082
4	100632149	100633001




Transcript: ENST00000223051.8 | Protein: ENSP00000223051.3 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_domains_in_region	ENST00000855264.1	1						




Transcript: ENST00000855264.1 | Protein: ENSP00000525323.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_domains_in_region	ENST00000855256.1	2						



Transcript: ENST00000855256.1 | Protein: ENSP00000525315.1 [longest CDS]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000431692.5								



Transcript: ENST00000431692.5 | Protein: ENSP00000413905.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 2/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000461176.1								



Transcript: ENST00000461176.1 | Protein: N/A [no protein]

[illegible]

Transcript: ENST00000462090.5 | Protein: N/A [no protein]

[illegible]

Transcript: ENST00000462107.1 | Protein: ENSP00000420525.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
transcript_doesnt_have_features	ENST00000465294.5								



Transcript: ENST00000465294.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 3/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	junction_in_cds
transcript_doesnt_have_features	ENST00000473374.5								



Transcript: ENST00000473374.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000473571.1								



Transcript: ENST00000473571.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000473963.1							



Transcript: ENST00000473963.1 | Protein: N/A [no protein]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000474947.1								



Transcript: ENST00000474947.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 4/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_canonical_domain	alternative_domain	canonical_junction	alternative_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000475011.1									




Transcript: ENST00000475011.1 | Protein: N/A [no protein]

	event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	alternative_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
	no_unique_features	ENST00000476304.5									



Transcript: ENST00000476304.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000490084.5								




Transcript: ENST00000490084.5 | Protein: ENSP00000418942.1

[illegible]

Transcript: ENST00000855220.1 | Protein: ENSP00000525279.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 5/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855221.1								



No domains

Transcript: ENST00000855221.1 | Protein: ENSP00000525280.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	junction_id	in_cds
no_unique_features	ENST00000855222.1							



No domains

Transcript: ENST00000855222.1 | Protein: ENSP00000525281.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855223.1								



No domains

Transcript: ENST00000855223.1 | Protein: ENSP00000525282.1


[illegible]

No domains

Transcript: ENST00000855224.1 | Protein: ENSP00000525283.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 6/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855225.1								



Transcript: ENST00000855225.1 | Protein: ENSP00000525284.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855226.1								



Transcript: ENST00000855226.1 | Protein: ENSP00000525285.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855227.1								



Transcript: ENST00000855227.1 | Protein: ENSP00000525286.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855228.1								



Transcript: ENST00000855228.1 | Protein: ENSP00000525287.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 7/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855229.1												



Transcript: ENST00000855229.1 | Protein: ENSP00000525288.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855230.1												



Transcript: ENST00000855230.1 | Protein: ENSP00000525289.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855231.1												



Transcript: ENST00000855231.1 | Protein: ENSP00000525290.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855232.1												



Transcript: ENST00000855232.1 | Protein: ENSP00000525291.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 8/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855233.1								



Transcript: ENST00000855233.1 | Protein: ENSP00000525292.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_unique_features	ENST00000855234.1								



Transcript: ENST00000855234.1 | Protein: ENSP00000525293.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855235.1								



Transcript: ENST00000855235.1 | Protein: ENSP00000525294.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855236.1									



Transcript: ENST00000855236.1 | Protein: ENSP00000525295.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 9/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	junction_id	in_cds
no_unique_features	ENST00000855237.1							



Transcript: ENST00000855237.1 | Protein: ENSP00000525296.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_domain	alternative_domains	junction_in_cds
no_unique_features	ENST00000855238.1								



Transcript: ENST00000855238.1 | Protein: ENSP00000525297.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855239.1								



Transcript: ENST00000855239.1 | Protein: ENSP00000525298.1

[illegible]

Transcript: ENST00000855240.1 | Protein: ENSP00000525299.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

A diagram of a protein structure. A horizontal black line represents the protein backbone. Above the line, several vertical colored bars represent domains. From left to right, these are: a pink bar, a purple bar, a grey bar, a red bar, a blue bar, a brown bar, a purple bar, a green bar, a yellow bar, a cyan bar, and a light green bar. A red bracket is positioned above the red and blue bars. To the right of the light green bar, the text "No domains" is written in a black, italicized font.

[illegible]

The diagram shows a protein structure with various domains represented by colored blocks. A red bracket highlights a specific region. To the right, a section labeled "No domains" shows a sequence of colored blocks without domain annotations.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855243.1								

[illegible]

The diagram shows a protein structure with a red bracket indicating a domain. A legend bar at the bottom right is labeled "No domains" and contains a series of colored blocks representing different domains.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

The diagram shows a protein structure with a color scale legend. The legend is a horizontal bar with 15 colored segments: teal, purple, grey, red, green, pink, brown, magenta, light pink, dark green, yellow, blue, cyan, green, and red. Below the legend is the text "No domains".

Transcript: ENST00000855245.1 | Protein: ENSP00000525304.1

Diagram illustrating a protein structure with a red box highlighting a specific region. A legend bar at the bottom right shows various colored blocks and the text "No domains".

Transcript: ENST00000855246.1 | Protein: ENSP00000525305.1

Diagram illustrating a protein structure with a red box highlighting a specific region. A legend bar at the bottom right shows various colored blocks and the text "No domains".


Transcript: ENST00000855247.1 | Protein: ENSP00000525306.1

The diagram shows a protein structure with a red bracket indicating a domain. A legend bar at the bottom right is labeled "No domains".


Transcript: ENST00000855248.1 | Protein: ENSP00000525307.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 12/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855249.1							




Transcript: ENST00000855249.1 | Protein: ENSP00000525308.1

[illegible]

Transcript: ENST00000855250.1 | Protein: ENSP00000525309.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
transcript_doesnt_have_features	ENST00000855251.1								



Transcript: ENST00000855251.1 | Protein: ENSP00000525310.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855252.1							



Transcript: ENST00000855252.1 | Protein: ENSP00000525311.1

Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



Transcript: ENST0000085253.1 | Protein: ENSP00000525312.1



Transcript: ENST00000855254.1 | Protein: ENSP00000525313.1



Transcript: ENST00000855255.1 | Protein: ENSP00000525314.1

A diagram of a protein structure represented as a horizontal line with various colored blocks indicating domains. The blocks are colored in shades of blue, green, yellow, orange, red, and purple. A label "No domains" is placed below the structure, indicating that the protein does not contain any domains.



No domains

Transcript: ENST00000855257.1 | Protein: ENSP00000525316.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line represents the number of days, with major tick marks at 100,642,000, 100,636,000, 100,630,000, and 100,624,000. Minor tick marks are placed every 10,000 days. The right number line represents the number of hours, with major tick marks at 200, 400, 600, and 800. Minor tick marks are placed every 20 hours.

A diagram of a protein structure represented as a horizontal line with various colored blocks (domains) and a red bracket indicating a specific region of interest.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id
no_unique_features	ENST00000855259.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id
no_unique_features	ENST00000855260.1							

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id
no_unique_features	ENST00000855261.1							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The first number line shows the number of trials needed to reach a target value of 100,642,000. The trials are labeled as 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The second number line shows the number of trials needed to reach a target value of 100,642,000. The trials are labeled as 200, 400, 600, and 800.



Transcript: ENST00000855262.1 | Protein: ENSP00000525321.1



Transcript: ENST00000855263.1 | Protein: ENSP00000525322.1




Transcript: ENST00000855265.1 | Protein: ENSP00000525324.1




Transcript: ENST00000855266.1 | Protein: ENSP00000525325.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 16/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855267.1							




Transcript: ENST00000855267.1 | Protein: ENSP00000525326.1

[illegible]

Transcript: ENST00000855268.1 | Protein: ENSP00000525327.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855269.1							



Transcript: ENST00000855269.1 | Protein: ENSP00000525328.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855270.1									



Transcript: ENST00000855270.1 | Protein: ENSP00000525329.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 17/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855271.1												



Transcript: ENST00000855271.1 | Protein: ENSP00000525330.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855272.1												



Transcript: ENST00000855272.1 | Protein: ENSP00000525331.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855273.1												



Transcript: ENST00000855273.1 | Protein: ENSP00000525332.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855274.1												



Transcript: ENST00000855274.1 | Protein: ENSP00000525333.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

Diagram illustrating a protein structure with various domains highlighted in different colors. A red bracket indicates a specific region of interest. A legend on the right shows a color scale for domain prediction, ranging from blue (No domains) to red (No domains).



Transcript: ENST00000855275.1 | Protein: ENSP00000525334.1



Transcript: ENST00000855276.1 | Protein: ENSP00000525335.1

Diagram illustrating a protein structure with a red box highlighting a specific region. A legend bar at the bottom right shows various colored blocks and the text "No domains".



Transcript: ENST00000855277.1 | Protein: ENSP00000525336.1




No domains

Transcript: ENST00000855278.1 | Protein: ENSP00000525337.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 19/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855279.1												



Transcript: ENST00000855279.1 | Protein: ENSP00000525338.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855280.1												



Transcript: ENST00000855280.1 | Protein: ENSP00000525339.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855281.1												



Transcript: ENST00000855281.1 | Protein: ENSP00000525340.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855282.1												




Transcript: ENST00000855282.1 | Protein: ENSP00000525341.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 20/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855283.1							




Transcript: ENST00000855283.1 | Protein: ENSP00000525342.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855284.1								



Transcript: ENST00000855284.1 | Protein: ENSP00000525343.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855285.1							



Transcript: ENST00000855285.1 | Protein: ENSP00000525344.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855286.1									




Transcript: ENST00000855286.1 | Protein: ENSP00000525345.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 21/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	junction_in_cds
no_unique_features	ENST00000958152.1								




Transcript: ENST00000958152.1 | Protein: ENSP00000628211.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000958153.1								




Transcript: ENST00000958153.1 | Protein: ENSP00000628212.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000958154.1							



Transcript: ENST00000958154.1 | Protein: ENSP00000628213.1



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000958155.1								




Transcript: ENST00000958155.1 | Protein: ENSP00000628214.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 22/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	NM_001206855.3								



No domains

Transcript: NM_001206855.3 | Protein: NP_001193784.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.