





FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 1/19)

idx	start	end
1	35575942	35576994
2	35575942	35580036




Transcript: ENST00000357266.9 | Protein: ENSP00000349811.3 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_domains_in_region	ENST00000893102.1	1							




Transcript: ENST00000893102.1 | Protein: ENSP00000563161.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000536438.5									



Transcript: ENST00000536438.5 | Protein: ENSP00000444810.1

[illegible]

Transcript: ENST00000539068.5 | Protein: ENSP00000441205.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000542713.1										

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893093.1										

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id
no_unique_features	ENST00000893094.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893095.1										

No domains


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



The diagram shows a horizontal line with several vertical tick marks of different colors (red, orange, blue, green, purple, brown, grey, black). To the right of the line, there is a legend bar with colored segments corresponding to the tick marks. Below the legend bar, the text "No domains" is written.



The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and black. Below the bar, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, pink, orange, teal, purple, grey, red, black) indicating different domains or regions. A red vertical bar is also present at the end of the structure.



The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and dark green. Below the bar is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (pink, cyan, orange, blue, green, orange, teal, purple, grey, red, dark green) indicating specific regions or domains.



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key on the right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and cyan. The text "No domains" is written below the key.

The diagram shows a protein structure represented by a horizontal line with various colored segments and vertical bars. A legend on the right indicates that the colored segments represent different domains, with the text "No domains" below it.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893106.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction_in_cds
no_unique_features	ENST00000893107.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893108.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event alternative_transcript_id group rank domain_id canonical_domain alternative_domain alternative_domain junction junction_in_cds

no_unique_features	ENST00000893109.1									
--------------------	-------------------	--	--	--	--	--	--	--	--	--

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000893110.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893111.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893112.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 7/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893113.1												



Transcript: ENST00000893113.1 | Protein: ENSP00000563172.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893114.1												



Transcript: ENST00000893114.1 | Protein: ENSP00000563173.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893115.1												



Transcript: ENST00000893115.1 | Protein: ENSP00000563174.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893116.1												



Transcript: ENST00000893116.1 | Protein: ENSP00000563175.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.


The diagram shows a protein structure represented by a horizontal line with various colored segments. A color key is provided on the right, labeled "No domains". The key consists of a series of colored squares: orange, blue, green, pink, brown, teal, purple, grey, red, and white. The protein structure shows segments of these colors, with a prominent red segment at the right end.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key on the right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and light blue. The text "No domains" is written below the key.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 10/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000893125.1													



Transcript: ENST00000893125.1 | Protein: ENSP00000563184.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000893127.1													



Transcript: ENST00000893127.1 | Protein: ENSP00000563185.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000893128.1													



Transcript: ENST00000893128.1 | Protein: ENSP00000563187.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000893131.1													



Transcript: ENST00000893131.1 | Protein: ENSP00000563189.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Figure 1: Schematic representation of the experimental design. The top part shows a horizontal timeline with colored segments (yellow, orange, blue, green, pink, brown, teal, grey) representing different experimental conditions. The bottom part shows a horizontal timeline with a single grey segment labeled "No domains".

[illegible]

The diagram shows a horizontal line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors: orange, blue, green, pink, brown, teal, purple, grey, red, and yellow. Below the line, there are several vertical colored bars of different heights and colors: orange, blue, green, pink, brown, teal, purple, grey, red, and yellow. To the right of the diagram, there is a color key with the text "No domains" below it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893136.1								

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893138.1								


The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar with segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and black. Below the bar, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, orange, teal, purple, grey, red, pink) indicating different domains or regions. A red vertical bar is also present at the end of the structure.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The text "No domains" is written below the map. The protein structure is represented by a horizontal line with vertical bars indicating the position of each domain. The domains are color-coded to match the domain map.




The diagram shows a protein structure represented by a horizontal line with vertical bars indicating specific residues. A color scale is provided on the right, ranging from yellow (low) to black (high). The legend indicates that the color scale represents the number of domains, with the text "No domains" written below the scale.



The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the bar is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (pink, blue, green, orange, teal, purple, grey, red) indicating specific regions or domains.




The diagram shows a protein structure with a color-coded domain map. The protein is represented by a horizontal line with vertical bars indicating domains. The domains are color-coded: yellow, blue, green, pink, orange, teal, purple, grey, red, and orange. The text "No domains" is written below the domain map.



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar with segments of yellow, blue, green, pink, orange, teal, light blue, grey, red, and light grey. Below the bar is the text 'No domains'. The protein structure is represented by a horizontal line with vertical tick marks of various colors (pink, blue, orange, green, red, teal, light blue, grey, red, light grey) corresponding to the color key.



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure with a color-coded domain map. The domain map is a horizontal bar with segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and dark red. Below the domain map, the text "No domains" is written. The protein structure is represented by a horizontal line with vertical bars indicating the positions of various domains. The domains are color-coded to match the domain map: yellow, blue, green, pink, orange, teal, purple, grey, red, and dark red. The domains are arranged in a linear sequence along the protein structure.

No domains


No domains

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating specific regions. A color key at the top right identifies the regions: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The label "No domains" is placed below the color key.



No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.





The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (red, orange, yellow, green, blue, purple, brown, grey, black). To the right of the diagram, there is a color key with a horizontal bar divided into segments of different colors (yellow, blue, green, pink, orange, teal, purple, grey, black, red, blue, white). Below the color key, the text "No domains" is written.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956378.1								

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and tan. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (red, blue, green, orange, teal, purple, grey, red, tan) indicating specific regions or domains.

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.



No domains

The diagram shows a protein structure with a legend indicating "No domains". The legend consists of a horizontal bar divided into colored segments: yellow, blue, green, pink, orange, teal, purple, grey, red, and light blue. The protein structure is represented by a horizontal line with vertical bars indicating the positions of various residues or domains. The vertical bars are colored to match the segments in the legend. The text "No domains" is written below the legend bar.

No domains



No domains

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956385.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956386.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956387.1										

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure with a color key and a label "No domains". The color key consists of a horizontal bar divided into segments of different colors: orange, blue, green, pink, brown, teal, purple, grey, red, and magenta. Below the color key, the text "No domains" is written. The protein structure is represented by a horizontal line with vertical bars of various colors (blue, orange, green, brown, teal, purple, grey, red, magenta) indicating different domains or regions. A red vertical bar is also present at the end of the structure.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956390.1								





event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956391.1								




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 19/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000956392.1											



Transcript: ENST00000956392.1 | Protein: ENSP00000626451.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.