



idx	start	end
1	37968134	37968883
2	37968134	37969354



Transcript: ENST00000373019.5 | Protein: ENSP00000362110.4 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
dropped_domain	ENST00000896916.1	1		IPR000690	32.0		1.0	0.0					



Transcript: ENST00000896916.1 | Protein: ENSP00000566975.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_features	ENST00000460925.1												



Transcript: ENST00000460925.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_features	ENST00000461869.5												



Transcript: ENST00000461869.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000462258.1									

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000470585.5										

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000487062.1										

no annotated protein

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000488934.1										

no annotated protein


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks every 10,000 units. The labels are: 37,960,000, 37,965,000, 37,970,000, 37,975,000, 37,980,000, 37,985,000, and 37,990,000.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_in_cds
no_unique_features	ENST00000896912.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000896913.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000896914.1							



Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


A horizontal number line with tick marks every 10,000 units. The labels above the line are 37,990,000, 37,980,000, 37,970,000, and 37,960,000. The labels below the line are 37,985,000, 37,975,000, and 37,965,000.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000931598.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000931599.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_junction	alternative_domain_junction	in_cds
no_unique_features	ENST00000931600.1								



domain and Repeat entries are drawn, and only those are compared: so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous superfamily entries, the residue features (active/binding/conserved member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the overlapping it.

The left number line has major tick marks at 37,960,000, 37,965,000, 37,970,000, 37,975,000, 37,980,000, and 37,985,000. The right number line has major tick marks at 100, 200, 300, 400, and 500.

The diagram illustrates the domain architecture of a protein. The top part shows a linear sequence with various colored segments representing different domains or regions. The bottom part shows a detailed view of the domain architecture, including a color-coded bar and three pie charts labeled IPR031774, IPR025086, and IPR000690.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000931602.1								

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000931603.1								

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks every 10,000 units. The labels above the line are 37,990,000, 37,980,000, 37,970,000, and 37,960,000. The labels below the line are 37,985,000, 37,975,000, and 37,965,000.



IPR021966

IPR031774

IPR024598

Transcript: ENST00000931605.1 | Protein: ENSP00000601664.1



IPR021966

Transcript: ENST00000963484.1 | Protein: ENSP00000633543.1



Transcript: ENST00000963485.1 | Protein: ENSP00000633544.1



Transcript: ENST00000963486.1 | Protein: ENSP00000633545.1