


idx	start	end
1	121433036	121436122
2	121433033	121436122



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_domains_in_region	ENST00000932951.1	1						



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000474243.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000488282.1							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Genomic map of the human HNF1A gene. The top track shows the gene structure with exons as boxes and introns as lines. The bottom track shows the genomic position in base pairs (bp) from 121,540,000 to 121,435,000. The gene is located on chromosome 19p13.1.



The figure is a schematic representation of the experimental design, divided into two main sections: "No domains" on the right and "With domains" on the left. The "No domains" section shows a horizontal timeline with a red vertical line at the start, a blue vertical line at the end, and a yellow vertical line in the middle. The "With domains" section shows a horizontal timeline with a red vertical line at the start, a blue vertical line at the end, and a yellow vertical line in the middle. The timeline is labeled "Time" and "Domain".

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000932952.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.