




PRRG3 - H_sapiens | chrX:151,694,606-151,705,924 | 11 transcript(s) (page 1/3)

idx	start	end
1	151695544	151698784
2	151698665	151698784




Genomic Position (bp)

Amino Acid Position



Transcript: ENST00000674457.1 | Protein: ENSP00000501544.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
unchanged_domains	ENST00000370353.3	1		IPR000294	64.0	64.0	1.0	1.0			




Transcript: ENST00000370353.3 | Protein: ENSP00000359378.3 [most like canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
unchanged_domains	ENST00000884468.1	1		IPR000294	64.0	64.0	1.0	1.0			



Transcript: ENST00000884468.1 | Protein: ENSP00000554527.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000370354.5										



Transcript: ENST00000370354.5 | Protein: ENSP00000359379.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

151,696,000 151,699,000 151,702,000 151,705,000

151,697,500 151,700,500 151,703,500

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000448324.1									

40 80 120 160 200

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000448726.5									

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000538575.5									

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_domain_id	alternative_domains	junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST000006529.1									

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



No domains


Transcript: ENST00000674374.1 | Protein: ENSP00000501391.1

[illegible]

No domains

Transcript: ENST00000674441.1 | Protein: ENSP00000501402.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000913985.1								



Transcript: ENST00000913985.1 | Protein: ENSP00000584044.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.