





idx	start	end
1	164743875	164800534
2	164743875	164841156



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_domains_in_region	ENST00000629362.2	1							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_domains_in_region	ENST00000445474.2	1							




No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000342193.8								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values 164,825,000 and 164,675,000 are labeled above the line. The values 164,800,000, 164,750,000, and 164,700,000 are labeled below the line. Vertical dashed grid lines extend from the bottom labels to the top of the line.




The diagram consists of a horizontal black line. Above the left portion of this line, there is a green-outlined rectangle. To the right of the rectangle, there is a single vertical red line segment that intersects the horizontal line.

no annotated protein


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values are labeled as follows:


- 164,825,000 (above the first tick mark)
- 164,800,000 (below the second tick mark)
- 164,775,000 (above the third tick mark)
- 164,750,000 (below the fourth tick mark)
- 164,725,000 (above the fifth tick mark)
- 164,700,000 (below the sixth tick mark)
- 164,675,000 (above the seventh tick mark)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000444537.5								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000448708.5								





event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000452626.5							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000456171.5												



91
IPR019025

Transcript: ENST00000456171.5 | Protein: ENSP00000416311.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000456693.5												



98
IPR019025

Transcript: ENST00000456693.5 | Protein: ENSP00000397520.2


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000460238.1												



No domains

Transcript: ENST00000460238.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000474975.1												



No domains

Transcript: ENST00000474975.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 164,800,000, 164,750,000, and 164,700,000. The values 164,825,000, 164,775,000, 164,725,000, and 164,675,000 are positioned above the line. The right number line has major tick marks at 100, 800, 200, 600, and 000.

The diagram consists of two parts. On the left, a horizontal line has two vertical tick marks. The first tick mark is at the left end, and the second is further to the right. On the right, there is a bar chart with a single bar. The bar is light blue and is labeled 'No domains'.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000483743.6								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000489955.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000491126.6								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000493713.1									

no annotated protein
No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000493868.5										

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000493921.1								

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_domain	alternative_domain	alternative_domain
transcript_doesnt_have_junctions	ENST00000495084.1									


no annotated protein

No domains


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values are labeled as follows:

Position	Value
1st (leftmost)	164,825,000
2nd	164,800,000
3rd	164,775,000
4th	164,750,000
5th	164,725,000
6th	164,700,000
7th (rightmost)	164,675,000




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds
no_unique_junctions	ENST00000861276.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id
no_unique_junctions	ENST00000861277.1									



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000861278.1							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


A horizontal number line with tick marks. The values shown are 164,825,000, 164,800,000, 164,775,000, 164,750,000, 164,725,000, 164,700,000, and 164,675,000. The line illustrates the difference between 164,825,000 and 164,675,000.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000861280.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000861281.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000861282.1							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values 164,825,000 and 164,675,000 are labeled above the line. The values 164,800,000 and 164,750,000 are labeled below the line. The line shows that 164,825,000 is greater than 164,675,000, and the difference is 164,150,000.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000861284.1									



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000861285.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000861286.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values are labeled as follows:

Position	Value
1st tick mark from left	164,825,000
2nd tick mark from left	164,800,000
3rd tick mark from left	164,775,000
4th tick mark from left	164,750,000
5th tick mark from left	164,725,000
6th tick mark from left	164,700,000
7th tick mark from left	164,675,000



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks at 164,825,000, 164,800,000, 164,775,000, 164,750,000, 164,725,000, and 164,700,000. The number 164,825,000 is written above the first tick mark. The number 164,775,000 is written above the third tick mark. The number 164,725,000 is written above the fifth tick mark. The number 164,675,000 is written above the sixth tick mark. The number 164,800,000 is written below the second tick mark. The number 164,750,000 is written below the fourth tick mark. The number 164,700,000 is written below the sixth tick mark.





event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000926850.1							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_junctions	ENST00000946162.1								

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



Transcript: ENST00000946164.1 | Protein: ENSP00000616223.1



Transcript: ENST00000946165.1 | Protein: ENSP00000616224.1



Transcript: NM_001365670.2 | Protein: NP_001352599.1



Transcript: NM_001365671.1 | Protein: NP_001352600.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.