


idx	start	end
1	35575942	35576994
2	35575942	35580036



Amino Acid Position

[illegible][illegible][illegible]

Transcript: ENST00000539068.5 | Protein: ENSP00000441205.1

Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the overlapping it.

Transcript: ENST00000542713.1 | Protein: ENSP00000442340.1

The diagram shows a protein structure represented by a horizontal black line. Above the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, red) indicating specific domains or regions. Below the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, red) indicating specific domains or regions. To the right of the diagram, there is a legend consisting of a horizontal bar divided into segments of different colors (yellow, blue, green, pink, orange, teal, purple, red) with the text "No domains" below it.

Transcript: ENST00000893093.1 | Protein: ENSP00000563152.1

The diagram shows a protein structure represented by a horizontal black line. Above the line, there are several vertical colored bars of different colors (yellow, blue, green, pink, orange, teal, purple, grey, red, magenta, and white) indicating different domains or regions. Below the line, there are several vertical colored bars of different colors (yellow, blue, green, pink, orange, teal, purple, grey, red, magenta, and white) indicating different domains or regions. A legend on the right side of the diagram shows a sequence of colored bars (yellow, blue, green, pink, orange, teal, purple, grey, red, magenta, and white) with the text "No domains" below it.


Transcript: ENST00000893094.1 | Protein: ENSP00000563153.1

The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar with segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and light pink. Below the bar, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical tick marks of various colors (yellow, blue, green, orange, teal, purple, grey, red, light pink) corresponding to the segments in the color key.


Transcript: ENST00000893095.1 | Protein: ENSP00000563154.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 3/19)




Transcript: ENST00000893096.1 | Protein: ENSP00000563155.1



Transcript: ENST00000893097.1 | Protein: ENSP00000563156.1



Transcript: ENST00000893098.1 | Protein: ENSP00000563157.1



Transcript: ENST00000893099.1 | Protein: ENSP00000563158.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893101.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction_in_cds
no_unique_junctions	ENST00000893103.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_domain	alternative_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893104.1										

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_junctions	ENST00000893106.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_junctions	ENST00000893107.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_junctions	ENST00000893108.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893109.1										

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000893110.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction	in_cds
no_unique_junctions	ENST00000893111.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_domain	alternative_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893112.1										

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 7/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893113.1												



Transcript: ENST00000893113.1 | Protein: ENSP00000563172.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893114.1												



Transcript: ENST00000893114.1 | Protein: ENSP00000563173.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893115.1												




Transcript: ENST00000893115.1 | Protein: ENSP00000563174.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893116.1												




Transcript: ENST00000893116.1 | Protein: ENSP00000563175.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, grey, red, and magenta). To the right of the main diagram, there is a color key consisting of a horizontal bar divided into segments of the same colors as the vertical bars. Below the color key, the text "No domains" is written.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893118.1								



The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key at the top right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The text "No domains" is written below the key.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893119.1								

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key at the top right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and black. The text "No domains" is written below the key.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_uniquejunctions	ENST00000893120.1								

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


A horizontal number line with major tick marks and labels at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. There are also minor tick marks between these major labels. Above the line, four values are marked with vertical dashed lines: 35,700,000 (between 35,720,000 and 35,680,000), 35,660,000 (between 35,680,000 and 35,640,000), 35,620,000 (between 35,640,000 and 35,600,000), and 35,580,000 (to the right of 35,600,000).




No domains



No domains



No domains



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893125.1										

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_junctions	ENST00000893127.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction_in_cds
no_unique_junctions	ENST00000893128.1									


No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893131.1										

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Figure 1: Schematic representation of the experimental design. The top part shows a horizontal timeline with colored segments (yellow, orange, blue, green, pink, brown, teal, grey) representing different experimental conditions. The bottom part shows a horizontal timeline with a single grey segment labeled "No domains".

[illegible]

The diagram shows a horizontal line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors: orange, blue, green, pink, brown, teal, purple, grey, red, and yellow. Below the line, there are several vertical colored bars of different heights and colors: orange, blue, green, pink, brown, teal, purple, grey, red, and yellow. To the right of the diagram, there is a color key with the text "No domains" below it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893136.1								

[illegible]

The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and black. Below the map, the text "No domains" is written.


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a protein structure with a color-coded domain map. The map consists of a horizontal bar with segments in yellow, blue, green, pink, orange, teal, purple, grey, red, and dark grey. Below the bar, the text "No domains" is written. The protein structure is represented by a horizontal line with vertical bars indicating the positions of various domains or regions.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	casual_domain_id	junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893142.1									

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the key is the text "No domains". The protein structure is represented by a horizontal line with several vertical colored bars (yellow, blue, green, orange, teal, purple, grey, red) indicating specific regions or domains.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893144.1								

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of different colors: orange, blue, green, pink, brown, teal, purple, grey, red, and white. Below the color key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (pink, blue, green, orange, teal, purple, grey, red) indicating specific regions or domains.

[illegible]

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the bar is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (grey, green, blue, orange, teal, purple, red, orange) indicating specific regions or domains.



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,72,944-35,728,622 | 73 transcript(s) (page 13/19)



event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000893148.1												



Transcript: ENST00000893148.1 | Protein: ENSP00000563207.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000893150.1												




Transcript: ENST00000893150.1 | Protein: ENSP00000563209.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000925704.1												



Transcript: ENST00000925704.1 | Protein: ENSP00000595763.1


event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000956371.1												



Transcript: ENST00000956371.1 | Protein: ENSP00000626430.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: orange, blue, green, pink, brown, teal, purple, grey, red, and magenta. Below the map, the text "No domains" is written.

[illegible]

The diagram shows a protein structure with a color key for domains. The color key includes: Orange, Blue, Green, Pink, Brown, Teal, Purple, Grey, Red, and White. The text "No domains" is written below the color key.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000956374.1								



The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key at the top right identifies the domains: yellow (No domains), blue, green, pink, orange, teal, purple, grey, red, and black. The text "No domains" is written below the key.

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The figure consists of two parts. The top part is a horizontal timeline representing the experimental design. It starts with a black line, followed by a vertical line, then a horizontal line segment, then another vertical line, and finally a horizontal line segment. The time interval between the first and second trials is indicated as 10 minutes. The bottom part is a schematic representation of the trial structure. It shows a horizontal line with several colored segments: a yellow segment, a pink segment, a brown segment, a teal segment, a purple segment, a grey segment, a red segment, and a dark red segment. The text 'No domains' is written below the red segment.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	casual_domains	junction	in_cds
no_unique_junctions	ENST00000956381.1								

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and light blue. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (red, blue, green, orange, teal, purple, grey, red, light blue) indicating specific regions or domains.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000956382.1								


The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar divided into segments of different colors: orange, blue, green, pink, brown, teal, purple, grey, red, and white. Below the color key, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical bars of various colors (blue, orange, green, blue, green, orange, teal, purple, grey, red) indicating different domains or regions. A red vertical bar is also present at the end of the structure.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000956383.1								

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and olive. Below the color key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, pink, orange, teal, purple, grey, red, and olive) indicating different regions or domains. A red vertical bar is also present at the end of the structure.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.




The diagram shows a protein structure represented by a horizontal line with various colored segments. A legend on the right indicates the color coding for different domains. The text "No domains" is written below the legend.

[illegible]


The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key on the right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The text "No domains" is written below the key.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000956386.1								



The diagram shows a protein with a signal peptide (orange) and a transmembrane domain (blue). The signal peptide is located at the N-terminus and is followed by a short loop (green). The transmembrane domain is a single-pass transmembrane domain. The C-terminus is located in the cytoplasm. The protein is labeled "No domains" below the transmembrane domain.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	domains	junction	in_cds
no_unique_junctions	ENST00000956387.1								



The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, grey, red, and light orange). To the right of the main structure, there is a color key with a row of colored squares and the text "No domains" below it.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar with segments of orange, blue, green, pink, brown, teal, purple, grey, red, and magenta. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (blue, orange, green, brown, teal, purple, grey, red, magenta) indicating different regions or domains. A red vertical bar is also present at the end of the structure.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000956390.1								





event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_function	alternative_function	in_cds
no_unique_junctions	ENST00000956391.1								




Only InterPro Domain and Repeat entries are drawn, and only those a compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 19/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_junctions	ENST00000956392.1											



No domains

Transcript: ENST00000956392.1 | Protein: ENSP00000626451.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.