





idx	start	end
1	343908	344335
2	343908	372664



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
longer_domains	ENST00000885053.1	1		IPR001909		72.0	75.0	1.0	1.0	
increased_domain_number	ENST00000885053.1	1		IPR013087		224.0	252.0	8.0	9.0	




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000366506.4								



no annotated protein
No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000503699.1							



no annotated protein

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_function	alternative_function	in_cds
no_unique_junctions	ENST00000512994.5								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000579770.1								






event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_function	alternative_function	in_cds
no_unique_junctions	ENST00000885054.1								




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



ZNF141 - H_sapiens | chr4:337,799-384,868 | 14 transcript(s) (page 3/4)




Transcript: NM_001348277.2 | Protein: NP_001335206.1



Transcript: NM_001348279.2 | Protein: NP_001335208.1






Transcript: NM_001348280.2 | Protein: NP_001335209.1




Transcript: XM_011513562.4 | Protein: XP_011511864.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZNF141 - H_sapiens | chr4:337,799-384,868 | 14 transcript(s) (page 4/4)



Transcript: XM_017008591.3 | Protein: XP_016864080.1



Transcript: XM_047416147.1 | Protein: XP_047272103.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.