





AP2A2 - H\_sapiens | chr11:925,869-1,012,240 | 2 transcript(s)

| idx | start  | end    |
|-----|--------|--------|
| 1   | 926088 | 959437 |
| 2   | 943314 | 959437 |



Transcript: ENST00000448903.7 | Protein: ENSP00000413234.3 [canonical]

| event                | alternative_transcript_id | group | rank | domain_id | canonical_domain | alternative_domain | canonical_domain | alternative_domain | canonical_junction | alternative_junction | in_cds |
|----------------------|---------------------------|-------|------|-----------|------------------|--------------------|------------------|--------------------|--------------------|----------------------|--------|
| no_domains_in_region | ENST00000530801.6         | 1     |      |           |                  |                    |                  |                    |                    |                      |        |



No domains

Transcript: ENST00000530801.6 | Protein: ENSP00000434553.2 [longest CDS]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous\_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.