






ZBTB48 - H sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 1/9)

idx	start	end
1	6581299	6582058
2	6580636	6582058




Transcript: ENST00000377674.9 | Protein: ENSP00000366902.4 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_domains_in_region	ENST00000902995.1	1							





Transcript: ENST00000902995.1 | Protein: ENSP00000573054.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000319084.9								



Transcript: ENST00000319084.9 | Protein: ENSP00000313416.5


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000435905.5								



Transcript: ENST00000435905.5 | Protein: ENSP00000416054.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line is shown, ranging from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are present every 100,000 units. A vertical dashed line is drawn at the 6,583,000 mark.



No domains

no annotated protein



No domains

no annotated protein



28 24
IPR013087 IPR013087

A horizontal number line is shown, ranging from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are present every 100,000 units. A vertical dashed line is drawn at the 6,583,000 mark.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000902993.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000902994.1								






event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000902996.1								




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line is shown, ranging from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are present every 100,000 units. A vertical dashed line is drawn at the 6,583,000 mark.



28 IPR013087



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line is shown, ranging from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are present every 100,000 units. A vertical dashed line is drawn at the 6,583,000 mark.



28 29
IPR013087 IPR013087



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_junctions	NM_001278647.2								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	XM_017001111.3								




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_function	alternative_function	in_cds
no_unique_junctions	XM_047418865.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 7/9)



Transcript: XM_047418867.1 | Protein: XP_047274823.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	XM_047418668.1								




Transcript: XM_047418868.1 | Protein: XP_047274824.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	XM_047418869.1								



Transcript: XM_047418869.1 | Protein: XP_047274825.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	XM_047418870.1							



Transcript: XM_047418870.1 | Protein: XP_047274826.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 8/9)



Transcript: XM_047418875.1 | Protein: XP_047274831.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	XM_04741878.1								




Transcript: XM_047418878.1 | Protein: XP_047274834.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	XM_047418880.1								



Transcript: XM_047418880.1 | Protein: XP_047274836.1



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	XM_047418882.1							




Transcript: XM_047418882.1 | Protein: XP_047274838.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 9/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	XM_047418886.1									



Transcript: XM_047418886.1 | Protein: XP_047274842.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.