




DAZ4 - H_sapiens | chrY:24,833,819-24,907,040 | 9 transcript(s) (page 1/3)

idx	start	end
1	24886220	24888534
2	24888605	24895688
3	24888605	24890918
4	24890989	24893303



Genomic Position (bp)




Amino Acid Position




Transcript: ENST00000682740.1 | Protein: ENSP00000508087.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
reduced_domain_number	ENST00000415508.6	1		IPR043628	120.0	72.0	5.0	3.0		



Transcript: ENST00000415508.6 | Protein: ENSP00000397895.2 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000382296.4								



Transcript: ENST00000382296.4 | Protein: ENSP00000371733.3

event	alternative_transcript_id	group	rank	domain_id_canonical_domain	alternative_domain_id_canonical_domain	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000382314.6						



Transcript: ENST00000382314.6 | Protein: ENSP00000371751.3

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000440066.6								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000449750.7								





event	alternative_transcript_id	group	rank	domain_id	canonical_alternative_domain	canonical_alternative_document	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000634662.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


DAZ4 - H_sapiens | chrY:24,833,819-24,907,040 | 9 transcript(s) (page 3/3)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
transcript_doesnt_have_junctions	NM_001005375.3											



No domains



Transcript: NM_001005375.3 | Protein: NP_001005375.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.