


idx	start	end
1	35575942	35576994
2	35575942	35580036



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id
no_domains_in_region	ENST00000893102.1	1									

[illegible][illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000542713.1										

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_junctions	ENST00000893093.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id
no_unique_junctions	ENST00000893094.1										


No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_junctions	ENST00000893095.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 3/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893096.1												



No domains

Transcript: ENST00000893096.1 | Protein: ENSP00000563155.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893097.1												



No domains

Transcript: ENST00000893097.1 | Protein: ENSP00000563156.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893098.1												



No domains

Transcript: ENST00000893098.1 | Protein: ENSP00000563157.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893099.1												



No domains

Transcript: ENST00000893099.1 | Protein: ENSP00000563158.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893101.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction_in_cds
no_unique_junctions	ENST00000893103.1									


No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_domain	alternative_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893104.1										


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


A horizontal number line with arrows at both ends. Major tick marks are labeled from left to right: 35,720,000, 35,680,000, 35,640,000, and 35,600,000. There are four minor tick marks between each pair of major tick marks. Above the number line, four points are marked with vertical dashed lines and labeled: 35,700,000 (between 35,720,000 and 35,680,000), 35,660,000 (between 35,680,000 and 35,640,000), 35,620,000 (between 35,640,000 and 35,600,000), and 35,580,000 (at the far right end of the line).




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000893106.1							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000893107.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000893108.1							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893109.1												



Transcript: ENST00000893109.1 | Protein: ENSP00000563168.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000893110.1												



Transcript: ENST00000893110.1 | Protein: ENSP00000563169.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893111.1												



Transcript: ENST00000893111.1 | Protein: ENSP00000563170.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893112.1												



Transcript: ENST00000893112.1 | Protein: ENSP00000563171.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893113.1										

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_junctions	ENST00000893114.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction	in_cds
no_unique_junctions	ENST00000893115.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893116.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Genomic coordinates (35,720,000 to 35,580,000) and a table showing event details (no_unique_junctions, alternative_transcript_id, group, rank, domain_id, canonical_domain, alternative_domain, canonical_junction, alternative_junction, in_cds).

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893117.1								

Visual representation of the transcript structure, showing exons (colored blocks) and introns (lines). A scale bar indicates positions 100, 200, 300, and 400. The text "No domains" is present below the diagram.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_junctions	ENST00000893118.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_junctions	ENST00000893119.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_junctions	ENST00000893120.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893122.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893123.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893124.1										

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893125.1										

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893127.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893128.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_junctions	ENST00000893131.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	casual_domains	junction	in_cds
no_unique_junctions	ENST00000893134.1								

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key at the top right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and light orange. The text "No domains" is written below the key.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893136.1								

[illegible]

The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar with segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and black. Below the bar, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, orange, teal, purple, grey, red, pink) indicating different domains or regions. A red vertical bar is also present at the end of the structure.


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the color key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (green, orange, blue, green, orange, teal, purple, grey, red) indicating specific regions or domains.


[illegible]

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (cyan, orange, blue, green, orange, teal, purple, grey, red, and pink) indicating different regions or domains.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893144.1								

The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the bar, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical bars of various colors (pink, blue, orange, green, orange, teal, purple, grey, red) indicating specific regions or domains.




event	alternative_transcript_id	group	rank	domain_id	canonical_alternative_domain	canonical_alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893146.1								

No domains



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000893148.1												



Transcript: ENST00000893148.1 | Protein: ENSP00000563207.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000893150.1												




Transcript: ENST00000893150.1 | Protein: ENSP00000563209.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000925704.1												



Transcript: ENST00000925704.1 | Protein: ENSP00000595763.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000956371.1												



Transcript: ENST00000956371.1 | Protein: ENSP00000626430.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000956372.1												



Transcript: ENST00000956372.1 | Protein: ENSP00000626431.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000956373.1												



Transcript: ENST00000956373.1 | Protein: ENSP00000626432.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000956374.1												



Transcript: ENST00000956374.1 | Protein: ENSP00000626433.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000956375.1												



Transcript: ENST00000956375.1 | Protein: ENSP00000626434.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Transcript: ENST00000956376.1 | Protein: ENSP00000626435.1



The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (red, orange, yellow, green, blue, purple, brown, grey, black, white). To the right of the diagram, there is a color key with a horizontal bar divided into segments of the same colors as the bars in the diagram. Below the color key, the text "No domains" is written.

Transcript: ENST00000956377.1 | Protein: ENSP00000626436.1

Transcript: ENST00000956378.1 | Protein: ENSP00000626437.1

Transcript: ENST00000956379.1 | Protein: ENSP00000626438.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

[illegible]



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000956382.1								

[illegible]



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

No domains

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000956386.1								



[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 19/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_junctions	ENST00000956392.1											



No domains

Transcript: ENST00000956392.1 | Protein: ENSP00000626451.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.