




idx	start	end
1	82847247	82848868
2	82847247	82879337



Transcript: ENST00000333891.14 | Protein: ENSP00000334319.8 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
increased_domain_number	ENST00000413807.6	1		IPR001478		45.0	0.0	1.0			



Transcript: ENST00000413807.6 | Protein: ENSP00000404191.2 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000423517.6										




Transcript: ENST00000423517.6 | Protein: ENSP00000388393.2

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000426442.6										




Transcript: ENST00000426442.6 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000432078.2 | Protein: N/A [no protein]



Transcript: ENST00000437081.2 | Protein: ENSP00000393760.2




Transcript: ENST00000456006.2 | Protein: ENSP00000397928.2



Transcript: ENST00000461143.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_alternative_coding_exon	alternative_coding_exon	canonical_intron	alternative_intron	in_cds
no_unique_junctions	XM_017012006.3								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	XM_047420210.1								



Transcript: XM_047420210.1 | Protein: XP_047276166.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	XM_047420211.1								





Transcript: XM_047420211.1 | Protein: XP_047276167.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_function	alternative_function	in_cds
no_unique_junctions	XM_047420212.1								




Transcript: XM_047420212.1 | Protein: XP_047276168.1

Only InterPro Domain and Repeat entries are drawn, and only those compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_junctions	XM_047420213.1											



No domains

Transcript: XM_047420213.1 | Protein: XP_047276169.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.