





idx	start	end
1	37968134	37968883
2	37968134	37969354



Transcript: ENST00000373019.5 | Protein: ENSP00000362110.4 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
reduced_domain_number	ENST00000896916.1	1		IPR000690	32.0		1.0	0.0					




Transcript: ENST00000896916.1 | Protein: ENSP00000566975.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000460925.1												




Transcript: ENST00000460925.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000461869.5												




Transcript: ENST00000461869.5 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000462258.1 | Protein: N/A [no protein]



Transcript: ENST00000470585.5 | Protein: N/A [no protein]



Transcript: ENST00000487062.1 | Protein: N/A [no protein]



Transcript: ENST00000488934.1 | Protein: N/A [no protein]

A horizontal number line with tick marks every 10,000 units. The labels above the line are 37,990,000, 37,980,000, 37,970,000, and 37,960,000. The labels below the line are 37,985,000, 37,975,000, and 37,965,000.

No domains



27
IPR021966

150
IPR031774



27
IPR021966

150
IPR031774



27
IPR021966

1 49
IPR031774



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 37,960,000, 37,965,000, 37,970,000, 37,975,000, 37,980,000, and 37,985,000. The right number line has major tick marks at 100, 200, 300, 400, and 500.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000931598.1								


event	alternative_transcript_id	group	rank	domain_id canonical_cds alternative_domain_id canonical_cds alternative_domain_id canonical_cds alternative_domain_id canonical_cds	junction alternative_junction_in cds
no_uniquejunctions	ENST00000931599.1				

The figure displays a genomic map of the 1000 Genomes Project. The top track shows recombination rates across the genome, with a color scale from blue (low) to red (high). Below this, a black line represents the genome, with vertical colored bars indicating recombination hotspots. Four protein domains are highlighted with colored ovals and labeled with their IDs: IPR021966 (blue), IPR031774 (yellow), IPR025086 (green), and IPR000690 (red). The domains are located on the positive strand of the genome.

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PP), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with major tick marks at 37,960,000, 37,970,000, 37,980,000, and 37,990,000. There are also minor tick marks between these major values, representing intervals of 10,000 units. The labels are placed above the major tick marks.





150 IPR031774




IPR021966 IPR031774 IPR000690

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000931605.1 | Protein: ENSP00000601664.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000963484.1												




Transcript: ENST00000963484.1 | Protein: ENSP00000633543.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000963485.1												



Transcript: ENST00000963485.1 | Protein: ENSP00000633544.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000963486.1												



Transcript: ENST00000963486.1 | Protein: ENSP00000633545.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.