



idx	start	end
1	121452616	121470007
2	121452616	121478118





event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
longer_domains	ENST00000905167.1	1		IPR006581	664.0	673.0	1.0	1.0	



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000524633.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_extensive_domains	alternative_domains	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000524873.1								





No domains

No domains


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SORL1 - H_sapiens | chr11:121,452,313-121,633,763 | 15 transcript(s) (page 2/4)




Transcript: ENST00000525532.5 | Protein: ENSP00000434634.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000527649.1										




Transcript: ENST00000527649.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000527934.1										



Transcript: ENST00000527934.1 | Protein: ENSP00000435405.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000528339.5										



Transcript: ENST00000528339.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The figure displays genomic information for a specific transcript. At the top, a scale bar shows genomic coordinates from approximately 121,475,000 to 121,625,000. Below this, a horizontal line represents the gene structure, with vertical bars indicating exons and gaps representing introns. A legend indicates that green bars represent canonical domains and blue bars represent alternative domains. The main part of the figure is a table listing transcript details.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000529445.1									

Below the table, a horizontal line represents the protein sequence. To the right, a bar chart shows the number of domains per residue. The x-axis ranges from 0 to 2000 residues. The y-axis is labeled 'domains' and ranges from 0 to 4. The bar chart shows a single bar at position 0 with a height of 4, indicating no domains are annotated for this protein.

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	in_cds
transcript_doesnt_have_junctions	ENST00000530365.1									

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	in_cds
no_unique_junctions	ENST00000532451.1									



no annotated protein

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_domain_id	alternative_domains	canonical_domain_id	alternative_domains
transcript_doesnt_have_junctions	ENST00000532694.5									

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SORL1 - H_sapiens | chr11:121,452,313-121,633,763 | 15 transcript(s) (page 4/4)



Transcript: ENST00000534286.5 | Protein: ENSP00000436447.1



Transcript: ENST00000534754.5 | Protein: N/A [no protein]



Transcript: ENST00000905166.1 | Protein: ENSP00000575225.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.