


idx	start	end
1	343908	344335
2	343908	372664



Transcript: ENST00000240499.8 | Protein: ENSP00000240499.7 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
reduced_domain_number	XM_011513562.4	1		IPR001909	72.0		1.0	0.0			
reduced_domain_number	XM_011513562.4	1		IPR013087	224.0		8.0	0.0			



Transcript: XM_011513562.4 | Protein: XP_011511864.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
longer_domains	ENST00000885053.1	1		IPR001909	72.0	75.0	1.0	1.0			
increased_domain_number	ENST00000885053.1	1		IPR013087	224.0	252.0	8.0	9.0			



Transcript: ENST00000885053.1 | Protein: ENSP00000555112.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000366506.4										



Transcript: ENST00000366506.4 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein

No domains

No domains

The diagram shows a horizontal line representing a chromosome. A vertical red line is positioned near the left end, and a vertical blue line is positioned near the right end. A small red rectangle is located on the red line, and a small blue rectangle is located on the blue line. To the right of the blue line, there is a horizontal bar with a green segment, a blue segment, and a white segment. Below this bar is an oval containing the number 72.

IPR001909

IPR001909



no annotated protein

No domains

No domains



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line from 0 to 100. A red bracket is placed above the line from 0 to 10. A green bracket is placed above the line from 10 to 20. A blue bracket is placed above the line from 20 to 100.




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZNF141 - H_sapiens | chr4:337,799-384,868 | 14 transcript(s) (page 4/4)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	XM_017008591.3								



No domains

Transcript: XM_017008591.3 | Protein: XP_016864080.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	XM_047416147.1								



No domains

Transcript: XM_047416147.1 | Protein: XP_047272103.1

Only InterPro Domain and Repeat entries are drawn, and only those compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.