




PFDN5 - M_musculus | chr15:102,234,550-102,239,925 | 8 transcript(s) (page 1/2)

idx	start	end
1	102234695	102234868
2	102234695	102235253
3	102234695	102235253
4	102234695	102235253
5	102234695	102235253
6	102234970	102235253
7	102234970	102235253
8	102235284	102235284
	102237031	102237147




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENSMUST00000062492.11	IPR011599	145.0	77.0	1.0	1.0
shorter	ENSMUST00000062492.11	IPR009053	144.0	77.0	1.0	1.0



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENSMUST00000168805.8					




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENSMUST00000170627.8	IPR011599	145.0	78.0	1.0	1.0
shorter	ENSMUST00000170627.8	IPR009053	144.0	98.0	1.0	1.0



Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


PFDN5 - M_musculus | chr15:102,234,550-102,239,925 | 8 transcript(s) (page 2/2)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENSMUST00000169637.8	IPR011599	145.0	59.0	1.0	1.0
dropped_domain	ENSMUST00000169637.8	IPR009053	144.0		1.0	0.0



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENSMUST00000165671.8					



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENSMUST00000165717.4					



Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.