






HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 1/9)

idx	start	end
1	68337333	68337858
2	68337333	68338503
3	68337333	68339140
4	68337333	68338503
5	68337996	68339140
6	68338642	68339140
	68338687	68339140





Transcript: ENST00000265866.12 | Protein: ENSP00000265866.7

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000880282.1	IPR050666	268.0	253.0	1.0	1.0
unchanged_domains	ENST00000880282.1	IPR035979	192.0	192.0	2.0	2.0




Transcript: ENST00000880282.1 | Protein: ENSP00000550341.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940766.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940766.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940766.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940766.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940766.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000940766.1 | Protein: ENSP00000610825.1



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880280.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880280.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880280.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880280.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880280.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000880280.1 | Protein: ENSP00000550339.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 2/9)



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940778.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940778.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940778.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940778.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940778.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000940778.1 | Protein: ENSP00000610837.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	NM_001322445.1	IPR050666	268.0		1.0	0.0
dropped_domain	NM_001322445.1	IPR035979	192.0		2.0	0.0




Transcript: NM_001322445.1 | Protein: NP_001309374.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000461310.5	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000461310.5	IPR035979	192.0		2.0	0.0



Transcript: ENST00000461310.5 | Protein: N/A





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000940768.1	IPR050666	268.0	250.0	1.0	1.0
unchanged_domains	ENST00000940768.1	IPR035979	192.0	192.0	2.0	2.0




Transcript: ENST00000940768.1 | Protein: ENSP00000610827.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 3/9)




Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: NM_001322450.2 | Protein: NP_001309379.1



Transcript: NM_001322453.2 | Protein: NP_001309382.1




Transcript: ENST00000354695.5 | Protein: ENSP00000346726.5




Transcript: NM_001322446.2 | Protein: NP_001309375.1 [most like canonical]


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: NM_001322452.2 | Protein: NP_001309381.1



Transcript: ENST00000880292.1 | Protein: ENSP00000550351.1




Transcript: ENST00000880287.1 | Protein: ENSP00000550346.1



Transcript: NM_001322447.2 | Protein: NP_001309376.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: NM_001322451.2 | Protein: NP_001309380.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880295.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880295.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880295.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880295.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880295.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000880295.1 | Protein: ENSP00000550354.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880290.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880290.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880290.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880290.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880290.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000880290.1 | Protein: ENSP00000550349.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000880291.1	IPR050666	268.0	85.0	1.0	1.0
merged_domain	ENST00000880291.1	IPR035979	192.0	95.0	2.0	1.0
added_domain	ENST00000880291.1	IPR012677		47.0	0.0	1.0





Transcript: ENST00000880291.1 | Protein: ENSP00000550350.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940771.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940771.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940771.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940771.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940771.1	IPR000504		144.0	0.0	4.0





Transcript: ENST00000940771.1 | Protein: ENSP00000610830.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000967050.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000967050.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000967050.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000967050.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000967050.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000967050.1 | Protein: ENSP00000637109.1 [longest CDS]

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940784.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940784.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940784.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940784.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940784.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000940784.1 | Protein: ENSP00000610843.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000940775.1	IPR050666	268.0	244.0	1.0	1.0
shorter_domains	ENST00000940775.1	IPR035979	192.0	176.0	2.0	2.0



Transcript: ENST00000940775.1 | Protein: ENSP00000610834.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

A horizontal number line with tick marks at intervals of 2,000. The labels are 68,332,000, 68,334,000, 68,336,000, 68,338,000, and 68,340,000. Vertical dashed lines are drawn at 68,334,000, 68,336,000, and 68,338,000. The number 68,336,000 is positioned exactly halfway between 68,334,000 and 68,338,000.



60 120 180 240 300

t_domain_length	c_domains_number	t_domains_number
	1.0	0.0
	2.0	0.0



No domains




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880298.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880298.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880298.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880298.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880298.1	IPR000504		144.0	0.0	4.0





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940776.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940776.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940776.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940776.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940776.1	IPR000504		144.0	0.0	4.0




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940777.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940777.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940777.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940777.1	IPR000504		71.0	0.0	2.0



Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940785.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940785.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940785.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940785.1	IPR000504		71.0	0.0	2.0



Transcript: ENST00000940785.1 | Protein: ENSP00000610844.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880302.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880302.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880302.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880302.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880302.1	IPR000504		144.0	0.0	4.0





Transcript: ENST00000880302.1 | Protein: ENSP00000550361.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	NM_001322449.2	IPR050666	268.0		1.0	0.0
dropped_domain	NM_001322449.2	IPR035979	192.0		2.0	0.0



Transcript: NM_001322449.2 | Protein: NP_001309378.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880308.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880308.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880308.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880308.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880308.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000880308.1 | Protein: ENSP00000550367.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.