


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 1/19)

idx	start	end
1	68337333	68337858
2	68337333	68338503
3	68337333	68339140
4	68337996	68338503
5	68338642	68339140
6	68338687	68339140



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000469172.5					



Transcript: ENST00000469172.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880282.1					



Transcript: ENST00000880282.1 | Protein: ENSP00000550341.1



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880278.1					





Transcript: ENST00000880278.1 | Protein: ENSP00000550337.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 2/19)





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880283.1					





Transcript: ENST00000880283.1 | Protein: ENSP00000550342.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940766.1					





Transcript: ENST00000940766.1 | Protein: ENSP00000610825.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880280.1					



Transcript: ENST00000880280.1 | Protein: ENSP00000550339.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940778.1					



Transcript: ENST00000940778.1 | Protein: ENSP00000610837.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 3/19)



Transcript: NM_001322445.1 | Protein: NP_001309374.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880284.1					



Transcript: ENST00000880284.1 | Protein: ENSP00000550343.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880285.1					



Transcript: ENST00000880285.1 | Protein: ENSP00000550344.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000461310.5					





Transcript: ENST00000461310.5 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 4/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940767.1					





Transcript: ENST00000940767.1 | Protein: ENSP00000610826.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940768.1					




Transcript: ENST00000940768.1 | Protein: ENSP00000610827.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940769.1					



Transcript: ENST00000940769.1 | Protein: ENSP00000610828.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940779.1					



Transcript: ENST00000940779.1 | Protein: ENSP00000610838.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 5/19)



Transcript: ENST00000940780.1 | Protein: ENSP00000610839.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880303.1					



Transcript: ENST00000880303.1 | Protein: ENSP00000550362.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940782.1					



Transcript: ENST00000940782.1 | Protein: ENSP00000610841.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940770.1					




Transcript: ENST00000940770.1 | Protein: ENSP00000610829.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 6/19)




Transcript: ENST00000880289.1 | Protein: ENSP00000550348.1



Transcript: ENST00000880281.1 | Protein: ENSP00000550340.1



Transcript: ENST00000880279.1 | Protein: ENSP00000550338.1




Transcript: NM_001322448.2 | Protein: NP_001309377.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 7/19)




Transcript: NM_001322450.2 | Protein: NP_001309379.1



Transcript: NM_001322453.2 | Protein: NP_001309382.1




Transcript: ENST00000880286.1 | Protein: ENSP00000550345.1



Transcript: ENST00000354695.5 | Protein: ENSP00000346726.5

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 8/19)



Transcript: NM_001322446.2 | Protein: NP_001309375.1 [most like canonical]

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322452.2					



Transcript: NM_001322452.2 | Protein: NP_001309381.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880292.1					



Transcript: ENST00000880292.1 | Protein: ENSP00000550351.1



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880288.1					





Transcript: ENST00000880288.1 | Protein: ENSP00000550347.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 9/19)





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880287.1					





Transcript: ENST00000880287.1 | Protein: ENSP00000550346.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322447.2					




Transcript: NM_001322447.2 | Protein: NP_001309376.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322451.2					



Transcript: NM_001322451.2 | Protein: NP_001309380.1



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940783.1					





Transcript: ENST00000940783.1 | Protein: ENSP00000610842.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 10/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880300.1					



No domains

Transcript: ENST00000880300.1 | Protein: ENSP00000550359.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880296.1					



No domains

Transcript: ENST00000880296.1 | Protein: ENSP00000550355.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880295.1					



No domains

Transcript: ENST00000880295.1 | Protein: ENSP00000550354.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880294.1					




No domains



Transcript: ENST00000880294.1 | Protein: ENSP00000550353.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 11/19)





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940772.1					





Transcript: ENST00000940772.1 | Protein: ENSP00000610831.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880290.1					





Transcript: ENST00000880290.1 | Protein: ENSP00000550349.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880291.1					



Transcript: ENST00000880291.1 | Protein: ENSP00000550350.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940771.1					



Transcript: ENST00000940771.1 | Protein: ENSP00000610830.1


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 12/19)



Transcript: ENST00000967050.1 | Protein: ENSP00000637109.1 [longest CDS]

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940773.1					



Transcript: ENST00000940773.1 | Protein: ENSP00000610832.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940774.1					



Transcript: ENST00000940774.1 | Protein: ENSP00000610833.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940784.1					



Transcript: ENST00000940784.1 | Protein: ENSP00000610843.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 13/19)



Transcript: ENST00000940775.1 | Protein: ENSP00000610834.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000480987.5					



Transcript: ENST00000480987.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880304.1					



Transcript: ENST00000880304.1 | Protein: ENSP00000550363.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880298.1					




Transcript: ENST00000880298.1 | Protein: ENSP00000550357.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 14/19)





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880297.1					



No domains



Transcript: ENST00000880297.1 | Protein: ENSP00000550356.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000967052.1					




Transcript: ENST00000967052.1 | Protein: ENSP00000637111.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000967051.1					



Transcript: ENST00000967051.1 | Protein: ENSP00000637110.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880305.1					




No domains

Transcript: ENST00000880305.1 | Protein: ENSP00000550364.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 15/19)



Transcript: ENST00000967049.1 | Protein: ENSP00000637108.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880299.1					



Transcript: ENST00000880299.1 | Protein: ENSP00000550358.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000486854.5					



Transcript: ENST00000486854.5 | Protein: N/A


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000467249.1					



Transcript: ENST00000467249.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 16/19)



Transcript: ENST00000940776.1 | Protein: ENSP00000610835.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880301.1					



Transcript: ENST00000880301.1 | Protein: ENSP00000550360.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940777.1					



Transcript: ENST00000940777.1 | Protein: ENSP00000610836.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940785.1					




Transcript: ENST00000940785.1 | Protein: ENSP00000610844.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 17/19)




Transcript: ENST00000880306.1 | Protein: ENSP00000550365.1



Transcript: ENST00000880307.1 | Protein: ENSP00000550366.1



Transcript: ENST00000880293.1 | Protein: ENSP00000550352.1




Transcript: ENST00000880302.1 | Protein: ENSP00000550361.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 18/19)




Transcript: NM_001322449.2 | Protein: NP_001309378.1



Transcript: ENST00000940781.1 | Protein: ENSP00000610840.1




Transcript: ENST00000880308.1 | Protein: ENSP00000550367.1



Transcript: ENST00000481819.5 | Protein: N/A


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 19/19)




Transcript: ENST00000491200.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000490442.5					



Transcript: ENST00000490442.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
transcript_doesnt_have_features	ENST00000478698.1					



Transcript: ENST00000478698.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.