



CD6 - M\_musculus | chr19:10,766,702-10,807,427 | 8 transcript(s) (page 1/2)

| idx | start    | end      |
|-----|----------|----------|
| 1   | 10771928 | 10771601 |
| 2   | 10771928 | 10768817 |
| 3   | 10771506 | 10770308 |
| 4   | 10771506 | 10768817 |
| 5   | 10770192 | 10768817 |


| Genomic Position (bp) | Amino Acid Position |
|-----------------------|---------------------|
| event                 | details             |
| feature_not_mapped    |                     |
| feature_not_mapped    |                     |
| feature_not_mapped    |                     |
| feature_not_mapped    |                     |
| feature_not_mapped    |                     |
| no_canonical_features |                     |





Transcript: ENSMUST00000080292.12 | Protein: ENSMUSP00000079172.6




Transcript: ENSMUST00000039043.15 | Protein: ENSMUSP00000046861.9



Transcript: XM\_036161415.1 | Protein: XP\_036017308.1





Transcript: XM\_006526622.3 | Protein: XP\_006526685.1




Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.


CD6 - M\_musculus | chr19:10,766,702-10,807,427 | 8 transcript(s) (page 2/2)




Transcript: ENSMUST00000025572.8 | Protein: N/A





Transcript: ENSMUST00000173613.2 | Protein: N/A



Transcript: ENSMUST00000174176.3 | Protein: ENSMUSP00000134639.2



Transcript: ENSMUST00000236355.2 | Protein: N/A



Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.