```
No.
      Time
                       Source
                                             Destination
                                                                    Protocol Length Info
   153 10.365415
                                                                                    Echo (ping) request id=0x1200, seq=0/0, ttl=128
                       10.0.0.10
                                                                             61
(reply in 154)
Frame 153: 61 bytes on wire (488 bits), 61 bytes captured (488 bits)
Ethernet II, Src: CyberTAN 0b:73:d1 (00:45:e2:0b:73:d1), Dst: D-LinkIn 53:d8:14 (90:8d:78:53:d8:14)
   Destination: D-LinkIn_53:d8:14 (90:8d:78:53:d8:14)
   Source: CyberTAN_0b:73:d1 (00:45:e2:0b:73:d1)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 10.0.0.10, Dst: 8.8.8.8
   0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
   Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
   Total Length: 47
   Identification: 0x0d64 (3428)
   Flags: 0x00
   Fragment Offset: 0
   Time to Live: 128
   Protocol: ICMP (1)
   Header Checksum: 0x1351 [validation disabled]
   [Header checksum status: Unverified]
   Source Address: 10.0.0.10
   Destination Address: 8.8.8.8
Internet Control Message Protocol
   Type: 8 (Echo (ping) request)
   Code: 0
   Checksum: 0xae36 [correct]
   [Checksum Status: Good]
   Identifier (BE): 4608 (0x1200)
   Identifier (LE): 18 (0x0012)
   Sequence Number (BE): 0 (0x0000)
   Sequence Number (LE): 0 (0x0000)
[Response frame: 154]
   Data (19 bytes)
0000 54 68 69 73 20 69 73 20 74 68 65 20 70 69 6e 67 This is the ping
0010 2e 0a 00
                                             Destination
       Time
                       Source
                                                                    Protocol Length Info
   154 10.420315
                       8.8.8.8
                                             10.0.0.10
                                                                    ICMP
                                                                            61
                                                                                    Echo (ping) reply
                                                                                                         id=0x1200, seq=0/0, ttl=115
(request in 153)
Frame 154: 61 bytes on wire (488 bits), 61 bytes captured (488 bits)
Ethernet II, Src: D-LinkIn_53:d8:14 (90:8d:78:53:d8:14), Dst: CyberTAN_0b:73:d1 (00:45:e2:0b:73:d1)
   Destination: CyberTAN_0b:73:d1 (00:45:e2:0b:73:d1)
   Source: D-LinkIn_53:d8:14 (90:8d:78:53:d8:14)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 8.8.8.8, Dst: 10.0.0.10
   0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
   Differentiated Services Field: 0x60 (DSCP: CS3, ECN: Not-ECT)
   Total Length: 47
   Identification: 0x0000 (0)
   Flags: 0x00
   Fragment Offset: 0
   Time to Live: 115
   Protocol: ICMP (1)
   Header Checksum: 0x2d55 [validation disabled]
   [Header checksum status: Unverified]
   Source Address: 8.8.8.8
   Destination Address: 10.0.0.10
Internet Control Message Protocol
   Type: 0 (Echo (ping) reply)
   Code: 0
   Checksum: 0xb636 [correct]
   [Checksum Status: Good]
   Identifier (BE): 4608 (0x1200)
   Identifier (LE): 18 (0x0012)
   Sequence Number (BE): 0 (0x0000)
   Sequence Number (LE): 0 (0x0000)
   [Request frame: 153]
   [Response time: 54.900 ms]
   Data (19 bytes)
0000 54 68 69 73 20 69 73 20 74 68 65 20 70 69 6e 67
                                                        This is the ping
```

0010 2e 0a 00