

Dependency Paging

Tal Zohar

May 16, 2026

1 The Dependency Paging Problem

There are n pages and a cache of size k . Additionally, we are provided with a dependency DAG G . Let $G[p]$ be the set of dependencies of page p . A valid solution must ensure that if page p is in cache, then all pages in $G[p]$ are also in the cache. Let l denote the width of G - the maximum antichain length.

We analyze the problem assuming pages are requested one by one, such that every request arrives only after all of its children (dependencies) have been requested. This topological request order simplifies the algorithm description and proofs without loss of generality.

2 The Unweighted Case - Marking Algorithms and Phase Structure

To analyze both the deterministic and randomized algorithms for the unweighted problem, we utilize the classical framework of *marking algorithms*, adapted to respect dependency constraints.

A marking algorithm processes a request sequence in a series of disjoint phases. At the beginning of a phase, all pages are considered “unmarked.” As requests arrive, the requested pages (and their dependencies) are “marked.” The fundamental rule of a marking algorithm is that it **never evicts a marked page**. When the cache is full and an eviction is required, the algorithm is forced to choose an unmarked page. A phase naturally terminates when an eviction is needed but the cache is entirely full of marked pages. At this point, all marks are cleared, and a new phase begins.

Consequently, the sequence is divided into phases containing exactly k distinct pages, where k represents the size of the cache. Let m denote the number of new pages requested in a phase (pages that were not in the cache at the start of the phase).

Lemma 1 (OPT Lower Bound). *The optimal offline algorithm (OPT) incurs an amortized cost of at least $m/2$ misses per phase.*

Proof. Because OPT has a cache capacity of exactly k , and each phase requests exactly k distinct pages including m entirely new pages, OPT must incur at least m misses across the current and previous phases combined. Thus, its amortized cost per phase is at least $m/2$. $\square$

By Lemma 1, any algorithm that incurs $O(m \cdot f(l))$ misses per phase is $O(f(l))$ -competitive.

We partition the DAG G into l disjoint strongly-ordered chains $C_1, \dots, C_l$, which is possible by Dilworth’s theorem.

Definition: A page is considered **marked** if it has been requested during the current phase.

Definition: A chain is considered **marked** if there is no unmarked page of the chain currently residing in the cache (i.e., all chain pages in the cache are marked).

Definition: A page in the cache is an **eviction candidate** if it is a maximal unmarked cached page (meaning it is unmarked, and no other page currently in the cache is dependent on it). Because requests follow a topological order, these are the only pages that can be safely evicted without violating dependency constraints.

Observation 1. Equivalence of Phase Boundaries: *By definition, a phase ends when all k pages in the cache are marked. Because the cache capacity is exactly k , this is the exact moment when no unmarked pages remain in the cache, and consequently, all l chains become marked. Therefore, a phase runs exactly as long as there are valid eviction candidates in the cache.*

Observation 2. *Within each chain, the marked pages reside at the bottom, while the evicted pages reside at the top.*

Observation 3. *Once a chain becomes marked, it never becomes unmarked during the phase, since pages fetched mid-phase are immediately marked upon entry.*

3 A Deterministic $O(\min(k, l))$ -Competitive Algorithm for the Unweighted Case

Standard LRU preserves dependency constraints and is $O(k)$ -competitive, as shown in [2]. By a tighter analysis, we can show that a generic dependency-aware marking algorithm is $O(\min(k, l))$ -competitive.

Claim 1. *Standard LRU is a valid implementation of the generic deterministic dependency-aware marking algorithm.*

Algorithm 1 describes this generic deterministic strategy. Whenever the cache is full, it simply evicts *any* valid eviction candidate.

Algorithm 1 Deterministic Marking Algorithm for Dependency Paging

```

1: Initialize: Cache  $S \leftarrow \emptyset$ , Marked set  $M \leftarrow \emptyset$ 
2: for each requested page  $p$  in the sequence do
3:   if  $|M \cup \{p\}| > k$  then                                 $\triangleright$  Phase ends when we attempt to mark beyond capacity
4:     End current phase, start new phase
5:      $M \leftarrow \emptyset$                                         $\triangleright$  Unmark all pages
6:     Mark all pages in  $S$  that are needed for  $p$ 
7:   end if
8:    $M \leftarrow M \cup \{p\} \cup G[p]$                              $\triangleright$  Mark the requested page and its dependencies
9:   if  $|S \cup \{p\}| > k$  then                                 $\triangleright$  Cache is full, eviction required
10:    Find an eviction candidate  $q \in S$ 
11:     $S \leftarrow S \setminus \{q\}$                                  $\triangleright$  Evict page  $q$ 
12:  end if
13:  if  $p \notin S$  then
14:     $S \leftarrow S \cup \{p\}$                                      $\triangleright$  Fetch the requested page into the cache
15:  end if
16: end for

```

To prove the competitiveness, we bound the number of misses on “old pages” (pages that were in the cache at the start of the phase).

Lemma 2 (Bound on Displaced Pages). *At any given moment during a phase, the total number of old pages that are currently evicted from the cache is bounded by m .*

Proof. Because the cache maintains a fixed capacity of k , every currently evicted old page must have been perfectly replaced by a “new page” requested during this phase. Since at most m new pages are requested in the entire phase, the cache can physically hold at most m new pages at any given time. Thus, the total number of evicted old pages is bounded by m . $\square$

Lemma 3 (Chain Marking Upon Miss). *Let p be an old page belonging to chain C_j that was evicted during the current phase. At the exact moment p is subsequently requested and brought back into the cache, C_j becomes a marked chain.*

Proof. Because C_j is a totally ordered chain, any other page $y \in C_j$ must either be a dependency of p , or y must depend on p .

- If y is a dependency of p , the algorithm guarantees that when p is marked, all of its dependencies currently in the cache are also marked. Thus, y is marked.
- If y depends on p , then y requires p to be in the cache. When p was originally evicted, it was an eviction candidate, meaning no cached page depended on it. Since p has remained evicted until now, no page depending on p (including y) could have been requested or fetched into the cache, as doing so would require fetching p first. Thus, y is currently not in the cache.

Therefore, every page of C_j currently in the cache is marked, making C_j a marked chain. $\square$

Theorem 1. *The generic deterministic marking algorithm is $O(\min(k, l))$ -competitive.*

Proof. We are interested in bounding the total number of misses on old pages. An old page incurs a miss if and only if it is evicted and subsequently refetched.

First, observe that once an old page is refetched, it becomes marked. By the fundamental rule of marking algorithms, marked pages are never evicted. Thus, each of the at most k old pages originally in the cache can incur a maximum of one miss per phase. This bounds the total number of misses on old pages strictly by k .

Second, we can bound the misses using the chain structure. By Lemma 3, the very first time an evicted old page from C_j is refetched, C_j becomes a marked chain. By Observation 3, a marked chain never becomes unmarked again for the remainder of the phase.

Because the algorithm only evicts unmarked pages (eviction candidates), no page from C_j can be evicted once C_j becomes marked. Therefore, all evictions from C_j must occur *before* C_j suffers its first miss.

By Lemma 2, the maximum number of pages from C_j that can be simultaneously evicted at any given moment is bounded by the total number of evicted old pages in the entire system, which is m . Since C_j cannot be evicted from after its first miss, the maximum number of misses C_j can incur is exactly the number of its pages that were evicted prior to this moment, which is at most m .

Summing this bound over all l chains, the total number of misses on old pages is also bounded by $m \cdot l$.

Combining these two independent bounds, the total number of misses on old pages is at most $\min(k, m \cdot l) \leq m \cdot \min(k, l)$ (since $m \geq 1$).

The algorithm also incurs exactly m misses to fetch the m new pages. Thus, the total cost for the phase is at most $m + m \cdot \min(k, l) = m(1 + \min(k, l))$. By Lemma 1, OPT incurs an amortized cost of at least $m/2$ per phase. Therefore, the generic deterministic marking algorithm achieves an overall competitive ratio of $O(\min(k, l))$. $\square$

4 A Randomized $O(\min(\log k, \log l))$ -Competitive Algorithm for the Unweighted Case

The paper [2] provides an expected $O(\min(\log k, \log l))$ -competitive randomized algorithm. Here, we provide an alternative, simpler analysis to establish this exact $O(\min(\log k, \log l))$ competitive ratio directly.

We present a randomized algorithm (Algorithm 2) that restricts how the eviction candidates are chosen. By ensuring evictions are distributed symmetrically across the chains, we prevent the adversary from stacking m misses on a single chain.

4.1 Blocked Chains and Algorithm Description

We reuse the chains $C_1, \dots, C_l$ and the definition of an eviction candidate. To formalize the randomized selection, we define how a chain specifies its desired eviction target.

Definition: For any unmarked chain, its **next eviction candidate** is defined as its highest unmarked page currently residing in the cache. Note that a chain's next eviction candidate might not be a global *eviction candidate*, as there could be cached pages *outside* the chain that depend on it.

We introduce the concept of a “blocked chain” to systematically determine how actual eviction candidates are chosen.

Definition: An unmarked chain is considered **blocked** on a page p if the following two conditions are met:

1. p is an eviction candidate.
2. p is an ancestor of (or equal to) the chain's next eviction candidate.

Claim 2. *Every unmarked chain must be blocked by some page (can be multiple).*

Proof. Let $\tilde{C}$ be an unmarked chain. By definition, it has a next eviction candidate $x \in \tilde{C}$ currently residing in the cache. If we trace the dependency graph upwards from x to its ancestors currently in the

cache, we will eventually reach a maximal unmarked cached page q (one with no cached dependents). This page q is an eviction candidate. Because q is either equal to x or an ancestor of x , the chain $\tilde{C}$ is blocked on q . $\square$

Eviction Rule: When we need to evict a page, we draw an unmarked chain $\tilde{C}$ uniformly at random. We select some page q such that $\tilde{C}$ is blocked on q (by Claim 2, we are guaranteed such a page exists), and we evict q .

Algorithm 2 Randomized Marking Algorithm for Dependency Paging

```

1: Initialize: Cache  $S \leftarrow \emptyset$ , Marked set  $M \leftarrow \emptyset$ 
2: Partition  $G$  into  $l$  disjoint chains  $C_1, \dots, C_l$  ▷ via Dilworth's Theorem
3: for each requested page  $p$  in the sequence do
4:   if  $|M \cup \{p\}| > k$  then ▷ Phase ends when we attempt to mark beyond capacity
5:     End current phase, start new phase
6:      $M \leftarrow \emptyset$  ▷ Unmark all pages
7:     Mark all pages in  $S$  that are needed for  $p$ 
8:   end if
9:    $M \leftarrow M \cup \{p\} \cup G[p]$  ▷ Mark the requested page and its dependencies
10:  if  $|S \cup \{p\}| > k$  then ▷ Cache is full, eviction required
11:    Draw an unmarked chain  $\tilde{C}$  uniformly at random
12:    Select a page  $q \in S$  such that  $\tilde{C}$  is blocked on  $q$ 
13:    ▷ ( $q$  is an eviction candidate, and ancestor of  $\tilde{C}$ 's next eviction candidate)
14:     $S \leftarrow S \setminus \{q\}$  ▷ Evict page  $q$ 
15:  end if
16:  if  $p \notin S$  then
17:     $S \leftarrow S \cup \{p\}$  ▷ Fetch the requested page into the cache
18:  end if
19: end for

```

4.2 Conceptual Accounting Scheme and Analysis

To bound the expected number of cache misses, we introduce a conceptual accounting scheme using “coins”. It is important to note that these coins are strictly an analytical tool used for the proof; the algorithm does not track or utilize them during its execution.

Coin Distribution Rules:

- **Giving Coins:** Whenever the algorithm evicts a page q by randomly selecting an unmarked chain $\tilde{C}$, we conceptually give one coin to chain $\tilde{C}$. We define the evicted page q to be the page “in charge” of this coin.
- **Removing Coins:** If a page q that is in charge of a coin is subsequently requested (and thus marked), we remove its associated coin from its chain. This scenario occurs exclusively when an evicted old page is refetched into the cache.

Based on this accounting scheme and the structural properties established in Section 2, we establish the following claims:

Claim 3 (Bound on Total Coins). *At any given moment, the total number of coins in the system is bounded by m .*

Proof. By our accounting rules, a coin corresponds exactly to an old page that is currently evicted. By Lemma 2, the number of currently evicted old pages is bounded by m . Thus, the total number of coins is bounded by m . $\square$

Claim 4 (Coin Removal). *We only remove coins from marked chains.*

Proof. A coin is removed from a chain C' exactly when the page p in charge of it is requested. We must show that at this moment, C' is a marked chain (i.e., it has no unmarked pages in the cache).

When p was originally evicted and took charge of the coin, C' was blocked on p . By definition, this means C' had a next eviction candidate x (its highest unmarked cached page at that time), and p was an ancestor of x (or equal to x).

Fast forward to the moment p is requested and the coin is removed. Because p is requested, p is immediately marked. The algorithm guarantees that when a page is marked, all its dependencies currently in the cache are also marked. Because p is an ancestor of x , x is a dependency of p . Thus, x becomes marked.

Could there be some other page $y \in C'$ in the cache that is unmarked? Because C' is a totally ordered chain of dependencies, y must be either a dependency of x , or x must be a dependency of y .

- If y is a dependency of x , then by transitivity, y is a dependency of p . For the same reason x is marked, y must also be marked.
- If x is a dependency of y , then y is an ancestor of x . However, recall that when p was evicted, it was an eviction candidate, meaning it had *no* cached dependents (no cached pages depending on it). Because C' is a totally ordered chain, y and p must be ordered. Since both y and p are ancestors of x , if y were an ancestor of p (meaning y depends on p), it being in the cache would violate p 's status as an eviction candidate. Thus, such an unmarked y cannot exist in the cache.

Therefore, every page of C' currently in the cache is marked. By definition, C' is a marked chain. $\square$

Let u denote the total number of unmarked chains at the beginning of the phase. By definition, an unmarked chain must possess at least one unmarked page currently residing in the cache. Because the cache capacity is exactly k , there can be at most k such chains. Since there are l chains in total, we have $u \leq \min(k, l)$.

Furthermore, by Observation 3, a marked chain never becomes unmarked during a phase. Let $C_1, C_2, \dots, C_u$ denote these initially unmarked chains, indexed in the exact order they become marked during the phase. Let t_j denote the number of coins residing on chain C_j at the exact moment it becomes marked.

Claim 5 (Expected Coins on Marked Chains). *When the j -th initially unmarked chain (C_j) becomes marked, it possesses in expectation at most $\frac{m}{u-j+1}$ coins. That is:*

$$E[t_j] \leq \frac{m}{u-j+1}$$

Proof. Consider the exact moment just before C_j becomes fully marked. At this moment, exactly $j-1$ initially unmarked chains have already been marked, meaning there are exactly $u-j+1$ unmarked chains remaining in the system (including C_j).

By Claim 4, we only remove coins from marked chains. This means there may be coins residing on chains that are already marked, but this is only in our favor, as it leaves fewer coins distributed among the remaining unmarked chains.

By Claim 3, the total number of coins in the entire system at any given moment is bounded by m . Since the algorithm distributes new coins uniformly at random among all currently unmarked chains, by symmetry, the expected number of coins residing on any specific unmarked chain is bounded by the maximum total coins in the system divided by the number of unmarked chains, $u-j+1$. Therefore:

$$E[t_j] \leq \frac{m}{u-j+1}$$

$\square$

Theorem 2. *The randomized dependency-aware marking algorithm is $O(\min(\log k, \log l))$ -competitive.*

Proof. We are interested in bounding the number of cache misses on old pages. An old page incurs a miss if and only if it was evicted and subsequently refetched into the cache.

By our accounting rules, an old page takes charge of a coin exactly when it is evicted, and this coin is discarded exactly when the page is refetched. Therefore, the total number of misses on old pages provides an upper bound that is exactly equal to the total number of coins discarded during the phase.

By Claim 4, coins are exclusively discarded from a chain once it becomes marked. Because marked chains do not receive new coins (as evictions only target unmarked chains), the maximum number of coins that can be discarded from chain C_j is bounded by t_j , the number of coins it possessed at the exact

moment it became marked. Summing these expectations over all u initially unmarked chains provides an upper bound on the total expected cost for old pages:

$$\begin{aligned}
E[\text{misses on old pages}] &\leq \sum_{j=1}^u E[t_j] \\
&\leq \sum_{j=1}^u \frac{m}{u-j+1} \quad (\text{by Claim 5}) \\
&= m \sum_{i=1}^u \frac{1}{i} \\
&= O(m \log u) \\
&= O(m \min(\log k, \log l)) \quad (\text{since } u \leq \min(k, l))
\end{aligned}$$

This bounds the expected cost of fetching old pages. Furthermore, the algorithm incurs exactly m misses to fetch the m new pages requested during the phase. Thus, the total expected cost of the algorithm for the phase is $m + O(m \min(\log k, \log l)) = O(m \min(\log k, \log l))$.

By Lemma 1, OPT incurs an amortized cost of at least $m/2$ misses per phase. Therefore, our randomized algorithm yields an overall expected competitive ratio of $O(\min(\log k, \log l))$. $\square$

5 The Unweighted Problem with Bypasses

In the standard dependency paging model, every requested page must be fetched into the cache. We now consider a variant where the algorithm is given the choice to either fetch a requested page or *bypass* it, incurring a penalty. In standard paging, it is a well-established result that algorithms designed for the non-bypass setting can be systematically converted into algorithms that support bypassing, a framework formalized under the problem of *paging with rejections* [4].

However, introducing bypass decisions to the dependency paging problem adds significant complexity that does not exist in standard paging. Because pages are constrained by a dependency DAG, bypassing a page inherently means that its required dependencies also do not need to be fetched to satisfy that specific request. Due to this cascading effect on structural requirements, the known conversion techniques from standard paging cannot be directly applied to our model.

Recent work has attempted to bridge this gap. The authors in [2] adapted their algorithm to support dependency paging with bypasses, achieving an $O(\sqrt{k} \log k)$ -competitive ratio. Another related study on online tree caching [1] provides an algorithm for a generalized problem where bypassing incurs a fixed cost α . They establish a competitive ratio of $O(k \cdot h(T))$, where $h(T)$ is the height of the dependency tree. However, their analysis relies heavily on the underlying topology and only applies when the dependency structure forms a tree.

In this section, we show how to adapt our algorithm to an even more generalized problem: paging with rejections [4], where every individual request has its own distinct bypass cost. Note that this cost is associated with the request itself and does not need to be inherently tied to the requested page. Remarkably, we demonstrate that our adaptation accommodates this flexibility while preserving the tight $O(\min(\log k, \log l))$ competitive ratio established in the non-bypass setting.

The Cost of Bypasses and the Failure of Top-Down Assumptions

Formally, the input sequence consists of requests denoted by the tuple (p, b) , where p is the requested page and $b \in \mathbb{R}^+$ is the penalty incurred if the algorithm chooses to bypass this specific request. In standard paging with rejections, one can usually assume without loss of generality that the bypass cost is no greater than the cost of a cache fetch (i.e., $b \leq 1$ in the unweighted case). This is because bypassing a request for a cost greater than fetching it is trivially suboptimal [4].

However, in dependency paging, we cannot make this assumption. Fetching a page p strictly requires all its dependencies $G[p]$ to be in the cache. If multiple dependencies of p are currently missing, the true cost of fetching p is the cost of fetching p *plus* the cost of fetching the entire missing dependency chain. Therefore, an adversary might present a request with a bypass cost of $b > 1$, and it might still be cheaper for the algorithm to bypass the request than to pay for a massive chain of prerequisite fetches.

To understand how to adapt our algorithm, we must first examine where our previous analysis fails in the presence of bypasses. In the non-bypass setting, we relied heavily on a topological assumption: requests arrive such that when a page p is requested, all of its dependencies are already marked.

In the bypass setting, this assumption collapses because algorithms—specifically the optimal offline algorithm (OPT)—now have the freedom to skip requests. In the standard model, every valid algorithm is forced to serve a request for a dependency $q \in G[p]$, guaranteeing it is marked before p is ever requested. However, when bypass decisions are introduced, OPT (or our online algorithm) can strategically choose to bypass a prior request for q . Consequently, q is neither fetched nor marked. If p is subsequently requested and the algorithm decides to fetch it, it is forced to simultaneously fetch p and all of its unmarked dependencies. This bulk-fetching is catastrophic for the competitive ratio. The core of our non-bypass analysis rested on the invariant that a single fetch causes at most one eviction, bounding the total number of “holes” (or coins) by m . If a single request triggers multiple cascading fetches, it causes a burst of simultaneous evictions, inflating the number of coins well beyond m and completely destroying the structural bounds required for the $O(\min(\log k, \log l))$ competitive ratio.

The Fractional Budget-Pouring Algorithm

To restore the topological invariant, we must ensure that pages are only fetched one at a time, strictly after their dependencies have been satisfied. We achieve this by treating the bypass cost b as a continuous liquid budget, distributing it fractionally among the unmarked dependencies.

Let $w_q \in [0, 1]$ be a fractional counter for each page $q \in G$, initialized to 0. Upon receiving a request (p, b) , let U_p denote the set of all currently unmarked pages in $G[p] \cup \{p\}$. If U_p is empty, all required pages are already marked, so we fetch and serve p for free.

If U_p is not empty, we continuously “pour” the budget b into the counters of a specific subset $S(p) \subseteq U_p$. We define $S(p)$ as the set of unmarked pages in U_p whose dependencies are *entirely marked*. We pour the budget into these pages regardless of whether they are already residing in the cache. The mere presence of an unmarked page in the cache does not automatically satisfy it; it is only marked and considered fully satisfied when its counter w_q reaches 1.

As soon as a counter w_q reaches 1 for some $q \in S(p)$, the page becomes eligible to be marked. We first check for a phase termination: if marking q would exceed the cache capacity k , the current phase ends. All marks are cleared ($M \leftarrow \emptyset$), and crucially, all fractional counters w_y are reset to 0. We then recompute U_p to reflect the newly unmarked dependencies and simply *continue* the budget-pouring loop from scratch. This guarantees that budget poured strictly maps to markings within the active phase.

If no phase reset is triggered (or after a reset occurs and q successfully reaches $w_q = 1$ again), q is marked and removed from U_p . If fetching q into the cache requires an eviction, we execute exactly one randomized chain eviction. This pouring process continues dynamically until either the budget b is completely exhausted (in which case the request for p is bypassed), or U_p becomes empty, meaning all required pages have been conceptually fetched and marked.

The Online Reduction and Analysis

This budget-pouring algorithm can be formally viewed as an online reduction that takes the original input sequence I (with bypasses) and converts it into a virtual sequence I' of standard (non-bypass) requests.

Whenever a page q ’s counter w_q reaches 1 during the pouring process, we append a virtual request for q to I' . Let the t -th request in I be denoted as req_t . Processing req_t generates a (possibly empty) sequence of virtual requests $req'_{t,1}, req'_{t,2}, \dots$ in I' . Crucially, because we restrict the pouring of budget strictly to the set $S(p)$ —pages whose dependencies are *already marked*—the virtual sequence I' is constructed in such a way that the topological assumption is perfectly upheld. In I' , a page is only requested when its dependencies are guaranteed to be marked.

To analyze the competitive ratio on this reduced sequence, we must redefine m_i . Previously, m_i was defined as the number of “new pages” requested in phase i . In the bypass setting, this equivalency is broken. A single request in I might be bypassed (marking 0 pages), or it might trigger a cascade that fetches and marks multiple dependencies (marking > 1 pages). More importantly, the continuous pouring for a single request (p, b) in I can cause the cache to hit capacity, triggering a phase transition directly in the middle of processing the request. Because virtual requests in I' do not map one-to-one with requests in I and can span across phase boundaries, we must aggregate and analyze the costs globally over the entire sequence.

Algorithm 3 Randomized Budget-Pouring for Paging with Rejections

```

1: Initialize: Cache  $S \leftarrow \emptyset$ , Marked set  $M \leftarrow \emptyset$ 
2: Partition  $G$  into  $l$  disjoint chains  $C_1, \dots, C_l$  ▷ via Dilworth's Theorem
3: Initialize  $w_q \leftarrow 0$  for all  $q \in G$ 
4: for each request  $(p, b)$  in the sequence do
5:    $U_p \leftarrow \{y \in G[p] \cup \{p\} \mid y \notin M\}$  ▷ Unmarked required pages
6:   if  $U_p = \emptyset$  then
7:     Fetch  $p$  if  $p \notin S$ 
8:     continue ▷ Cost is 0, dependencies already marked
9:   end if
10:  Treat  $b$  as a continuous budget
11:  while  $b > 0$  and  $U_p \neq \emptyset$  do
12:     $S(p) \leftarrow \{y \in U_p \mid \text{all dependencies of } y \text{ are in } M\}$ 
13:    Pour budget continuously into  $w_y$  for  $y \in S(p)$ 
14:    Decrease  $b$  by the total amount poured
15:    if any  $w_q$  reaches 1 for  $q \in S(p)$  then
16:      if  $|M \cup \{q\}| > k$  then ▷ Phase ends when marking beyond capacity
17:        End current phase, start new phase
18:         $M \leftarrow \emptyset$  ▷ Unmark all pages
19:         $w_y \leftarrow 0$  for all  $y \in G$  ▷ Reset counters for the new phase
20:         $U_p \leftarrow \{y \in G[p] \cup \{p\} \mid y \notin M\}$  ▷ Recompute missing pages
21:        continue ▷ Continue pouring from scratch
22:      end if
23:       $M \leftarrow M \cup \{q\}$  ▷ Mark the page
24:      if  $|S \cup \{q\}| > k$  then ▷ Cache is full, exactly one eviction required
25:        Draw an unmarked chain  $\tilde{C}$  uniformly at random
26:        Select a page  $x \in S$  such that  $\tilde{C}$  is blocked on  $x$ 
27:         $S \leftarrow S \setminus \{x\}$  ▷ Evict page  $x$ 
28:         $w_x \leftarrow 0$  ▷ Reset counter of the evicted page
29:      end if
30:      if  $q \notin S$  then
31:         $S \leftarrow S \cup \{q\}$  ▷ Fetch the page into the cache
32:      end if
33:       $U_p \leftarrow U_p \setminus \{q\}$  ▷ Page is satisfied, remove from missing set
34:    end if
35:  end while
36:  if  $U_p = \emptyset$  then
37:    Request  $p$  is fully fetched and marked
38:  else
39:    Request  $p$  is bypassed
40:  end if
41: end for

```

Therefore, we redefine m_i precisely as the number of *new marked pages* in phase i relative to the previous phase. Formally, $m_i = |M_i \setminus M_{i-1}|$, where M_i is the set of marked pages at the end of phase i , and M_{i-1} is the set of marked pages at the end of phase $i - 1$. By this definition, m_i exactly captures the number of new marks introduced by the virtual sequence I' during phase i .

To bound the total cost incurred by our algorithm (ALG) over the entire sequence, we decompose its cost into two components: the cost of fetches (cache misses) and the cost of bypasses (the total budget poured).

Lemma 4 (Global Bound on Fetch Cost). *Over the entire request sequence, the expected fetch cost incurred by ALG is bounded by $\sum_i O(m_i \min(\log k, \log l))$.*

Proof. The budget-pouring mechanism constructs the virtual sequence I' such that a virtual request for a page q is issued only when all of its dependencies $G[q]$ are already marked. Consequently, I' strictly adheres to the topological ordering constraint required by our standard non-bypass framework. Running the randomized marking algorithm (Algorithm 3) on I' generates exactly m_i new marked pages in phase i . Because the topological structure and the randomized eviction strategy remain identical, the core analysis from Section 4 applies directly to each phase. Thus, the expected number of cache misses (fetches) generated in phase i is exactly $O(m_i \min(\log k, \log l))$. Summing this over all phases establishes the global bound. $\square$

Lemma 5 (Global Bound on Bypass Cost). *Over the entire request sequence, the total bypass cost incurred by ALG is asymptotically bounded by its total fetch cost.*

Proof. The total bypass penalty paid by ALG corresponds exactly to the continuous budget poured into the fractional counters w_q throughout the sequence. By the design of the algorithm, a counter ceases to accumulate budget once it reaches 1, at which point it triggers a marking event and a corresponding virtual request in I' . Because counters reset to 0 at the start of every phase, the maximum budget any page can absorb before triggering a structural cache operation (or validating an existing cache resident) is strictly bounded by 1. By mathematically charging the fractional budget poured into these variables to the work required to process the virtual sequence I' , the total continuous budget poured across all phases—and thus the total bypass penalty—is bounded by the total operational cost (fetches) generated by I' . $\square$

Theorem 3 (Total Upper Bound for ALG). *The total expected cost incurred by the budget-pouring algorithm over the entire sequence is $\sum_i O(m_i \min(\log k, \log l))$.*

Proof. The total cost paid by ALG is the sum of its bypass penalties and its fetch costs. By Lemma 5, the global bypass cost is bounded by the global fetch cost. By Lemma 4, the expected total cost of fetches is bounded by $\sum_i O(m_i \min(\log k, \log l))$. Combining these two bounds yields:

$$E[\text{Total Cost}] \leq 2 \cdot E[\text{Total Fetches}] = \sum_i O(m_i \min(\log k, \log l))$$

This establishes the desired total upper bound on the online algorithm's cost. $\square$

To evaluate the competitive ratio, we bound the optimal offline cost against this redefined parameter:

Lemma 6 (Global Bypass OPT Lower Bound). *Let $m_i = |M_i \setminus M_{i-1}|$ be the number of new marked pages in phase i . The optimal offline algorithm (OPT) incurs a total cost of at least $\sum_i \Omega(m_i)$ over the entire sequence.*

Proof. To establish the lower bound, we analyze the cost incurred by OPT over pairs of consecutive phases. Consider any two consecutive phases $i - 1$ and i , which form a continuous time window during the algorithm's execution.

Let $M = M_{i-1} \cup M_i$ be the set of pages marked by our online algorithm (ALG) during this window. By our definitions, $|M_{i-1}| = k$ and $m_i = |M_i \setminus M_{i-1}|$, meaning the total number of distinct pages in M is exactly $k + m_i$. Let $X \subseteq M$ denote the subset of marked pages that OPT never holds in its cache at any point during these two phases.

First, we bound OPT 's fetch cost. Over the duration of phases $i - 1$ and i , the maximum number of distinct pages OPT can hold in its cache is bounded by its initial cache capacity at the start of phase $i - 1$ (which is k) plus the total number of new pages it fetches. Let $f_{OPT}^{(i-1, i)}$ denote the number of fetches OPT makes during this window. By definition, OPT must hold all pages in $M \setminus X$ at some point during

these phases. Therefore, the number of distinct pages OPT holds must be at least $|M \setminus X| = k + m_i - |X|$. This yields the inequality:

$$k + f_{OPT}^{(i-1,i)} \geq k + m_i - |X| \implies f_{OPT}^{(i-1,i)} \geq m_i - |X|$$

Since the number of fetches cannot be negative, OPT 's fetch cost during this time window is at least $\max(0, m_i - |X|)$.

Second, we bound OPT 's bypass cost. Because a single request might trigger a phase boundary, assigning a discrete request penalty to a specific phase is problematic. Instead, we map OPT 's cost continuously. Let $\mathcal{B}_{OPT}$ be the set of all requests bypassed by OPT over the entire sequence. For every request $t \in \mathcal{B}_{OPT}$ with penalty b_t , ALG pours a total continuous budget $b'_t \leq b_t$ distributed across the fractional counters of its dependencies.

Because $b'_t \leq b_t$, we can injectively charge ALG 's poured budget directly against OPT 's bypass penalty. We define OPT 's *apportioned bypass cost* for the time window spanning phases $i-1$ and i as exactly the volume of budget ALG poured during these two phases originating from requests in $\mathcal{B}_{OPT}$. Summing this apportioned cost over all disjoint phase pairs naturally bounds OPT 's true total bypass cost without double-counting.

Consider a page $q \in X$. Because $q \in M$, ALG marked q during phase $i-1$ or i . This means ALG poured exactly 1 total unit of fractional credit into q 's counter strictly within this time window. Every time ALG pours budget into q while processing some request t , it implies q is a required dependency for the request. Since $q \in X$, OPT does *not* have q in its cache at any point during these phases. Consequently, OPT is physically incapable of satisfying request t and *must* bypass it ($t \in \mathcal{B}_{OPT}$).

Therefore, *all* of the budget poured into any page $q \in X$ during phases $i-1$ and i strictly originates from requests bypassed by OPT . Since exactly 1 unit of budget is poured into each of the $|X|$ pages in X during this window, the total budget poured from requests in $\mathcal{B}_{OPT}$ during this time is at least $|X|$. Thus, OPT 's apportioned bypass cost for phases $i-1$ and i is at least $|X|$.

Combining the bounds, the total apportioned cost incurred by OPT during phases $i-1$ and i is:

$$\text{Total Cost}_{OPT}^{(i-1,i)} \geq \text{Fetch Cost}_{OPT}^{(i-1,i)} + \text{Apportioned Bypass}_{OPT}^{(i-1,i)} \geq \max(0, m_i - |X|) + |X| \geq m_i$$

Since OPT 's apportioned cost is at least m_i for every overlapping pair of consecutive phases $(i-1, i)$, we can sum these independent bounds over disjoint temporal windows (e.g., phase pairs $(1, 2), (3, 4), \dots$). This yields a total global cost for OPT over the entire sequence of at least $\sum_j m_{2j} \geq \frac{1}{2} \sum_i m_i = \Omega(\sum_i m_i)$. $\square$

Bringing it all together, the continuous budget-pouring reduction guarantees that ALG incurs an expected total cost of at most $\sum_i O(m_i \min(\log k, \log l))$. By Lemma 6, OPT incurs a total cost of at least $\sum_i \Omega(m_i)$. Therefore, our algorithm successfully handles individual request rejections while preserving the tight expected competitive ratio of $O(\min(\log k, \log l))$.

6 A Deterministic $O(\min(k, l))$ -Competitive Algorithm for the Weighted Case

We now extend our results to the weighted version of the problem, where each page p has an associated fetching/eviction cost $c(p)$. To achieve an $O(\min(k, l))$ -competitive ratio in the weighted setting, we reduce our problem to an instance of Non-Linear Paging.

6.1 Reduction to Non-Linear Paging

The Non-Linear Paging problem generalizes classic paging by allowing the "size" of a set of pages in the cache to be determined by a custom, monotone function f . A cache state S is considered feasible as long as $f(S) \leq k$.

To reduce our Weighted Dependency Paging problem to Non-Linear Paging, we keep the exact same pages, request sequence, cache capacity k , and eviction costs. The only thing we need to map is the feasibility function f .

For any set of pages S , let its **closure** be the set S combined with all of its required dependencies in the DAG G . We define our feasibility function as the total number of unique pages in that closure:

$$f(S) = |\text{closure}(S)|$$

Because adding more pages to S can only increase or maintain the size of its closure, f is a valid, monotone function (note it is submodular).

Suppose the Non-Linear Paging algorithm outputs cache state S_t to serve the current request. Using our incremental page request assumption, we can assume without loss of generality that S_t satisfies all dependency constraints, since it has no reason to evict a non-maximal page (this action won't change the capacity).

6.2 Analysis of the Width Parameter

The competitive ratio of a non-linear paging algorithm is governed by its width parameter, l_{NL} , defined as the maximum cardinality of a minimally infeasible set minus one.

Lemma 7 (Size of Minimally Infeasible Sets). *Let $\mathcal{M}$ be the collection of all minimally infeasible sets for $f(S) = |\text{closure}(S)|$. For any $S \in \mathcal{M}$, the cardinality $|S|$ is bounded by $\min(k+1, l)$.*

Proof. By definition, a set $S \in \mathcal{M}$ satisfies $f(S) > k$, but any proper subset $S' \subset S$ satisfies $f(S') \leq k$.

First, we show that S must be an antichain in the dependency DAG G . Assume for contradiction that there exist two distinct pages $x, y \in S$ such that x is a dependency of y (i.e., $x \in G[y]$). Because x is already subsumed by the closure of y , removing x from S does not alter the total closure: $\text{closure}(S \setminus \{x\}) = \text{closure}(S)$. This implies $f(S \setminus \{x\}) = f(S) > k$, which directly violates the minimality of S . Thus, no page in S can depend on another page in S , meaning S is an antichain. Since the width of G is l , it must be that $|S| \leq l$.

Second, because the cache capacity is k , and the base cardinality of any individual page's closure is at least 1, the maximum size of a minimally infeasible set cannot exceed $k+1$.

Therefore, the maximum cardinality of $S \in \mathcal{M}$ is strictly bounded by $\min(k+1, l)$. $\square$

Theorem 4. *There is a deterministic $O(\min(k, l))$ -competitive algorithm for the Weighted Dependency Paging problem.*

Proof. By Lemma 7, the maximum cardinality of a minimally infeasible set in our reduction is at most $\min(k+1, l)$. Following the definition of the width parameter in non-linear paging, $l_{NL} = \max_{S \in \mathcal{M}}(|S| - 1)$. This directly implies that $l_{NL} \leq \min(k, l - 1)$.

[3] present a deterministic algorithm that achieves a tight l_{NL} -competitive ratio for general non-linear paging. By deploying their algorithm on our constructed instance, we immediately achieve an $O(l_{NL})$ -competitive ratio, which simplifies to $O(\min(k, l))$. $\square$

7 A Randomized Algorithm for the Weighted Case

In this section, we transition to the weighted version of the randomized dependency paging problem. We first examine a natural fractional relaxation and demonstrate its structural limitations.

7.1 Approach 1: Fractional Relaxation

A standard technique for designing randomized competitive algorithms is to first formulate a continuous, fractional relaxation of the problem state. In our context, we can define the state of the cache by assigning a scalar $y_i \in [0, m]$ to each chain C_i , representing how many of its pages are currently in the cache. We allow these topmost pages to be fractional as long as the total cache capacity is strictly maintained: $\sum_{i=1}^l y_i \leq k$.

Theorem 5. *The fractional relaxation cannot achieve a competitive ratio better than l .*

Proof. Consider l disjoint chains of length m with a cache capacity $k = (m-1)l$. Let the fetching cost of the h -th page in any chain be $w_h = 2^h$.

Since $\sum_{i=1}^l y_i \leq (m-1)l$, at any moment there exists at least one chain j such that $y_j \leq m-1$. The adversary repeatedly requests the m -th page of such a chain ($p_{j,m}$).

To serve $p_{j,m}$, the fractional algorithm must increase y_j to m . Since the page was entirely missing ($y_j \leq m-1$), the algorithm must fetch $p_{j,m}$ and incur a cost of at least $w_m = 2^m$. To maintain the capacity constraint, the algorithm must decrease the mass of other chains, ensuring the existence of a new chain with $y \leq m-1$ for the next request. Over a cycle of l requests (one for each chain), the algorithm pays $l \cdot 2^m$.

In contrast, an offline algorithm (*OPT*) can keep $l - 1$ chains fully in the cache and leave one chain entirely empty. *OPT* only pays when the empty chain is requested, at which point it swaps it with another chain. For the same l requests, *OPT* performs at most one swap, costing:

$$\sum_{h=1}^m 2^h < 2 \cdot 2^m$$

The competitive ratio is therefore $\Omega(\frac{l \cdot 2^m}{2^m}) = \Omega(l)$. $\square$

7.2 Approach 2: Direct Fractional Relaxation with Dependency Constraints

To achieve an optimal $O(\log k)$ competitive ratio independent of general non-linear paging rounding schemes, we formulate a fractional LP that explicitly captures the temporal requests and the topological constraints of the dependency DAG.

Let E be the set of directed edges in the dependency DAG, where $(p, q) \in E$ means page p depends on page q . By the rules of the cache, if dependency q is evicted, its dependent page p must also be evicted. We define our anti-cache variables as $x_{p,j}$, representing the fractional eviction of page p during the interval $I(p, j)$. To enforce dependencies fractionally, we strictly require $x_{p,r(p,t)} \geq x_{q,r(q,t)}$ at any time t .

Let $q(S)$ be the minimum number of pages needed to be excluded from an infeasible set S such that the closure of the remaining cached pages is feasible (i.e., its total size including dependencies is at most k).

7.2.1 The LP Formulation

We define the Primal and Dual LP relaxations explicitly modeling the DAG constraints.

Primal LP:

$$\min \sum_{p \in \mathcal{P}} \sum_{j \in [n_p]} c(p) x_{p,j}$$

Subject to:

$$\begin{aligned} \sum_{p \in S \setminus \{p_t\}} x_{p,r(p,t)} &\geq q(S) \quad \forall t \in T, \forall \text{ infeasible } S \ni p_t \\ x_{p,r(p,t)} - x_{q,r(q,t)} &\geq 0 \quad \forall (p, q) \in E, \forall t \in T \\ x_{p,j} &\geq 0 \quad \forall p \in \mathcal{P}, \forall j \in [n_p] \end{aligned}$$

Dual LP:

$$\max \sum_{t \in T} \sum_{S \in \mathcal{S}(t)} y_t(S) q(S)$$

Subject to:

$$\begin{aligned} \sum_{t \in I(p,j)} \left(\sum_{S \in \mathcal{S}(t) | p \in S \setminus \{p_t\}} y_t(S) + \sum_{q: (p,q) \in E} \gamma_{p,q,t} - \sum_{r: (r,p) \in E} \gamma_{r,p,t} \right) &\leq c(p) \quad \forall p \in \mathcal{P}, \forall j \in [n_p] \\ y_t(S) &\geq 0, \gamma_{p,q,t} \geq 0 \end{aligned}$$

The dual variables $\gamma_{p,q,t}$ act as a directed "flow" along the DAG. If the algorithm is forced to fractionally evict a dependency q , it can shift the dual cost burden upwards to the dependent page p that requires it, preventing q 's dual constraint from being prematurely violated.

7.2.2 The Fractional Algorithm

We maintain a fractional state x and actively group pages into disjoint **components** K . We now explicitly manage the γ variables within these components to route dual flow and maintain strict dual feasibility while enforcing $x_p \geq x_q$.

1. **Initialization:** Start with $x_{p,j} = 0$ for all pages. Initialize all dual variables $y_t(S) = 0$ and internal flow variables $\gamma_{p,q,t} = 0$. Let the set of components $\mathcal{K}$ initially be individual pages: $\mathcal{K} = \{\{p\} : p \in \mathcal{P}\}$.

2. **On Request:** When a request p_t arrives at time t , $x_{p_t, r(p_t, t)} = 0$. Any existing component containing p_t or its dependencies is broken down back into individual pages, and their associated internal γ flows are frozen for that interval.

3. **Continuous Update:** While there is an infeasible set $S \ni p_t$ such that the primal constraint $\sum_{p \in S \setminus \{p_t\}} x_{p, r(p, t)} < q(S)$ is violated, and $x_{p, r(p, t)} < 1$ for all $p \in S \setminus \{p_t\}$:

- Continuously increase the dual variable $y_t(S)$.
- For each page p , its native accumulated dual weight is $Y_{p, r(p, t)} = \sum_{\tau \leq t} \sum_{S' \ni p} y_\tau(S')$.
- For each component $K \in \mathcal{K}$, its aggregated weight is $Y_K = \sum_{p \in K} Y_{p, r(p, t)}$.
- **Dual Flow Routing (γ update):** Within any merged component K , the dual weight must be distributed so no page violates its capacity. We continuously increase the internal flow variables $\gamma_{p, q, t}$ along the directed edges of K . Specifically, for an infinitesimal increase dY_K , we route γ such that the *effective* dual weight increment dY_v^{eff} for every page $v \in K$ satisfies:

$$dY_v^{\text{eff}} = dy_t(S) \cdot \mathbb{I}[v \in S] + \sum_{(v, u) \in E} d\gamma_{v, u, t} - \sum_{(r, v) \in E} d\gamma_{r, v, t} = \frac{c(v)}{c(K)} dY_K$$

where $c(K) = \sum_{p \in K} c(p)$. This explicitly shifts excess dual weight from cheaper dependencies to expensive dependents.

- Increase the uniform anti-cache value x_K (applied identically to all $p \in K$) exponentially using the component's total capacity:

$$x_K = \frac{1}{k} \left(\exp \left(\frac{\ln(k+1)}{c(K)} Y_K \right) - 1 \right)$$

- **Component Merging:** As dual variables grow, if x_q reaches x_p for some dependency edge $(p, q) \in E$ and x_q is growing faster, we merge them to prevent a topological violation. We replace K_p and K_q with a new component $K' = K_p \cup K_q$. Their fractional values are locked together, permanently enforcing $x_{p, r(p, t)} \geq x_{q, r(q, t)}$ and allowing γ flow between them.

Observation 4 (Continuity of Component Merging). *When two components K_p and K_q merge, their fractional value x does not jump. The merge occurs exactly when their dual densities are equal: $\frac{Y_{K_p}}{c(K_p)} = \frac{Y_{K_q}}{c(K_q)} = D$. By the mediant property of fractions, the combined density is $\frac{Y_{K_p} + Y_{K_q}}{c(K_p) + c(K_q)} = D$, strictly preserving the exponent and ensuring continuous evolution.*

7.2.3 Competitive Ratio Analysis

Theorem 6. *The fractional algorithm yields a fractional $O(\log k)$ -competitive ratio for the Weighted Dependency Paging problem.*

Proof. Step 1: Dual Feasibility and Network Flow. To utilize weak duality, we must prove the constructed dual variables y and γ form a feasible solution to the Dual LP. The left-hand side of the dual constraint for any page v is exactly its effective dual weight Y_v^{eff} .

For an individual unmerged page p , $\gamma = 0$, and the stopping condition $x_p \leq 1$ trivially ensures $\ln(k+1) \geq \frac{\ln(k+1)}{c(p)} Y_p^{\text{eff}}$, meaning $Y_p^{\text{eff}} \leq c(p)$.

For a merged component K , the algorithm explicitly routes the γ variables such that $Y_v^{\text{eff}} = \frac{c(v)}{c(K)} Y_K$. Because the algorithm guarantees $x_K \leq 1$ for the entire component, substituting this into the update rule gives:

$$1 \geq \frac{1}{k} \left(\exp \left(\frac{\ln(k+1)}{c(K)} Y_K \right) - 1 \right) \implies Y_K \leq c(K)$$

Since $Y_K \leq c(K)$, the effective dual weight for each individual page $v \in K$ is strictly bounded:

$$Y_v^{\text{eff}} = \frac{c(v)}{c(K)} Y_K \leq \frac{c(v)}{c(K)} c(K) = c(v)$$

Because dependencies q merge with dependents p only when q 's density exceeds p 's, the required flow direction inherently aligns with the valid edge orientation (p, q) (meaning q successfully offloads weight $-\gamma$ while p absorbs $+\gamma$). Thus, the explicit γ routing guarantees every dual constraint is strictly satisfied.

Step 2: Bounding the Derivative. Let P denote the fractional primal cost and D denote the dual cost. An infinitesimal increase $dy_t(S)$ increases the dual cost by $dD = q(S)dy_t(S)$. Taking the derivative of our exponential update rule with respect to Y_K gives $c(K)dx_K = \ln(k+1)(x_K + 1/k)dY_K$.

Since $dY_K = |K \cap S|dy_t(S)$, the total increase in our primal cost is:

$$dP = \sum_{K \in \mathcal{K}} c(K)dx_K = \ln(k+1)dy_t(S) \sum_{K \in \mathcal{K}} |K \cap S| \left(x_K + \frac{1}{k}\right)$$

Summing $|K \cap S|$ exactly reconstructs the individual pages in the set, allowing the grouped component costs $c(K)$ to drop out:

$$dP = \ln(k+1)dy_t(S) \sum_{p \in S \setminus \{p_t\}} \left(x_{p,r(p,t)} + \frac{1}{k}\right)$$

Step 3: Utilizing the Cache Capacity. By definition, excluding the optimal $q(S)$ pages from S results in a set S^* such that its closure is feasible ($|\text{closure}(S^*)| \leq k$). Since $S^* \subseteq \text{closure}(S^*)$, the raw remaining pages satisfy $|S| - q(S) \leq k$, or $\frac{|S|}{k} \leq \frac{q(S)}{k} + 1 \leq 2q(S)$.

During the update, the primal constraint is unmet ($\sum_{p \in S \setminus \{p_t\}} x_{p,r(p,t)} \leq q(S)$). Substituting this structural bound into the derivative:

$$dP \leq \ln(k+1)dy_t(S) \left(\sum_{p \in S \setminus \{p_t\}} x_{p,r(p,t)} + \frac{|S| - 1}{k} \right)$$

$$dP \leq \ln(k+1)dy_t(S) (q(S) + 2q(S)) = 3\ln(k+1) \cdot q(S)dy_t(S)$$

Conclusion. Substituting $dD = q(S)dy_t(S)$, we establish $dP \leq 3\ln(k+1) \cdot dD$. Integrating this over the request sequence yields a total fractional primal cost strictly bounded by the final dual cost:

$$P \leq 3\ln(k+1) \cdot D$$

Because Step 1 established explicit dual feasibility via the γ routing, weak duality perfectly applies: $D \leq \text{OPT}$. Therefore, the fractional cost is bounded by $P \leq 3\ln(k+1) \cdot \text{OPT}$, yielding an expected $O(\log k)$ fractional competitive ratio. $\square$

7.2.4 The Necessity of the Subset Constraints

One might wonder why the Primal LP requires an exponential number of constraints—one for every infeasible subset $S \in \mathcal{S}(t)$ —rather than simply enforcing a single global cache capacity constraint alongside the explicit dependency constraints ($x_p \geq x_q$).

The Global Capacity Constraint: Notice that our formulation inherently includes the global capacity constraint. If we let $S = \mathcal{P}$ (the set of all pages in the system), the number of pages we must exclude to reach the cache capacity k is $q(\mathcal{P}) = |\mathcal{P}| - k$. The subset constraint for $S = \mathcal{P}$ becomes $\sum_{p \in \mathcal{P}} x_p \geq |\mathcal{P}| - k$, which seamlessly rearranges to the standard capacity limit: $\sum_{p \in \mathcal{P}} (1 - x_p) \leq k$.

However, relying strictly on the global capacity constraint introduces severe structural violations and massive integrality gaps, as demonstrated by the following two counterexamples.

Counterexample 1: Hiding Fractional Mass

Consider a cache of capacity k . There is a set B of $k-1$ “bottom” pages, and a set T of $k-1$ “top” pages. The dependencies are configured such that *every* top page $t \in T$ depends on *all* $k-1$ bottom pages in B .

In any valid integral solution, caching even a single top page t requires caching all $k-1$ bottom pages. This consumes $1 + (k-1) = k$ slots, perfectly filling the cache. Therefore, **every integer solution must include at most 1 top page**, meaning at least $k-2$ top pages must be entirely evicted ($x_t = 1$).

Suppose we formulate a simplified LP using *only* the global capacity constraint ($\sum_{p \in \mathcal{P}} x_p \geq (2k-2) - k = k-2$) and the dependency constraints ($x_t \geq x_b$ for all $t \in T, b \in B$).

A fractional solution could simply assign $x_p = 0.5$ to all pages in the system.

- **Global capacity is satisfied:** $\sum_{p \in \mathcal{P}} x_p = 2(k-1) \times 0.5 = k-1$. Since $k-1 \geq k-2$, the constraint holds.
- **Dependencies are satisfied:** $x_t \geq x_b \implies 0.5 \geq 0.5$.

However, this solution leaves $1 - 0.5 = 0.5$ fractional mass of *every* top page inside the cache. The total fractional mass of cached top pages is $\frac{k-1}{2}$. For $k > 3$, this vastly exceeds the logical maximum of 1, allowing the algorithm to “cheat” by hiding an impossible combination of fractional top pages inside the global capacity pool.

Counterexample 2: Cost Smearing and the $\Omega(k)$ Integrality Gap

Now consider the weighted setting. Let the cache capacity be $k = m$. Consider a strict dependency chain C consisting of m pages: $p_1 \leftarrow p_2 \leftarrow \dots \leftarrow p_m$, where each p_i depends on p_{i-1} .

- The fetching cost for the lower pages is $c(p_i) = 1$ for all $1 \leq i \leq m - 1$.
- The fetching cost for the topmost page is extremely large: $c(p_m) = W$ (where $W \gg m$).
- There is one additional independent page L with a fetching cost of $c(L) = 1$.

The total number of pages is $m + 1$. Assume C is fully cached. The adversary repeatedly requests L , then p_m .

For an **integral algorithm** to serve L , it must evict a page to respect capacity m . Evicting any page from C forces the eviction of p_m due to dependency rules. When p_m is requested next, the algorithm pays W to refetch it. Thus, the integral optimal pays $\Omega(W)$ per phase.

Under the **simplified fractional LP** (global constraint $\sum_{p \in \mathcal{P}} x_p \geq 1$ and dependencies $x_{p_m} \geq \dots \geq x_{p_1}$), when L is requested, the algorithm must set $x_L = 0$. To satisfy the global eviction requirement of 1 as cheaply as possible, it can “smear” the eviction uniformly across the entire chain by setting $x_{p_i} = \frac{1}{m}$ for all $1 \leq i \leq m$. This satisfies the global capacity ($\sum_{i=1}^m \frac{1}{m} = 1$) and the dependencies ($\frac{1}{m} \geq \frac{1}{m}$). When p_m is requested next, the fractional algorithm pays to refetch this fraction:

$$\text{Fractional Cost} = \sum_{i=1}^m c(p_i) x_{p_i} = \frac{1}{m} \left((m-1) \cdot 1 + W \right) \approx \frac{W}{m}$$

By exploiting the global constraint, the fractional algorithm pays roughly W/m per phase compared to the integral W . This results in an integrality gap of $\Omega(m)$. Since $m = k$, this $\Omega(k)$ gap completely breaks any expected $O(\log k)$ competitive ratio.

How Our Subset Constraints Fix the Issues

Our full LP enforces $\sum_{p \in S} x_p \geq q(S)$ for *every* infeasible subset, addressing both exploits simultaneously.

Fixing Counterexample 1: Consider the subset $S = T$ (the $k - 1$ top pages). To make any subset of T feasible, its closure must be at most k . Because caching even one top page brings in all $k - 1$ bottom pages, we can retain at most 1 top page. To make $S = T$ feasible, we must exclude $q(T) = |T| - 1 = k - 2$ pages. This generates the constraint:

$$\sum_{t \in T} x_t \geq k - 2$$

If we evaluate the cheating fractional solution ($x_t = 0.5$), the sum is $\frac{k-1}{2}$. For $k = 5$, this evaluates to 2, which strictly violates the required bound of $k - 2 = 3$.

Fixing Counterexample 2: Consider the subset $S = \{p_m, L\}$. Caching both brings the entire chain C into the cache, giving a closure size of $m + 1 > k$. Thus, S is infeasible. Excluding either p_m or L leaves a feasible closure ($\leq m$). Therefore, $q(S) = 1$. This generates the constraint:

$$x_{p_m} + x_L \geq 1$$

When the adversary requests L , the algorithm is forced to set $x_L = 0$. This subset constraint immediately enforces:

$$x_{p_m} \geq 1$$

The fractional algorithm is mathematically blocked from smearing its eviction mass into the cheaper lower pages. It is forced to fully evict the expensive topmost page p_m , paying the full cost W to refetch it and completely closing the integrality gap.

References

- [1] Marcin Bienkowski et al. “Online Tree Caching”. In: *arXiv* (2016). DOI: [10.48550/arxiv.1602.08563](https://doi.org/10.48550/arxiv.1602.08563).

- [2] Julien Dallot et al. “Dependency-aware online caching”. In: *IEEE INFOCOM 2024-IEEE Conference on Computer Communications*. IEEE. 2024, pp. 871–880.
- [3] Ilan Doron-Arad, Joseph, and Naor. “Non-Linear Paging”. In: *arXiv* (2024). DOI: [10.48550/arxiv.2404.13334](https://doi.org/10.48550/arxiv.2404.13334).
- [4] Leah Epstein et al. “Online File Caching with Rejection Penalties”. In: *Algorithmica* 71 (2013), pp. 279–306. DOI: [10.1007/s00453-013-9793-0](https://doi.org/10.1007/s00453-013-9793-0).