



# icons

	wi-day-sunny f00d		wi-day-cloudy f002		wi-day-cloudy-gusts f000		wi-day-cloudy-windy f001
	wi-day-fog f003		wi-day-hail f004		wi-day-haze f0b6		wi-day-lightning f005
	wi-day-rain f008		wi-day-rain-mix f006		wi-day-rain-wind f007		wi-day-showers f009
	wi-day-sleet f0b2		wi-day-sleet-storm f068		wi-day-snow f00a		wi-day-snow-thunderstorm f06b
	wi-day-snow-wind f065		wi-day-sprinkle f00b		wi-day-storm-showers f00e		wi-day-sunny-overcast f00c
	wi-day-thunderstorm f010		wi-day-windy f085		wi-solar-eclipse f06e		wi-hot f072
	wi-day-cloudy-high f07d		wi-day-light-wind f0c4				



# Añadir iconos

- Las etiquetas `<i>` y `<span>` son los elementos HTML más utilizados para añadir iconos.
- Los iconos son vectoriales escalables pueden ser personalizados con CSS (tamaño, color, sombra, etc).

# MÉTODO 1

## VÍA WEB

# Fuentes de los iconos

- Font Awesome
- Bootstrap
- Google

# Ventajas de iconos vectoriales

- Más rápido
- Más eficientes
- No dependen de ninguna resolución
- Peso mínimo.

# Font Awesome Icons

Añadir en **<head>**

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
```

**No hay que descargar ni instalar**

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

</head>
<body>

<i class="fa fa-car"></i>
<i class="fa fa-car" style="font-size:48px;"></i>
<i class="fa fa-car" style="font-size:60px;color:red;"></i>

</body>
</html>
```



**Font  
Awesome  
Icons**

# Bootstrap Icons

Añadir en **<head>**

```
<link rel="stylesheet"  
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootst  
rap.min.css">
```

**No hay que descargar ni instalar**



# Google Icons

Añadir en **<head>**

```
<link rel="stylesheet"  
href="https://fonts.googleapis.com/icon?family=Material+Icons">
```

No hay que descargar ni instalar

# MÉTODO 2

## Alojamiento de la fuente en el sitio web

# Importar la fuente en CSS

```
@font-face {  
  font-family: 'Material Icons';  
  font-style: normal;  
  font-weight: 400;  
  src: url(https://example.com/http://www.materialicons-regular.eot/); /* For IE6-8 */  
  src: local('Material Icons'),  
    local('MaterialIcons-Regular'),  
    url(https://example.com/MaterialIcons-Regular.woff2) format('woff2'),  
    url(https://example.com/MaterialIcons-Regular.woff) format('woff'),  
    url(https://example.com/MaterialIcons-Regular.ttf) format('truetype');  
}
```

# Usar los iconos en el documento HTML

```
<i class="material-icons">face</i>
```