APH / NYSE / 15 OCTOBER 2026 / FRAMEWORK v8.0

AMPHENOL

Complexity is the product

Amphenol earns its place through engineering, qualification and repeatable manufacturing across copper, fiber, power and sensing. AI racks need more sophisticated interconnects, but the evidence supports a broad technology beneficiary rather than an exclusive physical chokepoint.

Research snapshot	Single active case
Status	New coverage / Watchlist; ownership not asserted
Classification	Qualified interconnect platform / content beneficiary
Analytical Base	70% / 42/60
Dated share-price snapshot	$81.49; October 15, 2026 close, 16:00 EDT; post split [S25]
Dated diluted-share snapshot	2,578.4 million Q2 2026 average diluted shares, adjusted for September two-for-one split
Active ceiling	$112.53 per diluted share / Q4 2027
Exact earnings window	Q4 2027 + Q1 2028 + Q2 2028 + Q3 2028
Method	20x GAAP rolling forward-four-quarter OP / same-window average diluted shares
Latest actual / next release	Q2 2026; Q3 report scheduled October 28, 2026

Three propositions drive the analysis

1. More demanding channels create more content. Higher lane speeds, power density and tighter packaging increase the value of contacts, cable assemblies, fiber management, validation and integration.

2. Architecture changes move the wallet. Copper, active electrical cables, pluggable optics and near-package optics coexist by reach and serviceability. Amphenol participates in several layers; its capture is neither automatic nor identical across them.

3. Growth must pay for its capacity. The model separates acquired revenue, one-off tariff recovery, manufacturing costs, operating expenses, debt and split-adjusted dilution. Orders and customer capital spending are not extra sales.

USD millions unless stated. Fiscal and calendar years coincide. The report is a dated research snapshot; exact calculations remain in the synchronized model. [S01-S05,M]

BUSINESS / DIRECTLY BILLED CONTENT

A portfolio of interconnect businesses

Beyond vehicles, our products also support electric vehicle charging infrastructure. We offer charging inlets, connectors and cable assemblies. Our unique offerings in all of these areas help create safer, more efficient and cleaner products for our customers.

Information Technology and Data Communications

Amphenol is a world leader in providing high-speed connectors and interconnect assemblies for a wide range of industries that enable the backbone of today's internet. Our customers include cloud and data center providers, traditional hardware manufacturers, systems integrators and chip makers who are designing complex systems, all of whom are demanding the highest performance possible. In addition, Amphenol's interconnect solutions are supporting the growth in artificial intelligence and machine learning systems, which are using highly connected processing systems that require the fastest interconnect speeds with the lowest latency. With products that support all aspects of the modern data center, our industry-leading high-speed, fiber optic and power products play a critical role in enabling the continued expansion of bandwidth.



Communications Networks

The move to next-generation 5G and 6G wireless networks creates significant growth opportunities across virtually all of Amphenol's end markets. In the mobile infrastructure market, our solutions span macro cellular networks, small cells, network infrastructures and distributed antenna systems, where our interconnect, fiber optic, cabinet and enclosure, cable and antenna solutions help increase the performance, availability and reliability of wireless communications networks throughout the world.

While Amphenol's businesses that serve the Communications Networks market will directly benefit from the continued roll out of next-generation wireless infrastructure, the new use cases created by 5G and 6G technologies are also a significant growth opportunity. In the Automotive market, these technologies will enable new applications like connected vehicles and autonomous driving. In the medical market, remote surgery applications create new opportunities for interconnect solutions. Across a broad range of other industries, the continued proliferation of smart city infrastructures, artificial intelligence, virtual training, real-time health monitoring and the growth in Internet of Things devices will all be further enabled by these increasingly higher speed wireless networks.



Mobile Devices

Our interconnect, antenna and hinge mechanism technologies for mobile devices are designed to enable a wide array of smart phones, tablets, laptops and other mobile computing devices. Our solutions also support wearable devices that are helping keep people connected, safe and healthy, with new applications for medical wearable devices expected to drive new growth opportunities in this market. As mobile device applications shift beyond personal computing, new applications for these devices used in passenger vehicles, factory floors, hospitals and many other industries will enable future areas of growth.



Given the increasing complexity and connectedness of the electronics that facilitate our daily lives, Amphenol's business is well positioned for long-term, superior sustainable growth. These opportunities span all of our end markets and our products serve to accelerate these important global trends.

2025 ANNUAL REPORT 7

Original Amphenol 2025 annual report, physical p9 / printed p7. IT datacom and related end markets; the CommScope fiber panel demonstrates physical connectivity content. The image does not establish a particular customer award or production quantity. [S02]

The three reported segments are Communications Solutions, Harsh Environment Solutions, and Interconnect and Sensor Systems. End markets are another view of those same sales. IT datacom includes both AI and traditional infrastructure; it is not an audited AI-only revenue line.

The practical advantage is breadth plus local execution: engineers collaborate with customers on a design, qualify a manufacturing process, and support repeat delivery. Replacing a qualified component can be expensive and slow even when another vendor can technically supply an alternative. [S02,S06,S07]

Chairman and CEO Adam Norwitt and CFO Craig Lampo lead an operating culture that keeps decisions close to customers and local businesses. That can help acquired operations execute; it does not make integration, capital allocation or debt risk disappear. [S02,S24]

ENGINEERING / SIGNAL INTEGRITY AND MANUFACTURABILITY

Why a small connector can be difficult

At higher frequencies, the channel is a system: PCB traces, vias, contacts, cable, bends, grounding and mating tolerances all affect loss, reflections and crosstalk. A connector cannot be judged only by a headline bit rate. Production repeatability and the behavior of the assembled channel are what customers must qualify.

Constraint	Amphenol response	Economic boundary
PCB channel loss	Near-ASIC / on-substrate copper and OverPass flyover cables	Captures cable and connector content; does not sell the ASIC
Mechanical stress and rework	Compression mating and application-specific retention hardware	Assembly, testing and reliability consume cost; no free margin
Front-panel density	OSFP, XPO and planned USFP interfaces	More bandwidth can also reduce port or network-tier counts
Power and heat	Busbar contacts, power cable, cold-plate/cage and leak detection	Interconnect wallet; not the entire conversion or cooling plant
Field service and fiber labor	Modular panels, preconfigured trunks and mass-insert connectors	Reduces deployment friction; panel density is not factory output

A qualified manufacturing moat, with alternatives

XtremePass uses compression contacts on substrate pads and configurable differential-pair counts. Its data sheet identifies copper-alloy contacts, gold mating finish and stainless housing. Tight tolerances, material cost, termination quality and 100% channel characterization are relevant expenses. No public SKU ASP, scrap rate, good-unit capacity or customer allocation was established. [S08,S09]

The company explicitly rejects sole-source positioning. Competitors can solve the same physics through different geometries and assembly methods. That distinction matters when classifying the business and modeling a price premium. [S07]

ARCHITECTURE / CPC, NPO AND COEXISTENCE

Copper gets closer to the package

Architecture	Where the signal travels	What changes economically
Board-routed copper	Longer traces across a PCB	Lower assembly complexity, but channel loss can constrain speed/reach
CPC / near-ASIC cable	Compression or near-chip contact into low-loss twinax	Adds precision cable/connector content and rework considerations
Active copper	Retimers or linear electronics extend electrical reach	More semiconductor cost and power; full assembly invoice is counted once
Pluggable optics	Electrical port plus field-replaceable optical module	Serviceable reach; cages, connectors, fiber and modules are distinct wallets
NPO / CPO	Optical engine moves nearer the ASIC/package	Changes electrical reach and service boundaries; still requires optical interfaces


Amphenol offers passive copper, active copper, active optical products and optical physical infrastructure. A move from copper to optics can reduce one socket while increasing another. It is not sufficient to say substitution is automatically harmless; billable content, supplier share and margin must be rebuilt for the affected platform. [S07-S10]

XtremePass 448G compatibility and live demonstrations establish an engineering path. They do not prove universal customer qualification or volume orders. The model prices a bounded residual opportunity above the existing IT datacom reference, with explicit overlap and costs. [M]

Pre-analysis / S-curve: the established connector platform is mature; current 224G, AI fiber and power content are in the ramp, while 448G and USFP are earlier qualification waves. Relevant framework databases are photonics/connectivity (DB1), datacenter power (DB4), defense (DB8) and compute infrastructure (DB10). The newer sockets do not turn the entire diversified company into a pre-revenue optionality case. [S01,S07-S11]

PRIMARY EVIDENCE / NVIDIA AND CISCO / 12 OCTOBER 2026

A fresh named role in pluggable optics



Original NVIDIA USFP illustration, October 12, 2026. It depicts the planned module concept; it is not an allocated Amphenol bill of materials or proof of production shipments. [S11]

NVIDIA and Cisco identify Amphenol and TE Connectivity as collaborators on cages, connectors and modules for USFP. This is specific principal evidence for a future socket, but the initiative is explicitly intended to be multi-source, with additional partners expected. [S11]

Planned configuration	Visible arithmetic	Status / limitation
Initial 16 full-duplex lanes	16 x 400 Gb/s = 6.4 Tb/s per direction	Planned configuration, no volume launch date disclosed
Future 32 lanes	32 x 400 Gb/s = 12.8 Tb/s per direction	Scaling path; not the initial shipping product
Connector mechanics	Two-dimensional array; contacts engage after insertion	Designed to reduce wear and improve signal integrity
Thermal envelope	Up to 100 W dissipation stated	Not an APH margin, ASP or cooling-system revenue

The opportunity is a more sophisticated interconnect invoice, not ownership of all optical-module, laser or networking silicon revenue. Missing commercial detail lowers outcome confidence and shapes the bounded bridge; it does not erase the named collaboration. [M]

SOURCE DISCIPLINE / ONE EVENT, MULTIPLE REPOSTS

The evidence has an original parent

NVIDIA.


Newsroom NVIDIA in Brief Exec Bios NVIDIA Blog Podcast Media Assets In the Ne

Press Release

NVIDIA and Cisco Introduce New Pluggable Optics Form Factor to Scale AI Factories

New Transceivers Enable AI Builders to Scale Compute Within the Same Network Footprint While Reducing Networking's Share of the Power Budget

October 12, 2026



News Summary:


- Ultra-Dense Small Form Factor Pluggable (USFP) is designed to be the first module to support 400Gb/s-per-lane electrical signals, enabling capacity up to 12.8Tb/s so AI factory builders can scale Ethernet AI fabrics, while extending a proven deployment model across multiple generations of data center networks.
- USFP delivers 4x the bandwidth density and 1.3x the power efficiency of 200Gb/s-per-lane optics so AI factories can connect more computing systems without adding network tiers, while using less power to move each bit of data.
- NVIDIA and Cisco are working with TE Connectivity and Amphenol to build a multi-source hardware ecosystem around USFP.

Retained PhotonCap screenshot from Grok X-DATA delivery XDATA-20261012-2002-ET-APYO/R0, post 2109710460278981024, reproduces NVIDIA's October 12 header and summary. Image SHA256: 7332e3c7274e47b633986ee0b5fc2883e8583af8f8bc65d9365b3e2af56625c0. The full primary release is independently retained. [S11,S12]

QQ_Timmy, paurooteri and Gaetano summaries point to the same USFP announcement. They are one underlying event, not independent commercial confirmations. The screenshot does not disclose Amphenol share, price or customer minimums. [S12]

ACQUISITION / COMMSCOPE INFRASTRUCTURE

CCS expands the physical fiber wallet



Original CommScope 2026 NVL72 ordering guide, p8. The supplied wallet spans fiber panels, MPO/VSFF cable assemblies, management, raceway, distribution frames and copper cabling around the GPU/leaf/spine racks. Systems and GPUs pictured are not all Amphenol revenue. [S13]

CCS closed on January 9, 2026 and is now in Communications Solutions. Data-center fiber connectivity, broadband networks and building connectivity are different demand pools. The current operating reference already includes the purchased business. Additional growth must represent organic receipts or incremental cross-sell, not a second addition of the acquisition. [S03,S07,S14]

Management estimates $4.6 billion of 2026 CCS sales; H1 recognized $2,100.9 million. The implied H2 remainder is $2,499.1 million. Just under half of CCS sales are expected in IT datacom, so the entire business cannot be called AI revenue. [S03,S07]

PRIMARY EVIDENCE / RAPID FIBER CONNECT

The installation problem is tangible

Rapid Fiber Connect™ Platform

BACK TO CONTENTS

Engineered for AI. Built for Scale.

CommScope's stackable, plug-and-play, high-density Rapid Fiber Connect™ platform accelerates deployment and scale-out of GPU rack-scale systems and AI network fabrics. It simplifies integration, reduces risk and supports the exponential growth of fiber connections in AI data centers.

The Rapid Fiber Connect™ platform includes:

Rapid Fiber Connect™ panel for GPU cabinets



Rapid Fiber Connect™ panel for switch cabinets



Trunk cable to connect panels



For AI data centers, the Rapid Fiber Connect™ platform accelerates deployments by enabling:

- **Offsite integration and testing of rack-scale systems**
- **Connecting GPU cabinet to leaf switches inside a POD**
- **Connecting AI PODs to build out a large AI cluster**

Optimized for common GPU rack-scale systems such as NVL72 cabinets, the Rapid Fiber Connect™ platform enables pre-cabling during the assembly stage. Mass Insert trunks enable fast and efficient connections between racks on the data center site—from GPU racks to leaf switch cabinets within a POD, and outside the POD to spine or core switches.

The Rapid Fiber Connect™ platform is built to support thousands of GPU servers by facilitating faster turn-up, reducing labor skill requirements, delivering reliable offsite-tested operation and providing seamless day 2 refresh cycles that enable the reuse of trunk cables.

Rapid Fiber Connect™ panels key features

Feature	Rapid Fiber Connect™ panel for GPU cabinets	Rapid Fiber Connect™ panel for switch cabinets
Optimized for	NVL72	Switch cabinets (leaf/spine/core)
Fiber type	MM	MM (within POD) and SM (between PODs)
Rack space	1RU	1RU (can be stacked)
Maximum fiber capacity	960 fibers	1,728 fibers
Access type	Front access only	Front and rear access
Front connections	MPO pigtails for GPU, CPU, spares Mass Insert MMC connectors for trunk cable	MPO pigtails into switches, spares
Rear connections	None	Mass Insert MMC connectors for trunk cable

Trunk cable constructed with Mass Insert MMC connectors to make connection in between racks: available in SM and MM, in different lengths and fiber counts matching the specific application.

For more details contact a CommScope representative.

Interactive Content Menu

Ethernet and InfiniBand Applications | Gen AI Key Solutions | Direct Connect Cabling | 800G/400G Parallel Applications | 800G/400G Serial Applications | 800G – 4x 200G 200G – 200G Parallel Applications | 400G – 2x 200G Parallel Applications | Shuffle Architectures | Fiber Polarity Schemes | CommScope Rapid Fiber Connect™ | CommScope Propel Solutions | SYSTIMAX Copper Solutions | CommScope FiberGuide

Reference Design Menu

NVIDIA NVL72 GB200/GB300 288 GPU POD Reference Design: Compute Cabinet | Compute to Management Cabinets | Admin Network

NVIDIA NVL72 GB200/GB300 1,152 GPU Scalable Unit Reference Design: Compute Cabinet | Compute to Management Cabinets | Admin Network

37

Original CommScope 2026 guide, p37. Rapid Fiber Connect combines panels and preconfigured trunks; the table describes fiber capacity per panel, not annual manufacturing capacity. [S13]

The platform was described as globally available at its March 2026 launch. Offsite cabling and testing reduce skilled work on an overcrowded data-center floor. The 1RU GPU panel supports up to 960 fibers; the front/rear switch panel supports up to 1,728. Those are product density specifications. [S13,S15]

This can support higher-value configuration and integration work. It does not establish a universal scarcity surcharge: the guide also advertises in-volume delivery and short lead times. Repeat program margins depend on automation, yield, material costs and service labor. [S13]

PRIMARY EVIDENCE / SHUFFLE ARCHITECTURE

Passive fiber can change topology

Shuffle Architecture


BACK TO CONTENTS


In today's high-density AI data centers, shuffling optical fibers between GPUs and the leaf layer is a foundational technique for building large-scale, high-performance AI clusters. Instead of connecting each GPU to a single switch fabric plane, optical lane shuffling deliberately distributes lanes across switches and multiple planes, unlocking scale, resiliency and performance—meaning that higher GPU clusters can be enabled with just 2 tiers of switching.

Shuffle architecture provides full capacity between network layers by evenly distributing it across multiple physical paths. The reference graphic shows 400G using 4 x 100G lanes. Each leaf switch receives 400G from the GPUs with 100G from each of the GPUs (shown with color coding).

Distributing optical lanes from each GPU across multiple switch ports creates true multi-pathing from one GPU to another, enabling improved load balancing as traffic can now be spread across multiple planes and switch ports. Shuffling supports higher and sustained throughput of larger AI workloads, since there is no longer dependence on a single fiber channel or switch port. Also, if there is a switch or port failure, the network stays up. Three quarters of the workload is rerouted to the optimal physical path; only the affected ports operate at a slightly reduced throughput.

Optical shuffling can be achieved via a number of different solutions, including shuffle modules, shuffle panels or shuffle cables. The choice of solution is driven by the architectural requirements of the AI network being deployed. More information is available by contacting your local CommScope® technical team.





Original CommScope 2026 guide, p25. This 400G example splits four 100G lanes across planes through a passive shuffle module. It is a physical routing example, not an active optical circuit switch or a new market-size estimate. [S13]


Interconnect intensity does not scale only with GPU count. Lane organization, switch radix, reach and redundancy can change the number and type of assemblies. A passive shuffle may simplify the fabric or improve deployment while avoiding an extra switching tier. Revenue follows the actual configured wallet and captured share. [S13,M]


PRIMARY EVIDENCE / 288-GPU CABLING CONFIGURATION

A reference pod before mass insertion

288 GPU Cabling from Compute to Switch Cabinets

BACK TO CONTENTS





Original CommScope 2026 guide, p63. A reference configuration for four NVL72 racks / 288 GPUs separates compute, storage/in-band, out-of-band and admin networks. The labeled MPO and Cat6 counts are architecture-specific, not reported Amphenol shipments. [S13]


The next exhibit keeps the same reference pod and changes how fiber connections are assembled. It illustrates labor and configuration efficiency without inventing a rack ASP or adding the same endpoints twice. [S13]


PRIMARY EVIDENCE / MASS-INSERT CONNECTIONS

The same pod with configured assemblies

288 GPU Cabling from Compute to Switch Cabinets Using Rapid Fiber Connect™ Platform

BACK TO CONTENTS





Original CommScope 2026 guide, p64. Rapid Fiber Connect consolidates physical connection work into mass-insert MMC assemblies for the same reference pod. Fewer onsite mating operations do not imply fewer underlying optical lanes, higher APH share, or a specific sale price. [S13]

The economic transmission is customer time-to-service and reduced installation risk. Amphenol still bears manufacturing, preconfiguration and testing costs. A content premium can be modeled only over an eligible program wallet, and it must be net of those costs. [M]

POWER / THERMAL / SYSTEM BOUNDARIES

Power density increases connection demands



Original NVIDIA October 12, 2026 800 VDC system rendering. This is the customer architecture context, not an Amphenol project award or an allocation of the full power-system invoice. [S16]

APH-relevant content	Why complexity matters	What remains outside the invoice
Busbar contacts / power cable	Current, resistance, temperature and blind mating	Entire rectifier, grid connection or generation plant
Cold plate / I/O cage assemblies	Dense pluggable modules need controlled thermal contact	All CDU, piping or mechanical cooling revenue
Leak detection cable / sensing	Reliability in liquid-cooled racks	Entire facility monitoring and maintenance budget
High-speed near-chip paths	Dense power and cooling compete for routing space	The GPU or complete network switch

Management describes power interconnect, including liquid-cooled busbars, rather than a meaningful active power-conversion business. Higher wattage can create content and engineering work, but voltage/current increases are not a linear APH revenue multiplier. [S07,M]

TAM EXPANSION / PHYSICAL AI AND UBIQUITOUS COMPUTE

A broader platform, with an overlap test

Enabling Electronics Across All Markets

Amphenol's solutions are **Enabling the Electronics Revolution** across a wide variety of end markets and our diverse market exposure allows us to capitalize on these opportunities wherever they may occur. Today, our products enable growth in new airplane technologies, space exploration, factory automation, robotics, advanced medical equipment, electric and hybrid vehicles, clean energy solutions, cloud computing, artificial intelligence, 5G and 6G networks, rural broadband rollouts, the Internet of Things and wearable devices, just to name a few.

Defense and Commercial Aerospace

New technology advances across the Defense and Commercial Aerospace markets are providing increased opportunities for growth. As the leading provider of interconnect systems to the Defense market, Amphenol is benefiting from new opportunities in unmanned aerial vehicle systems, advanced aircraft designs and ruggedized surveillance and communications solutions. In other new applications like high-speed avionics, Amphenol's portfolio of discrete and value-add interconnect products is perfectly suited for the high-speed, high-density demands of flight control systems, both in military and commercial aircraft. Our products also enable the next generation of space exploration, including commercial space and development.



Industrial

In the Industrial market, Amphenol's interconnect and sensor solutions are used in high-power and high-reliability applications to enable new technologies including alternative and traditional energy generation, electrified heavy equipment, factory automation and robotics. Our products are also used in harsh environments to enable oil and gas, marine and lighting applications. In new technologies like vertical farming, our products help promote more efficient crop production. In the medical market, our high-reliability solutions are also helping support new healthcare advances. Amphenol's innovative sensor solutions are used in a wide range of medical applications including patient monitoring, respiratory care, medical instrumentation and surgical assemblies.



Automotive

Amphenol's interconnect, sensor and antenna solutions for passenger vehicles help keep passengers comfortable and safe, while providing lighting, connectivity, power and entertainment inside and outside the vehicle. Our advanced technology solutions for hybrid and electric vehicles are also helping to reduce emissions and support a cleaner environment. Our automotive portfolio combines the best of our interconnect, sensor, antenna and value-add cable assembly solutions to support customers across a wide variety of vehicle applications. From designing flex and sensor harnesses on the battery pack, to interconnect products across vehicle systems, we focus on providing safety features, robust materials and innovative designs across a broad array of solutions.



6 AMPHENOL CORPORATION

Original Amphenol 2025 annual report, physical p8 / printed p6. Defense, industrial and automotive applications establish real adjacent engineering exposure. They are current businesses, not automatically new incremental AI demand. [S02]

Phase 1 is current datacenter connectivity. Phase 2 extends to robotics, automation, vehicles and edge sensing: compact power/data, vibration resistance and reliable sensor links use the same engineering base. Phase 3 includes space, defense and other distributed compute. Existing industrial, defense and aerospace sales already occupy part of these wallets. [S17,S18]

The model applies the framework's weighted expansion lens only to explicitly bounded, non-overlapping residuals. Product applicability is evidence for a path; it does not establish robot units, content per device or customer awards. [S01,M]

PRIMARY EVIDENCE / SECOND QUARTER 2026

The actual anchor precedes the forecast

AMPHENOL CORPORATION
SEGMENT INFORMATION
(Unaudited)
(dollars in millions)

	Three Months Ended June 30,		Six Months Ended June 30,	
	2026	2025	2026	2025
Net sales:				
Communications Solutions	$ 5,383.6	$ 2,909.8	$ 9,918.3	$ 5,323.5
Harsh Environment Solutions	1,856.8	1,445.2	3,549.9	2,713.4
Interconnect and Sensor Systems	1,517.7	1,295.3	2,910.0	2,424.4
Consolidated Net sales	$ 8,758.1	$ 5,650.3	$ 16,378.2	$ 10,461.3
Operating income:				
Communications Solutions	$ 1,808.3	$ 890.7	$ 3,197.7	$ 1,551.5
Harsh Environment Solutions	559.3	363.7	1,032.6	674.9
Interconnect and Sensor Systems	318.9	252.3	600.6	456.8
Stock-based compensation expense	(45.4)	(31.3)	(79.6)	(57.9)
Amortization of acquisition-related inventory step-up costs	—	(16.9)	(132.0)	(77.8)
Acquisition-related expenses	(23.5)	(12.0)	(140.4)	(56.0)
Other operating expenses	(33.0)	(27.7)	(62.5)	(47.9)
Consolidated Operating income	$ 2,584.6	$ 1,418.8	$ 4,416.4	$ 2,443.6
Operating margin (%):				
Communications Solutions	33.6%	30.6%	32.2%	29.1%
Harsh Environment Solutions	30.1%	25.2%	29.1%	24.9%
Interconnect and Sensor Systems	21.0%	19.5%	20.6%	18.8%
Stock-based compensation expense	-0.5%	-0.6%	-0.5%	-0.6%
Amortization of acquisition-related inventory step-up costs	0.0%	-0.3%	-0.8%	-0.7%
Acquisition-related expenses	-0.3%	-0.2%	-0.9%	-0.5%
Other operating expenses	-0.4%	-0.5%	-0.4%	-0.5%
Consolidated Operating margin (%)	29.5%	25.1%	27.0%	23.4%

Original issuer Q2 2026 results, July 29, p8, with unused white margins cropped for readability. All original table text and context are preserved; the full original page is retained. Segment OP must reconcile to consolidated GAAP OP. USD millions; the document predates the September share split. [S03]

Q2 revenue was $8,758.1 million; GAAP operating profit was $2,584.6 million. Both GAAP and adjusted profit include an $80 million tariff recovery. Normalizing that item is essential when forecasting a repeatable margin. Q3 guidance excludes another recovery. [S03,S07]

Q3 remained unreported at the research cutoff. Its revenue guidance is $9.3-$9.4 billion. A modeled quarter is never labeled an actual result. [S03,M]

MANAGEMENT EVIDENCE / Q1 AND Q2 2026

The calls explain the operating mechanism

Management statement / evidence	Interpretation	Model discipline
IT datacom up 63% organically in Q2; Q3 mid-teens sequential growth expected	AI and traditional equipment demand are strong	Anchor near-term sales without labeling all IT datacom AI
Not a sole-source supplier; no broad delivery bottleneck	Execution and qualification matter, but substitutes exist	No monopoly score or unsupported blanket price increase
Customers sometimes support capacity investment; longer order apertures	Visibility and collaboration may improve	No quantified prepayment/LTA amount or automatic bonus
Copper, optics and power all participate	Several architecture choices can produce content	Match socket, price, cost and share; no automatic substitution neutrality
Communications networks decline; Q3 guided down mid-teens sequentially	The diversified portfolio has counter-cycles	Do not apply the AI growth rate to every business

Both latest calls were read through complete management discussions, including management answers. Q2 uses the Quartr transcription hosted by StockAnalysis; Q1 uses third-party transcription crosschecked with issuer financial tables and a second management-speech transcription. Analyst assertions and targets are excluded. These hosts are not independent confirmation of management's forecast. [S06,S07]

An analyst's proposed AI revenue run rate is not numerical management guidance. The model retains the disclosed consolidated/segment anchors and labels its own subsequent capture and mix assumptions. [M]

COMPETITION / QUALIFIED ALTERNATIVES

The same physics attracts capable suppliers

Supplier	Primary current evidence	What remains unproven
TE Connectivity	OCP 2026: 1-meter 448G copper demonstration, NPO, liquid-cooled I/O, high-current busbar; co-developing USFP	No public equal program share or universal qualification
Molex (private)	Impress 224G compression CPC launch; roadmap beyond; serviceable near-ASIC architecture	Predecessor NearStack units are not 448G Impress shipments
FIT / HK6088	CHIPLINK 448G CPC showcase, 1.6T interconnects, PCIe 6/7 and thermal products	Launch/demo does not establish customer volume or APH displacement
Luxshare	DesignCon 2026 224G/448G CPC and 1.6T AEC/ACC demonstrations	Demonstrated reach does not prove production allocation
Fiber specialists	Corning, HUBER+SUHNER and others appear in issuer competition disclosure	Passive fiber, active optics and laser shares are different markets

These capabilities validate the engineering problem and limit exclusivity. Customers can qualify multiple sources, standardize an interface or redesign the channel at a platform transition. Amphenol's response is breadth, early engineering engagement, manufacturing and execution; the company does not claim one indispensable patent group. [S02,S19-S22]

Hyperscalers designing their own accelerators or networks can change the required connector wallet. That is distinct from manufacturing precision contacts and cables in-house. Architecture insourcing, supplier competition and speed migration must be modeled as separate economic mechanisms without double counting a loss. [M]

FINANCIAL MODEL / ACTUALS, MARGINS AND GUIDANCE

Normalize the accounting before extrapolating

USD millions	Q1 2026 Actual	Q2 2026 Actual
Revenue	7,620.1	8,758.1
Cost of sales	4,819.9	5,210.1
Gross profit	2,800.2	3,548.0
SG&A, including R&D	851.5	939.9
Separate acquisition expense	116.9	23.5
GAAP operating profit	1,831.8	2,584.6
Adjusted operating profit	2,080.7	2,608.1
Diluted shares, current split basis	2,579.4	2,578.4

Q2 normalization, USD millions	Amount
GAAP OP reported	2,584.6
Less tariff recovery	80.0
GAAP OP excluding recovery	2,504.6
Normalized OP margin	28.60%

Q2 segment profit totals $2,686.5 million. Less $45.4 million SBC, $23.5 million acquisition-related expense and $33.0 million corporate expense gives $2,584.6 million GAAP OP. Segment OP is not segment gross profit. R&D is already in SG&A; subtracting it again would duplicate cost. [S03,S05]

Q3 reference sales are $9,350.0 million, the guidance midpoint. Its GAAP OP is $2,729.050 million. The net-income diagnostic yields $0.7079 per current diluted share, against the split-adjusted $0.70-$0.71 adjusted guidance range. There is no assumed repeat tariff refund or separate acquisition charge in that modeled quarter. [S03,S23,M]

MANAGEMENT FOLLOW-UP / 9 SEPTEMBER CITI CONFERENCE

The September update sharpens visibility

Management speech	What can be inferred	What cannot be inferred
Some long-term non-cancellable orders	Certain programs have stronger duration than generic cancellable backlog	The entire backlog is non-cancellable, or a specific undisclosed amount
Customers participate in tailored capacity investment	Collaborative investment can improve execution and visibility	Quantified cash prepayments or free capacity with no funding cost
More than 75% of CCS is optical across its markets	Optical technology is broader than the datacenter slice	More than 75% of CCS is AI revenue
Q3 guide includes continued CCS profitability improvement	The expected execution benefit belongs in the reference build	A second add-on synergy pool above the same guidance
Complex products share value through pricing	A bounded eligible pricing hypothesis is reasonable	Universal scarcity pricing or repricing fixed-price orders

The source is a third-party transcription of management speech, with introductory name/year errors excluded. The actual management discussion is used; moderator forecasts are not imported. Neither contract amounts nor customer identities, duration, acceptance schedules or cash terms were quantified. [S24]


The active model treats these statements as visibility and economics evidence with overlap. The reference contains the acquisition and guided improvement. A separate residual pricing bridge deducts incremental materials, testing and commercial expenses. [M]

MODEL CHART / REVENUE AND MIX

One revenue pool, four analytical buckets

Different businesses produce the consolidated growth

USD millions; four analytical buckets reconcile to three reported segments



Year / status	Legacy CS	CCS	HES	ISS	Total
2026 A/M	17,298.3	4,600.0	7,479.9	6,030.0	35,408.2
2027 Model	21,994.8	5,520.0	8,184.9	6,578.6	42,278.3
2028 Model	26,602.4	6,513.6	8,874.9	7,114.4	49,105.3
2029 Model	30,670.1	7,425.5	9,534.2	7,622.6	55,252.4
2030 Model	34,512.1	8,316.6	10,153.9	8,094.4	61,077.0

Communications Solutions equals legacy CS plus acquired CCS. HES means Harsh Environment Solutions; ISS means Interconnect and Sensor Systems. These analytical buckets improve transparency around the acquisition. They are not four reported operating segments. [M]


2026 combines actual H1 with guidance-anchored Q3 and modeled Q4. Post-2026 sales are model assumptions. IT datacom and customer-spending views allocate this revenue; they are not additional pools. The stacked values and this table derive from the same bucket calculations. [M]

DEMAND BRIDGE / SCOPE BEFORE MULTIPLICATION

Customer spending is a calibrated environment

Customer budgets are normalized before a capture adjustment

Own-series CY2025 budget index=1; content intensity CY2026=1



Year Model	Spend index	Content index	Retention	Legacy IT sales	CCS sales
2026	1.834	1.00	0.89857	13,698.5	4,600.0
2027	2.237	1.08	0.89857	18,049.5	5,520.0
2028	2.573	1.16	0.89857	22,294.4	6,513.6
2029	2.830	1.23	0.89857	26,003.7	7,425.5
2030	3.056	1.29	0.89857	29,454.0	8,316.6

Microsoft, Meta, Alphabet and Amazon form an equally weighted, normalized spending-environment basket. No company-specific APH sales mapping is asserted. Amphenol bills OEMs, EMS companies and other intermediaries; no invoiced customer reached 10% in 2025. Ultimate AI demand can still be concentrated. [S02,M]

Each budget series is divided by its own 2025 base before averaging. This avoids adding cash PP&E to lease-inclusive capex as though the dollars represented a common connector market. The retention coefficient absorbs non-interconnect spend, timing, pricing and capture; it is calibrated arithmetic, not measured APH market share. [D01-D04,M]

DEMAND MODEL / HISTORICAL CALIBRATION AND ASSUMPTIONS

The budget-to-invoice bridge is explicit

Series	2025 actual $bn / scope	2026 model $bn	2027 model $bn
Microsoft	83.094 cash PP&E	140	170
Meta	72.220 incl. finance-lease principal	137.5	175
Alphabet	91.447 cash PP&E	200	235
Amazon	128.320 net cash capex	200	245

Microsoft CY2025 cash PP&E = $64.551bn - $30.727bn + $49.270bn = $83.094bn. Its 2026 $175bn reported capex measure differs from the $140bn cash proxy; a lease-classification change from the earlier $190bn does not establish a cut in underlying investment. [D01]

Meta uses the $137.5bn midpoint of $130-$145bn. Alphabet uses the $200bn midpoint of $195-$205bn. Amazon's $200bn eligible-volume proxy adjusts its $220bn guide for an assumed $20bn component-cost element. These proxies are model judgments, not customer guidance for Amphenol orders. [D02-D04,M]

Historical APH legacy IT datacom proxy = $23,094.7m x 36% rounded mix = $8,314.092m. CY2026 reference = that base x 1.833601564 budget index x 1.00 content x 0.898574592175 retention = $13,698.528922m. Rounded disclosed mix means the calibration base is approximate, not audited end-market sales. [S02,M]


2027 budget proxies are 170/175/235/245 billion respectively. Each grows 15% in 2028, 10% in 2029 and 8% in 2030; content intensity rises to 1.08/1.16/1.23/1.29. These are LOW-confidence future assumptions. CCS, HES/ISS and other CS growth are separate within the same consolidated total. [M]

MODEL CHART / THE 18-QUARTER OPERATING SPINE

Growth has quarterly recognition and costs

Revenue converts through manufacturing and operating costs

USD millions; Q3 2026 guidance-anchored model; later quarters modeled



Year / status	Revenue	Gross profit	GAAP OP	OP margin
2026 A/M	35,408.2	13,956.0	9,986.3	28.20%
2027 Model	42,278.3	17,211.6	12,776.2	30.22%
2028 Model	49,105.3	20,349.8	15,291.7	31.14%
2029 Model	55,252.4	22,996.8	17,369.6	31.44%
2030 Model	61,077.0	25,496.6	19,276.2	31.56%

The chart plots all 18 forecast quarters. The complete quarterly table follows immediately. Every point includes the cost of its product mix, separately weighted incremental signals, SBC and corporate expenses. No unaccepted order or customer capex payment is labeled recognized revenue. [M]

Annual seasonality and receipt allocation are explicit assumptions. A quarterly decline can reflect the assumed calendar cadence and does not automatically establish a demand cut. The extended Q4 2030 operating data support the final Q1 2030 four-quarter valuation window.

MODEL TABLE / EXACT OPERATING PERIODS

All plotted quarterly values

Quarter / status	Revenue	GP	Opex incl. SBC	GAAP OP	OP%	Diluted shares
Q3 2026 G/M	9,350.0	3,730.8	1,001.8	2,729.0	29.2%	2,578.400
Q4 2026 M	9,680.0	3,877.0	1,036.1	2,840.9	29.3%	2,581.617
Q1 2027 M	9,724.0	3,958.7	1,020.1	2,938.5	30.2%	2,584.838
Q2 2027 M	10,358.2	4,216.8	1,086.7	3,130.2	30.2%	2,588.063
Q3 2027 M	10,992.4	4,475.0	1,153.2	3,321.8	30.2%	2,591.292
Q4 2027 M	11,203.7	4,561.1	1,175.4	3,385.7	30.2%	2,594.525
Q1 2028 M	11,294.2	4,680.5	1,163.4	3,517.1	31.1%	2,597.762
Q2 2028 M	12,030.8	4,985.7	1,239.2	3,746.5	31.1%	2,601.003
Q3 2028 M	12,767.4	5,290.9	1,315.1	3,975.8	31.1%	2,604.248
Q4 2028 M	13,012.9	5,392.7	1,340.4	4,052.3	31.1%	2,607.498
Q1 2029 M	12,708.0	5,289.3	1,294.2	3,995.0	31.4%	2,610.751
Q2 2029 M	13,536.8	5,634.2	1,378.7	4,255.6	31.4%	2,614.008
Q3 2029 M	14,365.6	5,979.2	1,463.1	4,516.1	31.4%	2,617.270
Q4 2029 M	14,641.9	6,094.2	1,491.2	4,603.0	31.4%	2,620.535
Q1 2030 M	14,047.7	5,864.2	1,430.7	4,433.5	31.6%	2,623.805
Q2 2030 M	14,963.9	6,246.7	1,524.0	4,722.7	31.6%	2,627.078
Q3 2030 M	15,880.0	6,629.1	1,617.3	5,011.8	31.6%	2,630.356
Q4 2030 M	16,185.4	6,756.6	1,648.4	5,108.2	31.6%	2,633.638

USD millions and diluted shares in millions. G/M = guidance-anchored model; M = model. Gross profit minus opex equals GAAP OP. Opex includes segment SG&A, SBC and other corporate expenses; R&D is within SG&A. [M]

MODEL TABLE / QUARTERLY BUCKETS AND COSTS

The component revenues reconcile

Quarter Model	Legacy CS	CCS	HES	ISS	COGS	SG&A
Q3 2026	4,600.4	1,249.5	1,950.0	1,550.0	5,619.2	915.7
Q4 2026	4,880.4	1,249.5	1,980.0	1,570.0	5,803.0	947.1
Q1 2027	5,058.8	1,269.6	1,882.5	1,513.1	5,765.3	931.1
Q2 2027	5,388.7	1,352.4	2,005.3	1,611.8	6,141.3	991.8
Q3 2027	5,718.6	1,435.2	2,128.1	1,710.4	6,517.3	1,052.6
Q4 2027	5,828.6	1,462.8	2,169.0	1,743.3	6,642.7	1,072.8
Q1 2028	6,118.6	1,498.1	2,041.2	1,636.3	6,613.8	1,060.4
Q2 2028	6,517.6	1,595.8	2,174.3	1,743.0	7,045.1	1,129.5
Q3 2028	6,916.6	1,693.5	2,307.5	1,849.7	7,476.4	1,198.7
Q4 2028	7,049.6	1,726.1	2,351.8	1,885.3	7,620.2	1,221.7
Q1 2029	7,054.1	1,707.9	2,192.9	1,753.2	7,418.8	1,178.7
Q2 2029	7,514.2	1,819.2	2,335.9	1,867.5	7,902.6	1,255.6
Q3 2029	7,974.2	1,930.6	2,478.9	1,981.9	8,386.5	1,332.4
Q4 2029	8,127.6	1,967.8	2,526.6	2,020.0	8,547.7	1,358.0
Q1 2030	7,937.8	1,912.8	2,335.4	1,861.7	8,183.5	1,303.4
Q2 2030	8,455.5	2,037.6	2,487.7	1,983.1	8,717.2	1,388.4
Q3 2030	8,973.2	2,162.3	2,640.0	2,104.6	9,250.9	1,473.4
Q4 2030	9,145.7	2,203.9	2,690.8	2,145.0	9,428.8	1,501.7


Legacy CS plus CCS gives Communications Solutions. The four revenue columns reconcile to the consolidated quarterly table. COGS includes ongoing manufacturing and acquired-intangible costs; segment SG&A does not include the separately reconciled SBC/corporate lines. [M]

MODEL CHART / FULL GROSS-PROFIT-TO-OP BUILD

Margins are modeled at the business level

Gross profit does not bypass operating expenses

Percent; 2026 includes actual H1 and modeled H2; later years modeled



Year / status	Gross profit	Gross margin	GAAP OP	OP margin
2026 A/M	13,956.0	39.41%	9,986.3	28.20%
2027 M	17,211.6	40.71%	12,776.2	30.22%
2028 M	20,349.8	41.44%	15,291.7	31.14%
2029 M	22,996.8	41.62%	17,369.6	31.44%
2030 M	25,496.6	41.75%	19,276.2	31.56%

The issuer reports segment OP, not a regular segment gross-margin/SG&A split. Forward bucket GM and SG&A are allocation assumptions, calibrated against normalized current segment profitability. They are not presented as disclosed product margins. [S05,M]

Ongoing acquired intangible amortization and product depreciation remain in costs. The forecast does not add back all acquisition accounting forever. Q2's tariff refund remains in the actual period only. Future capacity requires cash investment and qualified output; nameplate capex does not itself produce revenue. [M]

COST MODEL / NO UNDISCLOSED SEGMENT-GM CLAIM

Every business carries its own assumptions

Bucket / year	2026 H2 GM / SG&A	2027 GM / SG&A	2028 GM / SG&A	2030 GM / SG&A
Legacy Communications	46.0% / 9.5%	46.5% / 9.3%	47.0% / 9.1%	47.0% / 9.0%
Acquired CCS	33.0% / 12.0%	33.5% / 11.5%	34.0% / 11.0%	34.0% / 10.8%
Harsh Environment	39.0% / 10.5%	39.5% / 10.3%	40.0% / 10.2%	40.0% / 10.0%
Interconnect / Sensors	28.5% / 8.0%	29.0% / 8.0%	29.5% / 8.0%	30.0% / 8.0%

GM covers material, fabrication, assembly, test, yield loss, depreciation and ongoing acquired-intangible costs. Segment SG&A includes engineering and support. New content is not assigned the company's best mature margin without an implementation cost. [M]

Additional modeled expense / capital	Treatment
SBC	0.52% of reference revenue, separately reconciled to GAAP OP
Other corporate expense	0.40% of reference revenue
R&D diagnostic	2.8% of revenue, already inside SG&A; not subtracted twice
Capex	4.2% of modeled sales through 2027; 4.0% thereafter
Shares	Start 2,578.4m post-split diluted; net 0.5% annual dilution assumed


The pricing ledger carries only its residual after 75% overlap with baseline mix and margins. It separately deducts additional manufacturing/test/material and commercial expenses, avoiding another broad leverage increment on the same sales. [M]

MODEL CHART / FY2028 EXAMPLE

A transparent profit bridge

FY2028: reconcile gross profit to GAAP operating profit

USD millions; ongoing manufacturing / amortization costs remain in the build



FY2028 model, USD millions	Amount
Legacy Communications gross profit	12,487.6
Acquired CCS gross profit	2,214.6
Harsh Environment gross profit	3,548.1
Interconnect / Sensors gross profit	2,099.5
Segment SG&A	-4,610.2
SBC	-253.1
Other corporate	-194.7
GAAP operating profit	15,291.7


Sum the four bucket gross profits, then deduct SG&A, stock compensation and corporate costs. The active valuation prices that GAAP operating profit. Interest, taxes and minority interests appear as diagnostics rather than silently replacing the sanctioned operating-profit denominator. [M]

RULE 16B / SINGLE ACTIVE CASE

Both favorable and adverse evidence enter

The active case weights opportunities and a share loss

USD millions of incremental GAAP OP; Q4 2027-Q3 2028



Q4 2027-Q3 2028 GAAP OP bridge	USD millions
Reference OP	14,506.139
CPC / backplane	94.864
USFP residual	11.815
Power / thermal	17.523
Physical AI	8.281
Net wallet loss	-26.815
Net pricing	13.283
Active OP	14,625.091

These probabilities are subjective company-outcome judgments, not measured frequencies. They apply to incremental revenue and costs before valuation. Base measures thesis quality and is not used as another probability multiplier on the operating build. [M]

For each revenue vector: active increment = p x conditional APH invoice x (1 - overlap). Incremental COGS and SG&A then convert the residual to OP. The same underlying event or substituted wallet is counted once. The following pages retain annual and active-window quarterly contribution details.

PROBABILITY LEDGER / CPC-20261005 / LOW CONFIDENCE

Incremental 448G/CPC and cable-backplane content

Probability 60%; overlap 70%. Evidence date 2026-10-05. Reference revenue is already present in the customer/segment build. The table below shows only this separately specified conditional addition or loss. [M]

The conditional extra APH invoices are 5%, 8%, 10% and 12% of the legacy IT reference in 2027-2030. Remove 70% already represented by baseline speed/content intensity. The remaining internal cable/CPC/backplane wallet excludes USFP external optics and rack-power invoices.

Year	Cond. APH rev.	Active rev.	COGS	Extra SG&A	GAAP OP
2027	902.5	162.4	92.6	14.6	55.2
2028	1,783.6	321.0	183.0	28.9	109.2
2029	2,600.4	468.1	266.8	42.1	159.1
2030	3,534.5	636.2	362.6	57.3	216.3

Active priced quarter	Active revenue	COGS	Extra SG&A	GAAP OP
Q4 2027	43.048	24.537	3.874	14.636
Q1 2028	73.839	42.088	6.646	25.105
Q2 2028	78.655	44.833	7.079	26.743
Q3 2028	83.470	47.578	7.512	28.380

Conditional incremental GM 43% less incremental SG&A 9%. Named products and channel physics support adoption; qualified volume and supplier share remain uncertain. Raise toward 75% on repeat production/content evidence above baseline; reduce toward 30% on two-quarter qualification slippage or a bypassed socket.

Source: https://www.amphenol-cs.com/connect/ocp-global-summit-2026.html. USD millions; positive costs are deducted; negative costs accompany avoided spending in the loss vector. Each modeled quarter carries this signal in model.quarters[].contributions[].

PROBABILITY LEDGER / USFP-20261012 / LOW CONFIDENCE

Residual USFP cages/connectors/module assembly capture

Probability 40%; overlap 70%. Evidence date 2026-10-12. Reference revenue is already present in the customer/segment build. The table below shows only this separately specified conditional addition or loss. [M]

The conditional APH-billed residual is 0.5%, 2%, 4% and 6% of the legacy IT reference in 2027-2030. Remove 70% for baseline optical migration and replacement of existing form factors. APH does not receive the entire laser, silicon or optical-module market.

Year	Cond. APH rev.	Active rev.	COGS	Extra SG&A	GAAP OP
2027	90.2	10.8	6.7	1.1	3.0
2028	445.9	53.5	33.2	5.4	15.0
2029	1,040.1	124.8	77.4	12.5	34.9
2030	1,767.2	212.1	131.5	21.2	59.4

Active priced quarter	Active revenue	COGS	Extra SG&A	GAAP OP
Q4 2027	2.870	1.779	0.287	0.804
Q1 2028	12.307	7.630	1.231	3.446
Q2 2028	13.109	8.128	1.311	3.671
Q3 2028	13.912	8.625	1.391	3.895

Conditional incremental GM 38% less incremental SG&A 10%. NVIDIA/Cisco name APH, but the effort is multi-source and has no award size or production date. Raise toward 60% after volume availability and billable allocation; reduce toward 15% and defer receipts if no qualification by 2028.

Source: https://nvidianews.nvidia.com/news/nvidia-and-cisco-introduce-new-pluggable-optics-form-factor-to-scale-ai-factories. USD millions; positive costs are deducted; negative costs accompany avoided spending in the loss vector. Each modeled quarter carries this signal in model.quarters[].contributions[].

PROBABILITY LEDGER / POWER-20261005 / LOW CONFIDENCE

Additional rack-power and thermal interconnect wallet

Probability 65%; overlap 80%. Evidence date 2026-10-05. Reference revenue is already present in the customer/segment build. The table below shows only this separately specified conditional addition or loss. [M]

The conditional incremental power/thermal interconnect invoices equal 1.5%, 2.5%, 3.5% and 4.5% of legacy IT reference sales in 2027-2030. Remove 80% already in existing datacenter content. Exclude active conversion, utility capex and CPC/USFP invoices.

Year	Cond. APH rev.	Active rev.	COGS	Extra SG&A	GAAP OP
2027	270.7	35.2	22.9	2.5	9.9
2028	557.4	72.5	47.1	5.1	20.3
2029	910.1	118.3	76.9	8.3	33.1
2030	1,325.4	172.3	112.0	12.1	48.2

Active priced quarter	Active revenue	COGS	Extra SG&A	GAAP OP
Q4 2027	9.327	6.063	0.653	2.612
Q1 2028	16.665	10.832	1.167	4.666
Q2 2028	17.752	11.539	1.243	4.971
Q3 2028	18.839	12.245	1.319	5.275

Conditional incremental GM 35% less incremental SG&A 7%. Existing products and higher current/thermal density support the opportunity. Raise toward 80% on named repeat platform shipments with measured content; reduce toward 35% if an alternative design bypasses APH or standards commoditize capture.

Source: https://www.amphenol-cs.com/connect/ocp-global-summit-2026.html. USD millions; positive costs are deducted; negative costs accompany avoided spending in the loss vector. Each modeled quarter carries this signal in model.quarters[].contributions[].

PROBABILITY LEDGER / PH2-20261015 / LOW CONFIDENCE

Physical-AI robotics and automation residual

Probability 50%; overlap 80%. Evidence date 2026-10-15. Reference revenue is already present in the customer/segment build. The table below shows only this separately specified conditional addition or loss. [M]

The conditional robot/automation connector, power and sensing wallet equals 1%, 2.5%, 4% and 6% of HES plus ISS reference in 2027-2030. Remove 80% already in industrial/auto growth, then apply the 50% phase-2 probability to the residual.

Year	Cond. APH rev.	Active rev.	COGS	Extra SG&A	GAAP OP
2027	147.3	14.7	9.7	1.3	3.7
2028	397.6	39.8	26.2	3.6	9.9
2029	680.7	68.1	44.9	6.1	17.0
2030	1,082.3	108.2	71.4	9.7	27.1

Active priced quarter	Active revenue	COGS	Extra SG&A	GAAP OP
Q4 2027	3.902	2.576	0.351	0.976
Q1 2028	9.145	6.036	0.823	2.286
Q2 2028	9.741	6.429	0.877	2.435
Q3 2028	10.338	6.823	0.930	2.584

Conditional incremental GM 34% less incremental SG&A 9%. Existing product capability is real; incremental program invoices are not disclosed. Raise toward 65% for named repeat programs beyond baseline. Increase overlap to 100% when the demand merely replaces existing industrial content.

Source: https://www.amphenol-cs.com/applications/robotics.html. USD millions; positive costs are deducted; negative costs accompany avoided spending in the loss vector. Each modeled quarter carries this signal in model.quarters[].contributions[].

PROBABILITY LEDGER / SHARE-20261012 / LOW CONFIDENCE

Architecture and multi-source net wallet loss

Probability 35%; overlap 60%. Evidence date 2026-10-12. Reference revenue is already present in the customer/segment build. The table below shows only this separately specified conditional addition or loss. [M]

Conditional net lost APH invoices are 1.5%, 3%, 5% and 7% of legacy IT reference in 2027-2030, after alternative optical/power content. Remove 60% already captured by reference retention. Lost sales avoid 58% COGS and 8% variable SG&A; they do not lose the full invoice as profit.

Year	Cond. APH rev.	Active rev.	COGS	Extra SG&A	GAAP OP
2027	-270.7	-37.9	-22.0	-3.0	-12.9
2028	-668.8	-93.6	-54.3	-7.5	-31.8
2029	-1,300.2	-182.0	-105.6	-14.6	-61.9
2030	-2,061.8	-288.6	-167.4	-23.1	-98.1

Active priced quarter	Active revenue	COGS	Extra SG&A	GAAP OP
Q4 2027	-10.045	-5.826	-0.804	-3.415
Q1 2028	-21.536	-12.491	-1.723	-7.322
Q2 2028	-22.941	-13.306	-1.835	-7.800
Q3 2028	-24.346	-14.120	-1.948	-8.277

Conditional incremental GM 42% less incremental SG&A 8%. Capable 224G/448G rivals and multi-source procurement justify a loss risk, not certainty of displacement. Increase loss probability toward 60% after a material socket loss; reduce toward 20% on broad repeat APH wins.

Source: https://www.te.com/en/about-te/news-center/ocp-2026.html. USD millions; positive costs are deducted; negative costs accompany avoided spending in the loss vector. Each modeled quarter carries this signal in model.quarters[].contributions[].

PROBABILITY LEDGER / PRICE-20260909

Pricing must exceed the additional cost

September management speech supports value-based pricing for complex high-speed/high-power products, alongside higher materials and labor costs. This is distinct from an unsupported industry-wide sold-out surcharge. The model uses 60% probability and removes 75% overlap with reference mix/margins. [S24,M]

Eligible wallet = 20%/30%/35%/40% of legacy CS plus HES receipts in 2027-2030. Conditional premium is 2.0%; additional manufacturing, material and test cost is 0.9%; commercial cost is 0.15%, all on the same eligible wallet. No extra premium is applied to fixed-price backlog or CCS acquisition economics.

Year	Eligible	Wallet	Active rev.	COGS	Extra SG&A	Net OP
2026	0%	0.0	0.0	0.0	0.0	0.0
2027	20%	5,996.5	18.0	8.1	1.3	8.5
2028	30%	10,520.6	31.6	14.2	2.4	15.0
2029	35%	13,857.4	41.6	18.7	3.1	19.7
2030	40%	17,526.6	52.6	23.7	3.9	25.0

Active priced quarter	Revenue	COGS	Extra SG&A	Net OP
Q4 2027	4.767	2.145	0.358	2.264
Q1 2028	7.259	3.267	0.544	3.448
Q2 2028	7.733	3.480	0.580	3.673
Q3 2028	8.206	3.693	0.615	3.898

Raise probability toward 75% when matched-mix realized prices exceed added material/test/support costs. Reduce toward 25% and shrink eligibility if inflation absorbs the premium or terms cannot reprice. Conditional ranges are 1-3% price, 0.5-1.5% manufacturing cost and 0.15% commercial expense; these are bounded model assumptions, not reported SKU terms. [M]

PROBABILITY LEDGER / ALL 18 FORECAST QUARTERS

Quarterly residual revenue by signal

Quarter	CPC	USFP	Power	Physical AI	Wallet loss	Pricing
Q3 2026	0.000	0.000	0.000	0.000	0.000	0.000
Q4 2026	0.000	0.000	0.000	0.000	0.000	0.000
Q1 2027	37.362	2.491	8.095	3.387	-8.718	4.138
Q2 2027	39.799	2.653	8.623	3.608	-9.286	4.407
Q3 2027	42.236	2.816	9.151	3.829	-9.855	4.677
Q4 2027	43.048	2.870	9.327	3.902	-10.045	4.767
Q1 2028	73.839	12.307	16.665	9.145	-21.536	7.259
Q2 2028	78.655	13.109	17.752	9.741	-22.941	7.733
Q3 2028	83.470	13.912	18.839	10.338	-24.346	8.206
Q4 2028	85.076	14.179	19.201	10.536	-24.814	8.364
Q1 2029	107.656	28.708	27.213	15.656	-41.866	9.562
Q2 2029	114.677	30.580	28.988	16.677	-44.596	10.185
Q3 2029	121.698	32.453	30.762	17.698	-47.327	10.809
Q4 2029	124.038	33.077	31.354	18.038	-48.237	11.017
Q1 2030	146.327	48.776	39.630	24.893	-66.389	12.093
Q2 2030	155.871	51.957	42.215	26.516	-70.719	12.882
Q3 2030	165.414	55.138	44.800	28.140	-75.049	13.671
Q4 2030	168.595	56.198	45.661	28.681	-76.492	13.934

USD millions. Values are already probability-weighted and overlap-adjusted; do not apply either probability or Base again. The matrix reconciles to the annual signal tables and the active-window bridge. Each signal's COGS, gross profit and extra operating expense remain in model.quarters[].contributions[] and in its annual/active-quarter tables. [M]

PROBABILITY LEDGER / ALL 18 FORECAST QUARTERS

Quarterly residual operating profit by signal

Quarter	CPC	USFP	Power	Physical AI	Wallet loss	Pricing
Q3 2026	0.000	0.000	0.000	0.000	0.000	0.000
Q4 2026	0.000	0.000	0.000	0.000	0.000	0.000
Q1 2027	12.703	0.697	2.267	0.847	-2.964	1.965
Q2 2027	13.532	0.743	2.414	0.902	-3.157	2.094
Q3 2027	14.360	0.788	2.562	0.957	-3.351	2.222
Q4 2027	14.636	0.804	2.612	0.976	-3.415	2.264
Q1 2028	25.105	3.446	4.666	2.286	-7.322	3.448
Q2 2028	26.743	3.671	4.971	2.435	-7.800	3.673
Q3 2028	28.380	3.895	5.275	2.584	-8.277	3.898
Q4 2028	28.926	3.970	5.376	2.634	-8.437	3.973
Q1 2029	36.603	8.038	7.620	3.914	-14.234	4.542
Q2 2029	38.990	8.563	8.117	4.169	-15.163	4.838
Q3 2029	41.377	9.087	8.613	4.424	-16.091	5.134
Q4 2029	42.173	9.261	8.779	4.510	-16.401	5.233
Q1 2030	49.751	13.657	11.097	6.223	-22.572	5.744
Q2 2030	52.996	14.548	11.820	6.629	-24.044	6.119
Q3 2030	56.241	15.439	12.544	7.035	-25.517	6.494
Q4 2030	57.322	15.736	12.785	7.170	-26.007	6.618

USD millions. Values are already probability-weighted and overlap-adjusted; do not apply either probability or Base again. The matrix reconciles to the annual signal tables and the active-window bridge. Each signal's COGS, gross profit and extra operating expense remain in model.quarters[].contributions[] and in its annual/active-quarter tables. [M]

FULL QUARTERLY DIAGNOSTIC / DOES NOT CHANGE THE CEILING METHOD

Below operating profit: a funding diagnostic

Quarter Model	GAAP OP	Interest	Other income	Tax rate	Net income	EPS
Q3 2026	2,729.0	230.0	15.0	27%	1,825.3	0.7079
Q4 2026	2,840.9	230.0	15.0	27%	1,906.9	0.7386
Q1 2027	2,938.5	220.0	15.0	27%	1,985.5	0.7681
Q2 2027	3,130.2	220.0	15.0	27%	2,125.4	0.8212
Q3 2027	3,321.8	220.0	15.0	27%	2,265.3	0.8742
Q4 2027	3,385.7	220.0	15.0	27%	2,311.9	0.8911
Q1 2028	3,517.1	205.0	15.0	27%	2,418.8	0.9311
Q2 2028	3,746.5	205.0	15.0	27%	2,586.2	0.9943
Q3 2028	3,975.8	205.0	15.0	27%	2,753.7	1.0574
Q4 2028	4,052.3	205.0	15.0	27%	2,809.5	1.0775
Q1 2029	3,995.0	190.0	15.0	27%	2,778.6	1.0643
Q2 2029	4,255.6	190.0	15.0	27%	2,968.8	1.1357
Q3 2029	4,516.1	190.0	15.0	27%	3,159.0	1.2070
Q4 2029	4,603.0	190.0	15.0	27%	3,222.4	1.2297
Q1 2030	4,433.5	175.0	15.0	27%	3,109.7	1.1852
Q2 2030	4,722.7	175.0	15.0	27%	3,320.7	1.2640
Q3 2030	5,011.8	175.0	15.0	27%	3,531.8	1.3427
Q4 2030	5,108.2	175.0	15.0	27%	3,602.2	1.3678

USD millions except EPS per current split-adjusted diluted share. Net income diagnostic = (GAAP OP - interest + other income) x (1 - tax rate) - minority deduction. A $10m quarterly minority deduction is assumed. These are modeled earnings diagnostics; the valued denominator remains GAAP operating profit. [M]

PROBABILITY LEDGER / NON-ADDITIVITY AND COUNTERS

Zeros still require a concrete explanation

Evidence / subjective p	Attempted conditional proxy	Disposition
CCS / September execution, 85%	$4,600m 2026 sales	100% overlap: acquisition and 21%-23% reference OP transition already included. No second synergy.
Some non-cancellable orders, 75%	$1,000m order/financing proxy	100% inside modeled receipts; amount/terms unknown. Visibility, not a second sale or quantified prepayment.
Broad scarcity premium, 25%	1% x $10,000m eligible wallet	No separate increment: current delivery comments counter broad scarcity; specific net pricing modeled separately.
Phase 3, 20%	$300m 2030 connector/power/sensing wallet	100% overlaps aerospace/defense/industrial baseline. Need a separately identifiable orbital/quantum program.
Q2 tariff recovery, 100%	$80m actual-period benefit	Retained in Q2 actual only; no forward recurrence in Q3 guidance.
Repeated USFP posts	Same underlying October 12 event	No independent increment or probability escalation from repost count.


An amount is not zero merely because it is unconfirmed. Here, reference overlap, timing, counter-evidence or a failed attempt to establish a separate wallet explains each zero. No additional positive score is used to compensate for an omitted operating input. [M]

VALUATION / ROLLING FOUR-QUARTER PATH

The ceiling values a moving earnings window

Fifteen rolling windows from one quarterly operating model

USD per diluted share; dashed line marks active Q4 2027



The full numeric table is on the immediately following page. Each point equals its own four-quarter GAAP operating profit x 20 divided by average diluted shares in exactly those quarters. It includes the ceiling quarter and the next three calendar quarters. [M]

Active Q4 2027 window	Revenue	GAAP OP	Diluted shares
Q4 2027	11,203.746	3,385.694	2,594.525059
Q1 2028	11,294.221	3,517.090	2,597.762152
Q2 2028	12,030.801	3,746.466	2,601.003284
Q3 2028	12,767.380	3,975.841	2,604.248460

Active derivation: F4Q OP = $14,625.091466951m. Same-window average diluted shares = 2,599.384738996m. Ceiling = 14,625.091466951 x 20 / 2,599.384738996 = **$112.527331930**.

VALUATION TABLE / SAME METHOD, PERIOD-SPECIFIC SHARES

Fifteen exact valuation windows

Ceiling quarter	Exact window priced	F4Q GAAP OP	Avg diluted	Multiple	Ceiling USD
Q3 2026	Q3 2026 to Q2 2027	11,638.611	2,583.229	20x	90.108997
Q4 2026	Q4 2026 to Q3 2027	12,231.374	2,586.452	20x	94.580315
Q1 2027	Q1 2027 to Q4 2027	12,776.205	2,589.679	20x	98.670164
Q2 2027	Q2 2027 to Q1 2028	13,354.768	2,592.911	20x	103.009864
Q3 2027	Q3 2027 to Q2 2028	13,971.064	2,596.146	20x	107.629275
Q4 2027	Q4 2027 to Q3 2028	14,625.091	2,599.385	20x	112.527332
Q1 2028	Q1 2028 to Q4 2028	15,291.697	2,602.628	20x	117.509666
Q2 2028	Q2 2028 to Q1 2029	15,769.623	2,605.875	20x	121.031303
Q3 2028	Q3 2028 to Q2 2029	16,278.718	2,609.126	20x	124.782904
Q4 2028	Q4 2028 to Q3 2029	16,818.982	2,612.382	20x	128.763593
Q1 2029	Q1 2029 to Q4 2029	17,369.636	2,615.641	20x	132.813610
Q2 2029	Q2 2029 to Q1 2030	17,808.136	2,618.904	20x	135.996837
Q3 2029	Q3 2029 to Q2 2030	18,275.234	2,622.172	20x	139.390047
Q4 2029	Q4 2029 to Q3 2030	18,770.929	2,625.444	20x	142.992441
Q1 2030	Q1 2030 to Q4 2030	19,276.157	2,628.719	20x	146.658167

Every row is an explicit AH-1 chain: the listed F4Q GAAP OP x the listed multiple / the listed same-window diluted shares = the listed ceiling. The 18-quarter operating tables provide each numerator component. Presentation rounding does not change the exact model. [M]

The active selection is Q4 2027 during October-December 2026. On January 1, 2027, selection advances to Q1 2028 under the standing calendar rule. A horizon roll changes selection, not the operating forecast or multiple. [S01]

BALANCE SHEET / CAPITAL AND VALUATION BOUNDARIES

Funding and dilution matter

June 2026 actual / diagnostic	USD millions
Cash plus short-term investments	5,419.1
Debt carrying value	18,811.3
Net debt, derived	13,392.2
Q2 operating cash	1,557.2
Q2 capex	355.5
Q2 asset-disposal proceeds	3.8
Q2 FCF, derived	1,205.5

The $10.5bn CCS cash purchase materially changed leverage. Working capital, interest, capacity spending and acquisition integration require funding even when the operating-profit model grows. No speculative future acquisition or debt-funded buyback is credited. [S05,M]

This new model uses 20x GAAP operating profit per diluted share. It is not 20x EPS or EV/EBITDA, and it does not separately add cash or deduct debt. Leverage is explicitly disclosed, penalized in risk and shown through interest/net-income diagnostics. Ongoing acquired amortization remains in operating costs. [M]

Share / earnings diagnostic	Treatment
September split	1,289.2m Q2 pre-split diluted shares x 2 = 2,578.4m current; EPS halves, revenue/OP unchanged
Forecast dilution	Net 0.5% annual growth; no assumption that buybacks fully offset SBC/options
Interest expense per modeled quarter	2026 $230m; 2027 $220m; 2028 $205m; 2029 $190m; 2030 $175m
Tax / minorities	27% tax and $10m quarterly minority deduction are diagnostics, not the ceiling denominator

SCORING / SUMMING TABLE AND FOUR RISK CLASSES

The score is about thesis quality

Category	Points	Evidence
Core Thesis	15/20	Qualified high-speed and high-reliability contacts, dense fiber, manufacturing and customer engineering; credible multi-source alternatives prevent monopoly status.
Cycle Stage	8/10	Strong current IT datacom orders and the 224G-to-448G transition; no broad shortage established and spending/inventory cyclicality remains.
TAM Expansion	9/10	Data, power and sensing connect compute to the physical world. Weighted residuals avoid adding all GPU, power-system or existing adjacent revenue.
Catalysts	4/5	October 28 results, H2 CCS execution, 2027 qualified next-generation sockets and conversion of longer orders.
Macro	9/10	More bandwidth, inference and automation increase complexity; sites, power and customer economics constrain deployment.
Alpha	1/5	Widely followed large company. An edge must come from wallet, margins, qualification and overlap analysis.
Risks	-4	Four -1 penalties: competition/substitution; AI spending/inventory concentration; acquisition integration/debt; costs/international policy.
Total	42/60	70% analytical Base / Watchlist

Classification: qualified interconnect/manufacturing platform and content beneficiary. Removing one supplier would disrupt qualified programs, but the architecture can still function through other qualified vendors. There is no basis to label the entire company an exclusive physics/IP chokepoint. [S02,S07,M]

SUPPLY CHAIN / PAIRED WATCHES

Cross-book links share the same economics

Relationship	Shared test / non-additivity
APH / ANET / NVDA / AVGO / MRVL	Faster lanes and fabric choices change physical connection counts. Silicon/system invoices already include their purchased components.
APH / CRDO / ALAB	Active copper and PCIe retimers can extend reach, but their semiconductor economics are not a second APH invoice.
APH / LITE / COHR / AAOI / FN	Cages, connectors, fiber and active optical assemblies are distinct from laser or complete-module supplier share.
APH / TE / FIT / Luxshare / Molex	Watch the same socket and customer qualification; participation in a standard is not exclusivity.
APH / Microsoft / Meta / Alphabet / Amazon	Budgets, deployment, power and site readiness govern the demand environment; invoiced customer mapping is unknown.

Four risk classes, each scored once

Competition and substitution: a form-factor transition can reset sourcing and lower content.
AI spending and inventory: indirect exposure through intermediaries can hide ultimate concentration and cancellations.
Acquisition and debt: integration, amortization and financing can absorb the acquired profit.
Costs and international policy: metals, labor, tariffs, tax disputes and cross-border operations can constrain net realization.

CATALYSTS / PRE-COMMITTED TESTS AND LIMITS

Evidence that would change the model

When	Positive test	Counter / action in the next review
October 28, Q3 results	Sales, GAAP cost bridge and guided CCS improvement reconcile	Margin falls after normalizing tariff recovery; split/share mismatch
Each quarterly order update	Non-cancellable cohorts convert with disclosed timing	Cancellations, pushouts or inventory exceed customer deployment
2027 platform ramps	Repeat qualified CPC / backplane content above reference	Two-quarter qualification delay or reduced socket wallet
2027-2028 USFP	Volume timing and APH billable allocation emerge	No volume qualification by 2028; competing form factor wins
Each pricing / cost update	Matched-mix price improves after material/test/support costs	Input inflation or fixed terms absorb the premium
Each CCS report	Organic receipt growth and execution support modeled margin	Growth merely reclassifies acquired revenue; financing or integration weakens
Customer capex / sites	Eligible physical deployment catches spending plans	Cash/lease/inflation changes misread as units or real demand cuts

Unresolved inputs remain exact AI revenue, product-level margins, per-rack/content ASP, qualified good-unit capacity, customer share and USFP commercial timing. The capex bridge is LOW confidence and calibrated, not proof of named customer awards. Original illustrations explain mechanisms; none supplies an undisclosed financial amount. [M]

SENSITIVITY / SAME WINDOW AND VALUATION BASIS

The main assumptions need stress tests

Demand capture matters more than the small residual signals

USD/share; same Q4 2027-Q3 2028 window, 20x method; diagnostics only



Diagnostic	F4Q GAAP OP	Diluted shares	Ceiling USD
Active reference	14,625.09	2,599.385	112.5273
Basket -20%	13,044.94	2,599.385	100.3694
Basket -40%	11,464.79	2,599.385	88.2116
Legacy GM -2pp	14,123.33	2,599.385	108.6667
Legacy GM +2pp	15,126.85	2,599.385	116.3880
CCS slower	14,429.19	2,599.385	111.0200
Shares +2%	14,625.09	2,651.372	110.3209
Shares -2%	14,625.09	2,547.397	114.8238
Combined stress	10,936.48	2,651.372	82.4967

The basket shocks reduce legacy IT revenue from 2027, including linked content/share-loss wallets and eligible pricing. Other businesses are held constant unless varied explicitly. The gross-margin tests change legacy CS GM by 200 basis points while holding SG&A rates unchanged. CCS slower uses 10%/8%/7%/6% growth rather than 20%/18%/14%/12%. [M]

The combined diagnostic applies the -40% basket shock, -200bp legacy GM, slower CCS and +2% shares together. These are deterministic tests, not confidence intervals or separately assigned probabilities. The reference/capture model is the largest uncertainty. No analyst target is imported.

SOURCE CATALOG / ORIGINALS, TRANSCRIPTIONS AND ASSUMPTIONS

Sources and provenance

S01 / Framework v8.0, current October 1, 2026 revision
Local verified methodology; SHA256 0dbf5930742cc570b069223c8e053ba0a6cc7a50463a3926496548e146755c5f

S02 / Amphenol 2025 annual report / Form 10-K, original issuer PDF
https://s21.q4cdn.com/564806605/files/doc_financials/2025/ar/3950aaf3-4fb4-4eb3-9f36-fa1294b5197e.pdf

S03 / Amphenol Q2 2026 results, July 29, original issuer PDF
https://s21.q4cdn.com/564806605/files/doc_financials/2026/q2/2026_07_29-PR-2Q-2026-Results.pdf

S04 / Amphenol Q1 2026 results, April 29, original issuer PDF
https://s21.q4cdn.com/564806605/files/doc_financials/2026/q1/2026_04_29-PR-1Q-2026-Results.pdf

S05 / Amphenol Q2 Form 10-Q, filed July 31, 2026
https://www.sec.gov/Archives/edgar/data/820313/000110465926089194/aph-20260630x10q.htm

S06 / Q1 management call, third-party transcription / crosschecked
https://www.fool.com/earnings/call-transcripts/2026/04/30/amphenol-aph-q1-2026-earnings-transcript/

S07 / Q2 management call, Quartr transcription hosted by StockAnalysis
https://stockanalysis.com/stocks/aph/transcripts/592357-q2-2026/

S08 / Amphenol XtremePass CPC product and specifications
https://www.amphenol-cs.com/product-series/xtremepass-overpass-cpc.html

S09 / Amphenol OverPass cable family; integrated Spectra-Strip technology
https://www.amphenol-cs.com/overpass

SOURCE CATALOG / ORIGINALS, TRANSCRIPTIONS AND ASSUMPTIONS

Sources and calculation snapshot

S10 / Amphenol OCP 2026 showcase, October 5; demonstrations October 12-15
https://www.amphenol-cs.com/connect/ocp-global-summit-2026.html

S11 / NVIDIA / Cisco USFP announcement, October 12, 2026
https://nvidianews.nvidia.com/news/nvidia-and-cisco-introduce-new-pluggable-optics-form-factor-to-scale-ai-factories

S12 / Retained Grok X-DATA delivery: PhotonCap USFP screenshot, October 12
https://x.com/PhotonCap/status/2109710460278981024

S13 / CommScope 2026 NVL72 cabling ordering guide, original 86-page PDF
https://webresources.commscope.com/download/assets/CO-120443-EN_NVIDIA%2BNVL72%2BDC%2BOrdering%2BGuide.pdf/e6cd640a10b611f1944a3a47d01923dd

S14 / CCS closing announcement, January 12, 2026; closed January 9
https://www.sec.gov/Archives/edgar/data/820313/000110465926002737/tm262701d1_8k.htm

S15 / CommScope Rapid Fiber Connect commercial launch, March 24, 2026
https://www.commscope.com/blog/2026/commscope-launches-the-rapid-fiber-connect-platform-at-nvidia-gtc/

S16 / NVIDIA OCP customer architecture context, October 12, 2026
https://blogs.nvidia.com/blog/ocp-global-summit-vera-rubin-scale-ai-factories/

S17 / Amphenol robotics product/application portfolio
https://www.amphenol-cs.com/applications/robotics.html

S18 / Amphenol Aerospace product portfolio; space/defense interfaces
https://www.amphenol-aerospace.com/

SOURCE CATALOG / ORIGINALS, TRANSCRIPTIONS AND ASSUMPTIONS

Sources and calculation snapshot

S19 / TE OCP 2026: 224G/448G, power, optical and cooling demonstrations
https://www.te.com/en/about-te/news-center/ocp-2026.html

S20 / Molex Impress co-packaged copper launch, February 17, 2026
https://www.molex.com/en-us/news/molex-launches-impress-co-packaged-copper-solutions-scaling-near-asic-connectivity-innovations-to-meet-next-gen-data-rate-demands

S21 / Luxshare-Tech DesignCon 2026 technical demonstrations
https://en.luxshare-tech.com/company/resources/news/designcon-2026-unveiling-224g-448g.html

S22 / FIT DesignCon 2026 CHIPLINK 448G announcement, February 24
https://www.fit-foxconn.com/mainssl/modules/MySpace/BlogInfo.php?xmlid=28154

S23 / Amphenol September 2026 two-for-one split announcement
https://investors.amphenol.com/news-and-events/news-details/2026/Amphenol-Announces-Two-for-One-Stock-Split-and-Third-Quarter-2026-Dividend/default.aspx

S24 / September 9 Citi conference management speech, third-party transcription
https://www.investing.com/news/transcripts/amphenol-at-citis-2026-global-tmt-conference-ai-demand-drives-growth-93CH-4894245

S25 / October 15 split-adjusted closing quote, crosschecked independently
https://stockanalysis.com/stocks/aph/history/

D01 / Microsoft cash PP&E calibration: FY2026 Q4 / FY2026 Q2; full source receipt in model evidence
https://www.microsoft.com/en-us/investor/earnings/fy-2026-q4/press-release-webcast

D01b / Microsoft July-December cash PP&E fiscal/calendar alignment
https://www.microsoft.com/en-us/investor/earnings/fy-2026-q2/press-release-webcast

SOURCE CATALOG / ORIGINALS, TRANSCRIPTIONS AND ASSUMPTIONS

Sources and calculation snapshot

D01c / Microsoft Q4 FY2026 management call / lease reclassification
https://www.microsoft.com/en-us/investor/events/fy-2026/earnings-fy-2026-q4

D02 / Meta current 2026 capex guidance, Q2 issuer results
https://investor.atmeta.com/investor-news/press-release-details/2026/Meta-Reports-Second-Quarter-2026-Results/

D02b / Meta FY2025 actual capex, issuer results
https://investor.atmeta.com/investor-news/press-release-details/2026/Meta-Reports-Fourth-Quarter-and-Full-Year-2025-Results/

D03 / Alphabet Q2 2026 issuer release / historical cash PP&E
https://s206.q4cdn.com/479360582/files/doc_financials/2026/q2/2026q2-alphabet-earnings-release.pdf

D03b / Alphabet management 2026 capex forecast, third-party speech transcription
https://www.benzinga.com/news/26/09/61834150

D04 / Amazon 2025 issuer results / net cash-capex basis
https://ir.aboutamazon.com/news-release/news-release-details/2026/Amazon-com-Announces-Fourth-Quarter-Results/

D04b / Amazon Q2 2026 management speech / $220bn spending and memory costs
https://stockanalysis.com/stocks/amzn/transcripts/657334-q2-2026/

M / synchronized calculation source

APH_Amphenol_Model.json; USD millions, shares in millions, ceiling USD per split-adjusted diluted share. Exact model SHA256: 4ff6fe72b2bf6450ae3706d16bc58795c1dd9c269216249b53ca78553ea24e9b

Operating forecast: 18 calendar quarters, Q3 2026-Q4 2030. Ceiling path: 15 quarters, Q3 2026-Q1 2030. Active Q4 2027 prices Q4 2027-Q3 2028. The PDF, embedded-image Markdown, tables and charts use this same source. Snapshot destination: G:/My Drive/1amInvesting/Artifacts/APH_Amphenol_Model.json.

Issuer financial-result PDFs, annual report, CommScope guide and NVIDIA release/illustrations are saved with original SHA256 hashes. Amphenol CS raw downloads returned 403 for selected technical material; supported primary web text was read. No absent original brochure or unreceived video is represented as inspected. FIT full-page retrieval timed out; indexed primary text supports only the described showcase.