OUST / NASDAQ / 16 OCTOBER 2026 / FRAMEWORK v8.0

OUSTER

Better perception still has to become profitable

Ouster combines rugged digital lidar, cameras and deployment software for physical AI. Rev8 improves what machines can see, and named customers demonstrate real use. The investment constraint is converting fast adoption into recurring, costed operating profit while competing sensors and camera or radar systems remain available.

Current research snapshot	Reading
Classification / holding	Competitive physical-AI perception beneficiary; covered, no holding recorded in supplied workbook
Analytical Base	41 / 60 = 68% - Watchlist
Protected Excel Base	72% - separate owner/workbook input, retained
Saved workbook price / date	$43, rounded; quote date unknown. Not independently verified live price.
Model share / capitalization proxy	72 million initial shares; implied snapshot capitalization about $3,133 million using the exact saved price. Not a live market capitalization.
Active valuation quarter	Q4 2027, pricing Q4 2027 through Q3 2028
Active method output	-$12 per share (neg), rounded; retained 20x forward-four-quarter GAAP-style operating profit

The negative output is not a negative stock-price forecast. The sanctioned earnings method does not support a positive ceiling while its selected four-quarter operating window remains loss-making. It is neither a liquidation value nor an instruction to change the valuation method.

Research cutoff: October 16, 2026. Latest actual earnings: Q2 2026, released August 6. Q3 results are scheduled for November 3. This is one active model, with exact calculations in the synchronized model and Excel. All authored numbers are rounded to whole values for reading; independently rounded rows may not sum. [S01-S06,S36,M]

PRE-ANALYSIS / SUPERCYCLE AND CAPTURE

The useful engineering is specific

The company receives a sensor or solution invoice



Physical AI moves computing from answers on a screen to machines operating around people, vehicles and infrastructure. The relevant bottleneck is reliable perception in a specific operating environment: distance, lighting, occlusion, weather, motion, latency and safety requirements. No single sensor solves every task. [S07-S11]

Business / S-curve	Current evidence	Next test
Rev8 lidar / production ramp	More than 9,000 lidars shipped in Q2; Rev8 production ramp through Q3	Customer conversion, yield and accepted shipments
Cameras / expansion	More than 8,000 cameras shipped in Q2; wrist and scene-camera integrations	Repeat customer programs and capacity
BlueCity / Gemini / deployment	Contracted sites and named public-infrastructure awards	Acceptance, software attachment and renewal
Future safety-critical systems / qualification	Engineered for safety; key certifications pending in current datasheets	Completed certified configurations and paid design wins

Thematic alignment is strong, but system spending is not the supplier invoice. Improved customer productivity can produce demand without producing a monopoly price or immediate Ouster profit. [M]

THREE PHASES / NOT A STATIC SALES CAP

The Ford expansion lens

Phase	Application expansion	Company economics / boundary
2026-2027: current adoption	Industrial robots, smart roads, surveying, early humanoids and camera learning rigs	2027 model $337 million sales, including $222 million standalone lidar; requires qualified repeat customers
2028-2029: broader deployment	Larger autonomous fleets, more factory and infrastructure sites, richer cameras and edge integration	2028 $518 million and 2029 $815 million sales are model assumptions, not signed backlog
2030+: larger platform reach	More units and recurring service-equivalents across multiple application types	2030 $1,138 million sales; capacity, software conversion, operating costs and dilution must support it

The framework thematic phase weights are a lens for assessing the opportunity, not blanket discounts on reported revenue. Defined signal probabilities apply only to the specified outcomes and residual economics in the ledger. A large robotics market is not a second pool to add on top of lidar, camera and solution invoices. [S01,M]

IFR reports about five million industrial robots operating in factories in 2025, versus over 600,000 annual installations. Separately, professional service-robot shipments were almost 250,000, including about 117,000 in transport/logistics. Stock and annual flow, industrial arms and service robots are different scopes; many are not lidar-eligible. None is multiplied directly into Ouster sales. [S37,S38]



Original Ouster OS1 Max product-page point cloud, accessed October 16, 2026; image capture date undisclosed. A forest road illustrates aligned color and geometry. It is not an independent all-weather benchmark or customer order. [S07]

TECHNOLOGY / L4 AND L4 MAX SILICON

What Rev8 changes

Original Ouster Rev8 native-color intersection scene, accessed October 16, 2026; capture date undisclosed. Color and geometry share the sensing architecture. This scene does not establish every night/weather operating condition. [S08]

The CMOS/SPAD receiver and VCSEL-based architecture integrate more sensing and processing in silicon. Native color can reduce parallax, separate camera calibration and data-labeling effort. That is valuable in mapping, training and inspection, but it does not guarantee removal of every camera: GeoCue retains dual cameras in its TrueView payload. [S08,S13]

OS products still use mechanical rotation for 360-degree coverage. Do not call the current OS family fully solid-state. L4 and L4 Max power Rev8. Chronos was a historical digital-flash automotive roadmap; the old planned vehicle-production date is not evidence of a current awarded program. [S08,S20]

Geometry can work without ambient visible light, while the color channel still needs light. Native color is therefore not a promise of camera-quality RGB in total darkness. [S07-S09]

SPECIFICATIONS / EXACT TEST CONDITIONS MATTER

Range, resolution and power trade off

OS1 Max metric	Source conditions	Commercial implication
200 m dark-target range	10% Lambertian target, 100 klx sunlight, over 90% detection; 1024 samples at 10 Hz	Useful specified detection performance
500 m maximum representable range	A data representation limit	Not the same as dark-target detection range
256 channels, 360-degree coverage	About 44-degree vertical field; selectable horizontal sampling	Different from a narrow forward sensor
4K horizontal sampling	4096 mode at 5 Hz; maximum 40 Hz uses 512 samples	Do not combine separate maxima
Precision / accuracy	Minimum 3 mm precision; as much as 15 mm across tested conditions; 13 mm typical Lambertian accuracy, rounded	Repeatability differs from absolute accuracy
Power / mass	19 W nominal at 1024/10 Hz; 670 g without cap/baseplate	Drone payload, thermal and battery costs remain
Data / latency	Up to about 10 million points per second; latency below 10 ms	Processing and networking are real system costs

OS0 targets closer work: 35 m at 10% reflectivity, 90-degree vertical coverage and 360-degree horizontal coverage. Its wider near-field view suits industrial navigation. Product selection must match the task; channel count alone does not decide field performance. [S07,S09]

The original datasheets retain technical precision and their full part-number/test qualifiers. Whole-unit approximations here are presentation only. Sensor accuracy is not the complete survey-system accuracy after GNSS/IMU, flight and calibration error. [S07,S09]

PRIMARY SOURCE EXHIBIT / OS1 MAX DATASHEET

Read the original precision conditions

Range Precision (Typical on Lambertian and Retroreflective targets beyond 1 m, 1024 @ 10 Hz mode, 1 standard deviation) **Note:** Precision is calculated based on the standard deviation of 100 measurements on a static target at a given range	Min: ±0.25 cm, Max: ±1.5 cm 
Range Accuracy (Typical on Lambertian and Retroreflective targets beyond 1 m, 1024 @ 10 Hz mode) Note: Accuracy is calculated based on the error between the mean of 100 measurements on a static target at a given range and the true range	±1.25 cm for lambertian targets, ±2.5 cm for retroreflective targets 

LASER

Laser Product Class	Class 1 eye-safe per IEC/EN 60825-1: 2014
Laser Wavelength	865 nm
Beam Diameter Exiting Sensor	19 mm
Beam Divergence	0.09° (FWHM)

LIDAR OUTPUT

Connection	UDP over gigabit Ethernet
Maximum Points Per Second	10,485,760
Data Per Point	RGB, Range, Signal, Reflectivity, Near-infrared, Channel, Azimuth angle, and Timestamp
Timestamp Resolution	< 1 µs
Data Latency	< 10 ms
Data Integrity	End to End CRC that covers entire data packet

DATA RATE (calculated at 1024 @ 10 Hz)

	32 channel	**64 channel**	**128 channel**	**256 channel**
Maximum Data Rate	N/A	148 Mbps	295 Mbps	589 Mbps
Minimum Data Rate	N/A	22 Mbps	43 Mbps	86 Mbps

Original Ouster OS1 Max Rev8 datasheet, PDF page 2, revision August 3, 2026. Precision curves, target reflectivity, static-target test basis, accuracy, optical and output conditions are preserved. These are typical issuer test specifications, not a universal customer performance guarantee. [S07]

The best advertised precision is a minimum within stated conditions. Thin-object detection and stable survey surfaces can improve mapping productivity, but customer acceptance and pricing still depend on delivered system performance. [S07]

PRIMARY SOURCE EXHIBIT / CERTIFICATION STATUS

Safety is an opportunity with a qualification gate

Dimensions	Diameter: 87 mm (3.42 in) Height: • Without cap: 82 mm • With thermal cap: 87 mm
Weight	No halo cap / baseplate: 670 g With halo cap: 720 g
Mounting	Bottom: 4x M3 screws, 2x locating 2 mm pin holes Top: 4x M3 screws, 4x locating 2 mm pin holes, 1x M6 screw
Bottom Mount Baseplate	Aluminum, 530 g, 110 mm x 110 mm x 20.5 mm (LxWxH), 4 x M8 thru holes

OPERATIONAL

Operating Temperature (at 1024*10 Hz)	-40°C to +85°C when mounted in accordance with Ouster Thermal Integration guide
Storage Temperature	-40°C to +105°C
Ingress Protection	IP68 (1m submersion for 1 hour, with I/O cable attached) IP69K (with I/O cable attached)
Shock	IEC 60068-2-27 (Amplitude: 100 G, Shape: 11 ms half-sine, 3 shocks x 6 directions)
Vibration	IEC 60068-2-64 (Amplitude: 10 Grms, Shape: 10 - 1000 Hz, Mounting: 3 axis @ 48hrs/axis, per ISO-16750-3 Test VII method. Ouster custom ASD derived from Test VII ASD
Compliance	**Functional Safety:** - IEC61508 SIL2[i] [2] - ISO26262 ASIL-B[i] [2] - ISO13849 PLd/CAT-2[i] [2] **Security/Cybersecurity:** - ISO 21434 Automotive[i] - UNECE-WP 29 Automotive[i] - IEC 62443 Industrial[i] - ISO 27001 **US and Canada** Laser Eye Safety: - IEC/EN 60825-1:2014 Class 1 eye safe - FDA US 21CFR1040 Laser Notice 56 Class 1 - Canada Radiation Emitting Devices Regulation (REDR) with SOR/2024-196[i] **Product Safety:** - UL 62368-1, 4th Edition - CSA 22.2 No. 62368-1-25 **EMC:** Commercial: FCC Part 15 and ICES03 Class B **European Union (EU)** Laser Safety: IEC 60825-1:2014, EN 60825-1:2014+A11:2021 Class 1 eye safe Product Safety: IEC 62368-1:2018, EN 62368-1:2014/AC:2015 **EMC:** - EN 55032:2015 + AC:2016 + A11:2020 + A1:2020 Class B - EN 61000-3-2:2014 - EN 61000-3-3:2013 - EN 55035:2017 + AC:2019 + A11:2020 **Automotive:** - GMW3097:2019[i] - UN-ECE Reg 10, Rev 6 **Earthmoving/Construction equipment:** - ISO-13766-1:2018 - ISO-13766-2:2018

Original Ouster OS1 Max datasheet, PDF page 4, revision August 3, 2026. The superscripted safety and cybersecurity entries require the legend preserved on the next page. Thermal performance also requires the specified mounting. [S07]

Functional safety can create customer switching cost once a specific configuration is qualified. It is not sufficient to describe a standard in marketing copy; completed certification, configuration and the full system safety case matter. [S07,M]

PRIMARY SOURCE EXHIBIT / PENDING AND ALTERNATE CONFIGURATIONS

The footnote changes the claim

Note: Ouster UK (Ltd): 125 Princes Street, Edinburgh EH2 4AD, Scotland, United Kingdom Contact: Neil Calder Phone Number: +44(0).131.563.9078	**Industrial Trucks/Forklift:** - IEC/EN-12895:2015+A1:2019[1] [2] **Agricultural equipment:** - ISO 14982:2009[1] **Australia:** AS/NZS CISPR 32: 2015 + AMD1: 2020	CE RoHS UK CA

[1] Pending certification, [2] Available in an alternate configuration

SOFTWARE

Ouster Software	Ouster Python SDK, C++ Driver, Ouster Studio
Supported 3rd Party Integrations	ROS2, ROS, NVIDIA Driveworks, MATLAB, NVIDIA Isaac, NVIDIA IsaacSIM

EXTERIOR DIMENSIONS



Original Ouster OS1 Max datasheet, PDF page 5, revision August 3, 2026. The legend states pending certification and availability in an alternate configuration. Keep this with the safety table. Original engineering values intentionally retain their source precision. [S07]

ASIL-B, SIL-2 and PLd/CAT-2 are pending in this document, as are several cybersecurity entries. The correct current statement is engineered or designed for certification. A sensor qualification does not automatically certify an entire vehicle, industrial machine or robot. [S07-S09]

CUSTOMER EVIDENCE / EXISTING USE VERSUS PLANNED CONVERSION

Named customers, different commercial stages

Customer / dated source	Supported stage	What remains unknown
Seneca / October 1	OS1 Max integrated in Argo-1 wildfire drone platform	Paid fleet count, ASP, repeat orders, acceptance schedule
Flyability / September 9	OS0 already used in Elios 3; Rev8 evaluated for next workflows	Evaluation-to-production conversion and new paid units
GeoCue / September 2	OS1 Max TrueView integration after joint flight testing	Specific shipment commitments and customer economics
GUSS / August 26	Deere subsidiary plans Rev8 OS0 in next orchard fleet	Program volume; not a Deere-wide standard award
Trossen / August 18	Three Stereolabs cameras in Workbench/Rivet architecture	Platform shipments and realized OEM price
Utah / August 11	160 additional awarded intersections; nearly 300 contracted in Utah	Accepted installation and Ouster versus integrator billing

A named customer materially strengthens evidence of usefulness. A plan, evaluation, integrated prototype, awarded contract and accepted recurring deployment are different stages. This model already includes broad Rev8 and camera conversion; their economics are not added again each time a logo is published. [S12-S17,M]

The most recent operating item is October 7 AVerMedia/Stereolabs JetPack integration. The October 13 announcement only schedules the next earnings call. No Q3 actual financial results had been published by this research cutoff. [S18,S36]

STEREOLABS / DATA COLLECTION AND MANIPULATION

Cameras are a separate growth engine

Trossen illustrates camera content, not all robot revenue



Stereo cameras address a different cost and range envelope from spinning lidar. ZED X Nano supports close wrist work; Mini supports a wider scene and near-field depth; longer-baseline X cameras serve broader navigation. GMSL cabling, synchronization and Jetson integration are practical engineering advantages for production robots. [S17,S19]

Public camera example	Useful boundary	Economic limit
Nano: $399 list	Close manipulation; about 3 cm to 2 m depth range; indoor, no IP rating	List price is not realized OEM ASP
Mini: from $549 list	Wide-lens depth about 10 cm to 8 m; IP67	Camera, capture, compute and support are separate costs
X: from $599 list	Wider baseline, wide-lens depth about 30 cm to 20 m; IP67	Passive stereo depends on scene/light/texture
Trossen three-camera content	One Mini and two Nano imply about $1,347 at public list prices	Not all robot revenue; units and OEM discounts undisclosed

Management says humanoids currently favor cameras, often six to twelve per platform, while lidar is used by a smaller subset. That supports a combined portfolio without treating every humanoid as both a lidar and camera win. [S05,S06]

NEW PRIMARY EVENT / AVERMEDIA / OCTOBER 7

Compatibility reduces friction, not all uncertainty

AVerMedia and Stereolabs announced JetPack 7.2 support for ZED X GMSL cameras across AVerMedia Jetson Orin and Thor carrier boards. Unified driver and board-support work can shorten validation, reproduce software packages and reduce memory pressure. [S18]

Defined opportunity	Costed bridge / limitation
Existing model reference	Camera and compute revenue about $50 million in 2027 and $86 million in 2028
Subjective outcome probability	75% for continued paid use enabled by the integration; not a probability that all Nvidia systems use Ouster
Unit-normalized diagnostic	1,000 camera/compute equivalents at assumed $1,000 = $1 million receipts
Incremental cost diagnostic	38% gross margin less 10% support/operating cost leaves 28% contribution before probability
Weighted diagnostic before overlap	$750,000 receipts and $210,000 operating contribution
Overlap and active contribution	100% existing adoption cohort; $0 separate quarterly revenue or operating profit increment

The unit proxy demonstrates what a separately identified cohort would earn. It does not invent an order quantity. No paid program size, ASP, exclusivity or quantified memory saving was supplied. Independent paid deployments beyond the existing adoption path can change overlap or the active forecast. [M]

Nvidia DRIVE Hyperion qualification is also an open ecosystem compatibility outcome, not an Nvidia purchase commitment. The model does not claim a separate Nvidia sensor revenue pool. [S21,M]

BLUECITY / GEMINI / DO NOT CALL EVERY DOLLAR ARR

Traffic and logistics can support software attachment

Primary operating evidence	What it establishes	What it does not establish
March 5 software update	More than 1,200 combined contracted sites; Gemini over 550 and BlueCity nearly 700	All sites installed, accepted, paying annual subscriptions
Seven-figure annual Gemini agreement	A real recurring software component with a global technology customer	All solution sales recurring or separate software segment margins
June 10 Stamford Rev8 launch	Active deployment; 500 ft multimodal detection and edge processing	Universal superiority or only eligible US supplier
One or two sensors per deployment	Can replace several legacy sensors and reduce customer installation work	A fixed universal number of units for every intersection
Perpetual or SaaS licensing	Different commercial structures are available	Pure software economics for bundled hardware/install/support

The model separates standalone lidar from integrated solutions so bundled sensors are not counted twice. The solution margin includes hardware and deployment cost; it is not a pure SaaS margin borrowed from an unrelated software company. [S22,S23,M]

The 2030 diagnostic is 6,000 new or expanded site-equivalents at $40,000 plus 12,000 assumed paid service-equivalents at $6,000 annually. That produces $312 million. These are model units and prices, not disclosed contracts or today's subscription count. Existing contracted sites are not repeated every year as new installations. [M]

CAPACITY / AUTOMATION, CALIBRATION AND COST

Manufacturing must deliver good units

Standalone lidar unit equivalents versus the initial line baseline

Units/year at assumed $4,000 ASP; excludes solution-bundled lidar



Year / model	Lidar sales $M	ASP assumption	Standalone equivalents	Camera / compute equivalents
2027	222	$4,000	55,500	49,500
2028	316	$4,000	79,000	86,000
2029	470	$4,000	117,500	141,000
2030	610	$4,000	152,500	211,000

Benchmark's June 15 joint announcement describes a highly automated framework exceeding 100,000 units per year and a planned ten-year product life. The dashed reference is the lower boundary of that published baseline, not a hard maximum. Expansion is possible, but more floor space or nameplate output is not automatically qualified, calibrated, saleable output. [S24]

The 2030 path requires over 150,000 standalone sensor-equivalents, plus solution-bundled lidar excluded from this chart. Optical assembly, calibration, semiconductor supply, test time, yield, product mix and support must scale. No current Rev8 yield or realized SKU cost is disclosed. Camera capacity also needs investment. [S03,S05,S06,M]

COMPETITION / MATCH THE OPERATING POINT

Differentiated does not mean irreplaceable

Alternative	Primary evidence	Why the comparison matters
Hesai JT128	128-channel lightweight mechanical robotics lidar; 40 m at 10%; below 250 g	Strong close/hemispherical competitor, not identical OS1 Max long-range coverage
RoboSense E1R	Mass-produced SPAD-SoC/VCSEL solid-state lidar, 120 x 90-degree field, 30 m at 10%, $999 list	Digital integration and non-moving alternatives exist
InnovizSMART	Long-range traffic/security/robotics products with differentiated forward fields	Smart infrastructure is not exclusive to Ouster
Aeva Atlas Ultra	FMCW direct velocity plus range; 250 m low-reflectivity and 500 m maximum announced	Different useful sensing capability and field geometry
Luminar technology / MicroVision	Iris/Halo assets acquired in February 2026	Competitor IP/products do not disappear with financial distress
Cameras / radar / loops	Multiple qualified traffic and machine-vision suppliers	Often cheaper or sufficient for the required task

Source specifications differ in reflectivity, scan rate, field of view, return count, thermal envelope and qualification status. Do not create a league table by mixing each vendor's largest marketing number. Customer total cost and accepted task performance determine substitution. [S25-S30]

Software, calibration history and safety qualification can make replacement costly inside a program. They do not make the next architecture physically impossible without Ouster. The current classification is a competitive beneficiary. [M]

COUNTER-EVIDENCE / HESAI PROTOTYPE AND ROADMAP

Native color also has a competitive clock

Original Hesai ETX native-color prototype point cloud from its April 20, 2026 Picasso announcement. The issuer explicitly labels prototype results; final production versions are subject to customer requirements and actual delivery. This is roadmap competition, not proof of equal shipped production. [S25]

Hesai announced ASIC-level RGB plus time-of-flight fusion with Picasso, with ETX production expected in the second half of 2026. RoboSense announced EOCENE, Phoenix and Peacock in April and an RGBD roadmap for the end of 2027. Neither announced specifications nor prototype pictures establish final accepted mass-production performance. They do rebut a permanent uncontested native-color monopoly. [S25,S27]



Original Ouster static precision illustration, accessed October 16, 2026; capture date undisclosed. The depicted planar target and cluster annotation explain repeatability. The full datasheet conditions, including variation with range/target, remain controlling. [S08]

The question is whether Ouster keeps useful performance, qualification and integration advantages long enough to earn a return after R&D and manufacturing cost. A lead in a product generation is not automatically a generation-proof chokepoint. [M]

REGULATION / NAMED COMPLIANT SUBSTITUTES

Procurement eligibility is an advantage, not the whole market

Evidence / date	Commercial reading	Boundary
Ouster June 30 BABA claim	Rev8 and BlueCity eligible for covered US-funded infrastructure projects	Not automatic awards or all private-market eligibility
FHWA manufactured-product rule	US final assembly from October 2025; over 55% component cost from October 2026 for affected obligated projects	Funding, obligation date, product category and waivers matter
Wavetronix primary site	BABA-compliant radar; in-house Utah sensor production	Named eligible traffic-sensing alternative
Iteris primary product portfolio	Camera, radar and hybrid detection with over 600 ft advance capability	BlueCity's 500 ft is not the only long-range traffic solution
Hesai/Ouster arbitration	Final September 2025 cross-license applicability decision; Ouster paid about $6 million costs/fees in Q4 2025	Do not describe an Ouster ITC exclusion victory or total import ban

US procurement can favor a trusted local supply chain. Its pricing value depends on the funded project, required sensing performance, competing compliant suppliers and accepted commercial terms. No source establishes a universal scarcity premium, a global Chinese-lidar ban or sole-source capture of public traffic spending. [S31-S35]

Historic Buy America, Buy American, BABA and defense/UAS restrictions are different rules. An old state webpage general-waiver label is not proof of a blanket exemption after the current federal effective dates. [S32]

ACTUAL RESULTS / AUGUST 6, 2026

The financial anchor is still Q2

USD millions / actual	Q1 2026	Q2 2026
Product revenue	48	53
Royalties / other	Less than 1	2
Total revenue	49	55
Gross profit	21	27
R&D	16	19
Sales / marketing	8	9
General / administrative	16	18
Operating expenses	40	47
GAAP operating profit	-19	-20
Stock compensation	7	11
Adjusted EBITDA	-7	-4
Operating cash flow	-7	-13
Capital spending	3	3

Q2 shipped more than 17,000 lidar and camera sensors in total, including more than 9,000 lidars and more than 8,000 cameras. These are disclosed lower-bound counts, not an exact audited product mix or a basis for dividing all group revenue by lidar units. One reportable segment means product-level revenue and margins must be explicitly modeled. [S02-S06]

Q3 revenue guidance is about $55-$58 million, with a $56 million midpoint. The midpoint anchors the first forecast quarter; it is not reported Q3 revenue. November 3 is the next earnings test. [S02,S36,M]

ACTUAL TO NORMALIZED / TRANSPARENT ONE-ITEM DIAGNOSTIC

The refund is not recurring product margin

Q2 gross profit after removing the temporary refund

USD millions / actual plus one-item diagnostic



Q2 metric / USD millions	Reported	Remove $5 million refund
Gross profit	27	21
Gross margin	49%	39%
GAAP operating profit	-20	-25
Non-GAAP gross profit	29	24
Adjusted EBITDA	-4	-10

The exact historical-duty refund is retained in the model/source data. Removing that single temporary benefit leaves about 39% gross margin and a $25 million GAAP operating loss. The reported non-GAAP gross profit and adjusted EBITDA also include the refund; a non-GAAP label does not automatically remove it. [S02,S03]

Only about $1 million of the refund had arrived by quarter end, with the balance and interest collected afterward. Revenue does not change in this normalization. Normalized EBITDA remains a diagnostic and is not the operating-profit valuation denominator. [S02,S03]

EARNINGS PROTOCOL / MAY 5 AND AUGUST 6

Two management discussions set the operating tests

Topic	Q1 management discussion	Q2 management discussion
Rev8 transition	Affordability and lower cost; maintain existing customer support	Prototype sales minor in Q2; ramp through Q3, conversion over about two years
Growth / margins	Long-term 30%-50% growth and 35%-40% GAAP gross-margin framework	Normalized gross-margin framework retained; higher solutions mix can help
Spending	Spoken 5%-8% opex growth with Stereolabs	Monitor spending during ramp; do not equate EBITDA with GAAP profit
Cameras / humanoids	Compute cross-selling early	Cameras often six to twelve per humanoid; lidar in smaller subset
Capacity / funding	Scale for customer transitions	About 40,000 annualized lidar shipment pace versus 100,000-plus capacity plan; camera investment too

Full published prepared remarks and management Q&A answers were reviewed for both latest calls. Native issuer-written transcripts were not located. Saved third-party automated copies contain spelling errors; exact financial amounts use issuer and SEC tables. Analyst forecasts, questions and generated recaps are not management guidance. [S05,S06]

The Q1 deck contains a less-than-5% expense-growth phrase while spoken commentary and the issuer release use 5%-8%. These scopes are not silently blended. The forward cost model is separately explicit. Profitability language is conditional on the operating plan, not a dated guarantee of immediate GAAP profit. [S05,S06,M]

CASH, ACQUISITION AND REVENUE QUALITY

Financing supports the plan; it is not sales

Exact-accounting issue, rounded here	Current reading
June liquidity	About $263 million cash, restricted cash and short-term investments
Q2 ATM / July offering	About $98 million net Q2 ATM proceeds; about $192 million July offering net proceeds before other costs
Cash aggregation	June liquidity plus July proceeds is about $454 million before intervening burn and costs; not an observed July cash balance
Stereolabs purchase	About $55 million final consideration; about $32 million cash plus purchase shares, with retention shares separate post-combination expense
Stock compensation	About $11 million in Q2; ongoing GAAP expense and economic dilution
Customer concentration	Anonymous customers E and F represent 32% and 12% of Q2 revenue
Deferred/prepaid revenue	About $20 million contract liabilities; releases from an existing customer prepayment are not a second new backlog addition

There was no funded financial debt at June 30; operating lease liabilities still exist. Management expects current capital to support its current plan toward profitability. That is not immunity from future SBC, acquisitions, execution losses or fundraising. Financing cash must not be added to revenue or the retained operating-profit ceiling. [S03,S04,M]

Stereolabs' roughly $16 million unaudited 2025 revenue and positive EBITDA description do not reveal standalone GAAP operating profit. More hardware/compute sales, gross profit and support cost must reconcile at the combined company level. [S39]

CAPITALIZATION / DO NOT DOUBLE COUNT ALREADY ISSUED SHARES

The share denominator is economic

Item	Whole shares / treatment
June 30 issued shares	68,489,797
July shares issued	3,621,876
July 31 issued shares	72,112,333
Unexercised overallotment	543,281 option shares expired unexercised; not added
Stereolabs retention shares	660,005 already issued; do not add them again
Amazon warrant maximum	3,290,094 shares, purchase-linked vesting; not a future $100 million purchase order
Amazon warrant timing	Expires February 2030; actual dilution depends on vesting and strike versus share value
Forecast convention	Retained quarterly economic proxy, about 72 million to 88 million shares

GAAP loss EPS excludes anti-dilutive awards. Its historical weighted share count is therefore not the same as a future economic diluted denominator. Likewise, blindly adding every option, unvested award, retention share and warrant maximum can double count issuance or ignore exercise economics. [S03,M]

Customer warrant fair value already reduces reported revenue. The retained model does not add a duplicate future order because purchase-linked warrants exist. The explicit share path, rather than the analytical Base, is the per-share denominator. [S03,M]

MODEL / UNDISCLOSED SEGMENT ALLOCATIONS ARE ASSUMPTIONS

One active operating case, four vectors

Vector	Q2 normalized allocation anchor	Forward path / cost boundary
Standalone lidar	About $38 million allocated product revenue	Unit equivalents at $4,000; 35%-40% future gross margin; manufacturing and calibration cost
Cameras / compute	About $7 million allocated	Camera/compute equivalents at $1,000; 38%-42% gross margin; hardware and support cost
Integrated solutions	About $8 million allocated	Bundled hardware, software and service; 55%-62% blended GM, not pure SaaS
Royalties / other	About $2 million reported	About $5 million annually in model; 100% contribution proxy, not unlimited license growth

The company reports product revenue plus royalty/other, not these four audited operating segments. At Q2, the allocations, camera/solution margin assumptions and residual lidar margin reconcile to gross profit after refund normalization. They are LOW-confidence analytical decompositions, never presented as disclosed customer ASPs or segment results. [S02,S03,M]

Year / model $M	Lidar	Cameras	Solutions	Royalty	Total
2027	222	50	60	5	337
2028	316	86	111	5	518
2029	470	141	199	5	815
2030	610	211	312	5	1,138

All future years require repeatedly qualified paid demand. No industry TAM, Nvidia system budget, financing proceeds, customer fleet valuation or other supplier's invoices are added directly to Ouster sales. [M]

MODEL CHART / FOUR VECTORS AND ALL OBSERVATIONS

The quarterly revenue path is explicit

Four separately billed revenue vectors

USD millions / quarterly model; all 18 observations



Quarter M	Lidar	Camera / compute	Solutions	Royalty	Total
Q3 2026	40	8	7	1	56
Q4 2026	48	9	10	1	68
Q1 2027	48	10	12	1	71
Q2 2027	53	12	14	1	80
Q3 2027	58	13	16	1	88
Q4 2027	63	15	18	1	97
Q1 2028	67	17	21	1	106
Q2 2028	75	20	25	1	121
Q3 2028	83	23	30	1	137
Q4 2028	91	26	35	1	153
Q1 2029	100	29	40	1	170
Q2 2029	111	33	46	1	191
Q3 2029	123	37	53	1	214
Q4 2029	136	42	60	1	239
Q1 2030	145	46	66	1	258
Q2 2030	150	50	74	1	275
Q3 2030	155	55	82	1	293
Q4 2030	160	60	90	1	311

USD millions; M = model, with Q3 2026 revenue anchored to guidance midpoint. Every plotted point appears above. Dashed series denote forecasts; no future period is labeled actual. Exact values are retained in the synchronized model. [M]

MODEL CHART / GAAP-STYLE COSTS INCLUDING SBC

Gross profit must cover the operating cost base

Revenue does not equal shareholder profit

USD millions / quarterly model; all 18 observations



Year M / $M	Revenue	GP	Opex	GAAP OP	OP margin
2027	337	138	218	-79	-24%
2028	518	221	252	-30	-6%
2029	815	362	285	77	9%
2030	1,138	526	319	207	18%

Revenue grows well before GAAP operating profit turns positive. Costs include the product mix, engineering, selling, administration and stock compensation. The active 2027 valuation window therefore remains loss-making even though the later model becomes profitable. [M]

Gross margins above the current 35%-40% framework in later years require richer solution mix and successful scale economics. They are explicit estimates, not current issuer guidance. Site support, integration, production yield and capacity investment can delay this transition. [S05,S06,M]

MODEL TABLE / QUARTERS, COSTS AND SHARE PATH

All quarterly operating observations

Quarter M	Revenue	GP	Opex	GAAP OP	OP%	Shares
Q3 2026	56	22	47	-25	-44%	72,200,000
Q4 2026	68	27	49	-22	-32%	73,129,412
Q1 2027	71	29	51	-22	-31%	74,058,824
Q2 2027	80	33	53	-21	-26%	74,988,235
Q3 2027	88	36	55	-19	-22%	75,917,647
Q4 2027	97	40	58	-17	-18%	76,847,059
Q1 2028	106	45	60	-15	-14%	77,776,471
Q2 2028	121	51	62	-10	-9%	78,705,882
Q3 2028	137	59	64	-5	-4%	79,635,294
Q4 2028	153	66	66	0	0%	80,564,706
Q1 2029	170	75	68	6	4%	81,494,118
Q2 2029	191	84	70	14	7%	82,423,529
Q3 2029	214	96	72	23	11%	83,352,941
Q4 2029	239	108	75	33	14%	84,282,353
Q1 2030	258	117	77	40	16%	85,211,765
Q2 2030	275	126	79	48	17%	86,141,176
Q3 2030	293	136	81	55	19%	87,070,588
Q4 2030	311	146	83	63	20%	88,000,000

Revenue, gross profit, opex and OP in USD millions; diluted share proxy shown as whole shares. Exact unrounded share values determine ceilings. Quarter-level GP minus opex equals operating profit; ownership and unit factors are one, parent-only costs and senior claims zero. No cash or separate debt adjustment changes the sanctioned method. [M]

Model OP = sum of four vector revenues x their distinct gross margins, less consolidated opex. Sales, margins and costs are all LOW-confidence forward assumptions except the explicitly identified guidance anchor. No Base score is multiplied into operating profit. [M]

MODEL CHART / GROSS MARGIN AND OPERATING MARGIN

The margin path is not a blanket software assumption

Mix and spending define the loss-to-profit transition

Percent / quarterly model; all 18 observations



Quarter M	Gross margin	OP margin
Q3 2026	40%	-44%
Q4 2026	40%	-32%
Q1 2027	41%	-31%
Q2 2027	41%	-26%
Q3 2027	41%	-22%
Q4 2027	42%	-18%
Q1 2028	42%	-14%
Q2 2028	42%	-9%
Q3 2028	43%	-4%
Q4 2028	43%	0%
Q1 2029	44%	4%
Q2 2029	44%	7%
Q3 2029	45%	11%
Q4 2029	45%	14%
Q1 2030	45%	16%
Q2 2030	46%	17%
Q3 2030	46%	19%
Q4 2030	47%	20%

All plotted values appear above. Solution GM includes hardware and support; 62% solution GM is not group operating margin. [M]

AH-9 / COMPLETE QUARTERLY VECTOR DERIVATION

Standalone digital lidar hardware

The anchor is an analytical allocation calibrated to Q2 reported/normalized data. Conversion is quarter revenue divided by that anchor; it describes the retained path rather than an additional demand multiplier. Confidence: LOW for all forward rows. [M]

Quarter M	Anchor $000	Conversion %	Revenue $000	GM %	GP $000
Q3 2026	38,000	105	40,000	35%	14,000
Q4 2026	38,000	126	48,000	35%	16,941
Q1 2027	38,000	126	48,000	36%	17,082
Q2 2027	38,000	139	53,000	36%	19,018
Q3 2027	38,000	153	58,000	36%	20,982
Q4 2027	38,000	166	63,000	36%	22,976
Q1 2028	38,000	176	67,000	37%	24,632
Q2 2028	38,000	197	75,000	37%	27,794
Q3 2028	38,000	218	83,000	37%	31,003
Q4 2028	38,000	239	91,000	38%	34,259
Q1 2029	38,000	263	100,000	38%	37,941
Q2 2029	38,000	292	111,000	38%	42,441
Q3 2029	38,000	324	123,000	39%	47,391
Q4 2029	38,000	358	136,000	39%	52,800
Q1 2030	38,000	382	145,000	39%	56,721
Q2 2030	38,000	395	150,000	39%	59,118
Q3 2030	38,000	408	155,000	40%	61,544
Q4 2030	38,000	421	160,000	40%	64,000

USD thousands. Presentation is rounded; exact values in model.quarters[].products[] and OUST_Q_Model determine all totals. Revenue = anchor x exact conversion; GP = exact revenue x exact GM. The four vectors sum to group revenue/GP before consolidated opex. [M]

Source basis: reported product revenue, allocated lidar anchor, management adoption and manufacturing discussion. Assumed ASP/unit path; solution-bundled lidar excluded. [S02,S03,S05,S06,S24]

AH-9 / COMPLETE QUARTERLY VECTOR DERIVATION

Camera and AI compute hardware

The anchor is an analytical allocation calibrated to Q2 reported/normalized data. Conversion is quarter revenue divided by that anchor; it describes the retained path rather than an additional demand multiplier. Confidence: LOW for all forward rows. [M]

Quarter M	Anchor $000	Conversion %	Revenue $000	GM %	GP $000
Q3 2026	6,850	109	7,500	38%	2,850
Q4 2026	6,850	131	9,000	38%	3,441
Q1 2027	6,850	146	10,000	38%	3,847
Q2 2027	6,850	168	11,500	39%	4,451
Q3 2027	6,850	190	13,000	39%	5,062
Q4 2027	6,850	219	15,000	39%	5,876
Q1 2028	6,850	248	17,000	39%	6,700
Q2 2028	6,850	292	20,000	40%	7,929
Q3 2028	6,850	336	23,000	40%	9,173
Q4 2028	6,850	380	26,000	40%	10,431
Q1 2029	6,850	423	29,000	40%	11,702
Q2 2029	6,850	482	33,000	41%	13,394
Q3 2029	6,850	540	37,000	41%	15,105
Q4 2029	6,850	613	42,000	41%	17,245
Q1 2030	6,850	672	46,000	41%	18,995
Q2 2030	6,850	730	50,000	42%	20,765
Q3 2030	6,850	803	55,000	42%	22,971
Q4 2030	6,850	876	60,000	42%	25,200

USD thousands. Presentation is rounded; exact values in model.quarters[].products[] and OUST_Q_Model determine all totals. Revenue = anchor x exact conversion; GP = exact revenue x exact GM. The four vectors sum to group revenue/GP before consolidated opex. [M]

Source basis: reported product total, allocated camera anchor, Stereolabs operating evidence and explicitly assumed camera/compute unit ramp. [S02,S03,S05,S06,S17-S19]

AH-9 / COMPLETE QUARTERLY VECTOR DERIVATION

Integrated BlueCity / Gemini solutions

The anchor is an analytical allocation calibrated to Q2 reported/normalized data. Conversion is quarter revenue divided by that anchor; it describes the retained path rather than an additional demand multiplier. Confidence: LOW for all forward rows. [M]

Quarter M	Anchor $000	Conversion %	Revenue $000	GM %	GP $000
Q3 2026	7,913	90	7,105	55%	3,908
Q4 2026	7,913	126	10,000	55%	5,541
Q1 2027	7,913	152	12,000	56%	6,699
Q2 2027	7,913	177	14,000	56%	7,873
Q3 2027	7,913	202	16,000	57%	9,064
Q4 2027	7,913	227	18,000	57%	10,271
Q1 2028	7,913	265	21,000	57%	12,069
Q2 2028	7,913	316	25,000	58%	14,471
Q3 2028	7,913	379	30,000	58%	17,488
Q4 2028	7,913	442	35,000	59%	20,547
Q1 2029	7,913	505	40,000	59%	23,647
Q2 2029	7,913	581	46,000	60%	27,384
Q3 2029	7,913	670	53,000	60%	31,769
Q4 2029	7,913	758	60,000	60%	36,212
Q1 2030	7,913	834	66,000	61%	40,105
Q2 2030	7,913	935	74,000	61%	45,271
Q3 2030	7,913	1,036	82,000	62%	50,502
Q4 2030	7,913	1,137	90,000	62%	55,800

USD thousands. Presentation is rounded; exact values in model.quarters[].products[] and OUST_Q_Model determine all totals. Revenue = anchor x exact conversion; GP = exact revenue x exact GM. The four vectors sum to group revenue/GP before consolidated opex. [M]

Source basis: reported product total, allocated solution anchor, contracted-site and Utah/Stamford evidence. Bundled hardware is included once; unit and service prices are model proxies. [S02,S03,S16,S22,S23]

AH-9 / COMPLETE QUARTERLY VECTOR DERIVATION

Royalties and other

The anchor is an analytical allocation calibrated to Q2 reported/normalized data. Conversion is quarter revenue divided by that anchor; it describes the retained path rather than an additional demand multiplier. Confidence: LOW for all forward rows. [M]

Quarter M	Anchor $000	Conversion %	Revenue $000	GM %	GP $000
Q3 2026	1,863	75	1,395	100%	1,395
Q4 2026	1,863	75	1,395	100%	1,395
Q1 2027	1,863	67	1,250	100%	1,250
Q2 2027	1,863	67	1,250	100%	1,250
Q3 2027	1,863	67	1,250	100%	1,250
Q4 2027	1,863	67	1,250	100%	1,250
Q1 2028	1,863	67	1,250	100%	1,250
Q2 2028	1,863	67	1,250	100%	1,250
Q3 2028	1,863	67	1,250	100%	1,250
Q4 2028	1,863	67	1,250	100%	1,250
Q1 2029	1,863	67	1,250	100%	1,250
Q2 2029	1,863	67	1,250	100%	1,250
Q3 2029	1,863	67	1,250	100%	1,250
Q4 2029	1,863	67	1,250	100%	1,250
Q1 2030	1,863	67	1,250	100%	1,250
Q2 2030	1,863	67	1,250	100%	1,250
Q3 2030	1,863	67	1,250	100%	1,250
Q4 2030	1,863	67	1,250	100%	1,250

USD thousands. Presentation is rounded; exact values in model.quarters[].products[] and OUST_Q_Model determine all totals. Revenue = anchor x exact conversion; GP = exact revenue x exact GM. The four vectors sum to group revenue/GP before consolidated opex. [M]

Source basis: reported royalties and other. Management's roughly $5 million outlook applies to 2026 only. Retaining $5 million in 2027 onward is a LOW-confidence extrapolation, not contracted annual guidance or a recurring floor. Recognition depends on licensee sales/performance; rates and expiry are unpublished. The 100% GP proxy does not imply zero company operating cost. [S02,S03,S05,S06]

Isolated same-method diagnostic: removing $5 million annual royalty receipts from the active four-quarter window reduces OP from about -$48 million to -$53 million and the signed ceiling from about -$12 to -$14. All other assumptions are held fixed. This is not the active forecast or a percentage revision between negative outputs. [M]

VALUATION / RETAINED 20x OPERATING PROFIT

All fifteen rolling earnings ceilings

The retained earnings method has negative early outputs

USD per share / model, not a market-price forecast



Ceiling quarter	Earnings window end	F4Q OP $M	Multiple	Shares	Ceiling $
Q3 2026	Q2 2027	-90	20x	72,200,000	-25 neg
Q4 2026	Q3 2027	-84	20x	73,129,412	-23 neg
Q1 2027	Q4 2027	-79	20x	74,058,824	-21 neg
Q2 2027	Q1 2028	-72	20x	74,988,235	-19 neg
Q3 2027	Q2 2028	-62	20x	75,917,647	-16 neg
Q4 2027	Q3 2028	-48	20x	76,847,059	-12 neg
Q1 2028	Q4 2028	-30	20x	77,776,471	-8 neg
Q2 2028	Q1 2029	-9	20x	78,705,882	-2 neg
Q3 2028	Q2 2029	16	20x	79,635,294	4
Q4 2028	Q3 2029	44	20x	80,564,706	11
Q1 2029	Q4 2029	77	20x	81,494,118	19
Q2 2029	Q1 2030	111	20x	82,423,529	27
Q3 2029	Q2 2030	144	20x	83,352,941	35
Q4 2029	Q3 2030	176	20x	84,282,353	42
Q1 2030	Q4 2030	207	20x	85,211,765	49

Each earnings window starts with its ceiling quarter and ends with the quarter shown. Every row uses the starting-quarter economic diluted proxy. The dashed vertical marker selects active Q4 2027. Negative signed outputs are labeled neg; none is a predicted negative market price. [M]

VALUATION / SAME QUARTER, CURRENCY AND SHARE CONVENTION

The active AH-1 chain

Active Q4 2027 pricing window	GAAP OP / USD thousands
Q4 2027	-17,215
Q1 2028	-15,055
Q2 2028	-10,379
Q3 2028	-5,027
Forward-four-quarter total	-47,676

Operating profit x 20 / starting-quarter diluted shares = signed per-share ceiling. The active window is about -$48 million operating profit, multiplied by 20 and divided by about 77 million shares, producing about -$12 per share. Exact calculations, including the period-specific denominator, remain in the model/workbook. [M]

Annual cross-check / model	Revenue $M	GP $M	Opex $M	GAAP OP $M
2027	337	138	218	-79
2028	518	221	252	-30
2029	815	362	285	77
2030	1,138	526	319	207

Annual totals are a cross-check, not a replacement for the rolling quarterly recognition window. No 2027 revenue multiple, adjusted EBITDA handoff, cash addition or arbitrary zero floor replaces the locked 20x GAAP-style operating-profit method. [S01,M]

The active horizon is Q4 2027 during October-December 2026. January 2027 selects Q1 2028 under the standing calendar rule; selection alone is not an economic forecast upgrade. The final Q1 2030 ceiling is supported by operating quarters through Q4 2030. [S01,M]

DIAGNOSTIC / RECEIPTS MUST COVER INCREMENTAL COSTS

What would bridge the current loss?

Extra receipts needed to reach active-window OP breakeven

USD millions / algebraic diagnostic, not an adopted forecast

Active-window diagnostic	Extra receipts $M	Extra receipts vs current window
0% incremental opex	113	24%
5% incremental opex	128	28%
10% incremental opex	148	32%

The existing active window has $462 million sales, about $195 million gross profit and $243 million opex. With its retained roughly 42% gross margin, additional receipts need to cover the $48 million loss and their own support/operating costs. With no extra opex, about $113 million additional sales is needed; at 10% extra operating cost, about $148 million. [M]

Algebra: additional revenue = operating loss / (incremental gross margin - incremental opex fraction). These isolated tests hold existing costs, margins and shares fixed. They are not an unannounced contract, adopted forecast or alternate valuation target. A higher-quality mix or lower fixed costs can change the bridge; customer validation must support it. [M]

DIAGNOSTIC / NO CHANGE TO THE SAVED SHARE PATH

Dilution affects the later profitable window

A profitable later window is sensitive to the share count

Q1 2030 F4Q ceiling USD / same 20x method, diagnostic only

Share diagnostic	Active-window proxy shares	Signed Q4 2027 output	Q1 2030 output
-5%	73,004,706	-13 neg	51
0%	76,847,059	-12 neg	49
5%	80,689,412	-12 neg	46
10%	84,531,765	-11 neg	44

The same share multiplier is applied to each reference-quarter denominator. In a loss-making window, adding shares makes the signed negative arithmetic less negative; that does not make dilution economically attractive. The positive later window makes the normal per-share dilution effect clear. [M]

The active case retains its full quarterly share path. Future capital is not free, and cash runway does not remove share-compensation expense or acquisition funding risk. These are transparent mechanical diagnostics rather than assigned-probability scenarios. [S03,M]

RULE 16B / 2026-08-06 / SUBJECTIVE OUTCOME JUDGMENT

Rev8 customer conversion

Defined outcome: Continued paid customer transition to Rev8 over approximately two years.

Ledger field	Active model treatment
Signal ID	OUST-REV8-CUSTOMER-TRANSITION-20260806
Evidence	Q2 management discussion and issuer release
Timing	H2 2026 through 2028
Numerical probability	80% - Production and million-dollar-plus customer orders support adoption. This does not give certainty to a much larger future market-share outcome.
Existing economic reference	Existing 2027 standalone lidar $222 million and 2028 $316 million already include broad customer conversion.
Overlap	100% with existing conversion/adoption cohort
Active added revenue / OP	$0 / $0 in each affected quarter

Per $1 million qualifying conversion receipts, 35%-40% gross margin minus 8% engineering/support produces $270,000-$320,000 conditional contribution. At 80%, $216,000-$256,000 before overlap. The diagnostic is not a separately awarded order.

Why zero separate increment: Same existing broad Rev8 transition and commercial-order cohort, already in product forecast; adding it again duplicates growth.

Revision tests: Raise/lower cohort assumptions on accepted paid shipments, realized mix/pricing, cancellations, normalized GM and customer concentration.

This outcome weight is not multiplied into already modeled receipts again. Overlap is the specific economic reason for no separate increment; missing official confirmation alone is not the reason. Paid quantities, timing, prices and distinct customer cohorts can justify a residual above the existing path. Source reposts remain one event. [M]

RULE 16B / 2026-08-11 / SUBJECTIVE OUTCOME JUDGMENT

Utah awarded intersections

Defined outcome: Paid deployment of160 awarded additional intersections.

Ledger field	Active model treatment
Signal ID	OUST-UTAH-EXPANSION-20260811
Evidence	Issuer Utah/Econolite award release
Timing	2026-2027 deployment, exact acceptance schedule undisclosed
Numerical probability	95% - A named awarded expansion is stronger evidence than a pilot. Recognition timing and integrator cost/billing scope remain uncertain.
Existing economic reference	Existing integrated solutions $60 million in 2027 and $111 million in 2028; bundled hardware is inside this vector.
Overlap	100% with existing conversion/adoption cohort
Active added revenue / OP	$0 / $0 in each affected quarter

160 intersections x assumed $40,000 = $6,400,000 conditional receipts. At 55% GM less 8% additional support and 95% outcome weight: $6,080,000 weighted receipts and $2,857,600 OP before overlap. This is a proxy, not the issuer contract invoice.

Why zero separate increment: Same already-modeled Utah/infrastructure deployment cohort. $6,400,000 diagnostic is not an incremental or disclosed invoice total.

Revision tests: Accepted intersections, Ouster-versus-integrator billing, renewal attachment and delivery delays.

This outcome weight is not multiplied into already modeled receipts again. Overlap is the specific economic reason for no separate increment; missing official confirmation alone is not the reason. Paid quantities, timing, prices and distinct customer cohorts can justify a residual above the existing path. Source reposts remain one event. [M]

RULE 16B / 2026-10-01 / SUBJECTIVE OUTCOME JUDGMENT

Seneca drone adoption

Defined outcome: Continued commercial drone deployments.

Ledger field	Active model treatment
Signal ID	OUST-SENECA-DESIGNWIN-20261001
Evidence	Issuer Seneca/Argo-1 release
Timing	2027-2028
Numerical probability	75% - Named integration supports continued deployment; fleet scaling, wildfire operating requirements and support economics remain uncertain.
Existing economic reference	Existing standalone lidar $222 million in 2027 and $316 million in 2028.
Overlap	100% with existing conversion/adoption cohort
Active added revenue / OP	$0 / $0 in each affected quarter

50-250 sensor equivalents x assumed $4,000 = $200,000-$1,000,000 conditional annual receipts. At 75%: $150,000-$750,000 before overlap. At 35%-40% GM less 8% support, weighted OP is $40,500-$240,000 before overlap.

Why zero separate increment: Retained bounded envelope is already covered by generic Rev8 cross-application growth; not a second new revenue vertical.

Revision tests: Paid units, repeat fleet orders, acceptance dates and additional engineering/support costs can alter overlap.

This outcome weight is not multiplied into already modeled receipts again. Overlap is the specific economic reason for no separate increment; missing official confirmation alone is not the reason. Paid quantities, timing, prices and distinct customer cohorts can justify a residual above the existing path. Source reposts remain one event. [M]

RULE 16B / 2026-10-07 / SUBJECTIVE OUTCOME JUDGMENT

AVerMedia / Stereolabs compatibility

Defined outcome: Continued paid camera use enabled by JetPack7.2 on Orin/Thor carrier boards.

Ledger field	Active model treatment
Signal ID	OUST-AVERMEDIA-JETPACK-20261007
Evidence	AVerMedia/Stereolabs issuer integration announcement
Timing	2027 programs; no specific new order schedule
Numerical probability	75% - A delivered named integration reduces deployment friction. It does not establish an awarded fleet or a percentage of all NVIDIA systems.
Existing economic reference	Existing camera/compute about $50 million in 2027 and $86 million in 2028 includes expanded robotics compatibility.
Overlap	100% with existing conversion/adoption cohort
Active added revenue / OP	$0 / $0 in each affected quarter

1,000 camera/compute equivalents x assumed $1,000 = $1,000,000 conditional receipts. At 38% GM less 10% support and 75% probability: $750,000 weighted receipts and $210,000 OP before overlap. No program quantity is claimed.

Why zero separate increment: Compatibility improves the existing camera adoption channel; same ZED X products, no separately identified incremental receipt cohort beyond the already large camera path. Proxy shows economics without inventing an order volume.

Revision tests: Named paid customer volumes, repeat purchases, actual ASP, memory/support savings and a distinct non-overlapping adoption cohort.

This outcome weight is not multiplied into already modeled receipts again. Overlap is the specific economic reason for no separate increment; missing official confirmation alone is not the reason. Paid quantities, timing, prices and distinct customer cohorts can justify a residual above the existing path. Source reposts remain one event. [M]

RULE 16B / 2026-05-12 / SUBJECTIVE OUTCOME JUDGMENT

Nvidia platform qualification

Defined outcome: Commercial use of qualified Rev8 in customer autonomy programmes.

Ledger field	Active model treatment
Signal ID	OUST-NVIDIA-PLATFORM-QUALIFICATION-20260512
Evidence	Ouster DRIVE Hyperion qualification release and NVIDIA ecosystem material
Timing	2026-2028
Numerical probability	80% - Technical qualification is published; OEM selection, safety programme completion and large paid volumes remain separate outcomes.
Existing economic reference	Existing lidar and camera paths include architecture-compatible industrial and autonomy demand.
Overlap	100% with existing conversion/adoption cohort
Active added revenue / OP	$0 / $0 in each affected quarter

Per 1,000 sensor equivalents x assumed $4,000 = $4,000,000 conditional receipts. At 35% GM less 8% support and 80% probability: $3,200,000 weighted receipts and $864,000 OP before overlap. Qualification is not an Nvidia order.

Why zero separate increment: Same embedded platform/customer adoption cohort; neither qualification nor a logo establishes incremental NVIDIA purchases.

Revision tests: Paid OEM production awards, safety certification, per-platform content, competing sensors and accepted delivery dates.

This outcome weight is not multiplied into already modeled receipts again. Overlap is the specific economic reason for no separate increment; missing official confirmation alone is not the reason. Paid quantities, timing, prices and distinct customer cohorts can justify a residual above the existing path. Source reposts remain one event. [M]

SCORING / QUALITY IS SEPARATE FROM EXCEL BASE

The analytical score sums to 41

Category	Points	Evidence
Core thesis	14/20	Digital lidar, integrated color and cameras offer useful engineering and integration. Competing lidar/camera/radar vendors, pending safety certifications and multiple compliant traffic suppliers prevent a sole-source or generation-proof monopoly claim.
Cycle stage	8/10	Production Rev8 transition, rising shipments and camera integration are in a ramp; paid deployment timing remains lumpy.
TAM expansion	9/10	Perception applies across industrial autonomy, infrastructure, drones and robotic learning. The same customer machine can use several modalities; their TAMs are not additive company sales.
Catalysts	4/5	November3 Q3 earnings, H2 Rev8 shipments, normalized margins, safety certification and repeat programmes are specific near-term tests.
Macro	8/10	Automation and selected US procurement eligibility support demand. Budget availability and eligibility are not guaranteed contracts or a universal Chinese-lidar ban.
Alpha	3/5	The distinction between duty refunds, adjusted EBITDA, GAAP profit, pending certification and vendor capture adds useful analytical clarity; public product announcements are broadly accessible.
Risk deductions	-5	Five independent classes: competition/substitution, deployment timing, manufacturing/margins, software/integration, losses/dilution.
Total	41 / 60	68% analytical Base - Watchlist

Protected Excel Base remains 72%. It is an owner/workbook ranking input, separate from the analytical score. No source announcement, email or score calculation authorizes changing it. The valuation multiple, recognition window and share convention also remain intact. [S01,M]

The score reflects differentiated engineering and expanding applications while recognizing substitutes, pending certifications and procurement alternatives. A benefit from physical AI does not alone create a sole-source bottleneck. A future classification upgrade requires a named enduring barrier, paid capture and evidence it survives the next architecture. [M]

RISK / ONE DEDUCTION PER INDEPENDENT CLASS

Five scored risks, with measurable counters

Risk / deduction	Transmission	Counter / monitoring
Competition and substitution / -1	Other lidar, cameras and radar can win; ASP erosion and multi-source resets	Matched operating-point performance, customer retention and unit pricing
Deployment / acceptance / -1	Pilots, integrations and contracted sites can convert slowly	Paid unit/site acceptance and repeat orders; delays against stated windows
Manufacturing / margins / -1	Yield, test time, parts, tariffs and calibration constrain good units	Normalized GM, warranty/returns, qualified throughput and supplier exposure
Software / integration / -1	Hardware/installation/support can dilute apparent software margins	Recurring receipts, renewals, perpetual-license mix and per-site cost
Losses / dilution / -1	GAAP losses, SBC and additional funding reduce per-share capture	Cash burn, actual share issuance, award expense and capital uses

The original company filing warns about customer and supplier concentration, limited/single-source components, third-party manufacturing dependence, product liability, cybersecurity and competitive price erosion. These mechanisms sit inside the five scored classes; listing several examples does not secretly add multiple deductions for the same risk. [S03,S04,M]

No blanket scarcity premium is modeled. Longer lead times would require eligible new/repriceable orders, a bounded net price benefit, incremental manufacturing/support cost and delivery/acceptance timing. Fixed-price backlog cannot receive an uncontracted surcharge. [S01,M]

Royalties are volatile: 2025 included a large deferred-revenue release and is not an appropriate recurring run rate. The retained later $5 million annual proxy can fall if licensee sales or contractual recognition changes; its rates and expiry remain unpublished. [S03,M]

SUPPLY CHAIN / COUNT EACH INVOICE ONCE

Cross-book links share physical demand

Paired watch	What links the businesses	Non-additivity
OUST / BHE	Current named Benchmark Rev8 manufacturing partnership	Factory service margin differs from Ouster sensor margin
OUST / NVDA	Jetson/DRIVE/Isaac ecosystem compatibility	Compute sales are not an Ouster sensor order
OUST / industrial autonomy customers	More useful perception can support more machine deployment	Robot, drone or vehicle sales are not sensor vendor sales
OUST / camera and lidar peers	Architecture, qualification, price and operating environment decide share	Do not credit all modalities on every machine
OUST / public infrastructure	Grant eligibility and site budgets influence conversion	Budget eligibility, contract, deployment and recognized revenue differ

Benchmark is the current primary manufacturing relationship verified for the Rev8 expansion. The company filing names other manufacturing exposure, but no new supplier-company sales are inferred without a matched order and scope. Customer capex and societal productivity are context; the model follows Ouster-billed units, prices and costs. [S03,S24,M]

Architecture hedge inside one company

Owning Stereolabs gives Ouster exposure when customers choose cameras instead of lidar. It does not prove substitution is harmless: camera ASPs, sensor counts, compute attachment, competitive share and support expense are different. The four-vector model makes that wallet shift visible. [S05,S06,S19,M]

CATALYSTS / RAISE OR LOWER THE SAME ACTIVE MODEL

Pre-committed tests for the next review

When / event	Positive evidence	Counter and model response
November 3 Q3 results	Revenue, cost and cash reconcile; useful Q4 guidance	Refund-free margin or unit conversion misses; update the affected path
H2 2026 Rev8 ramp	Accepted paid sensors and repeat programs, manageable returns	Yield, calibration or support drag; defer units and carry costs
2026-2028 certification	Completed certificates with exact sold configuration	Delays or exclusions; adjust addressable qualified cohort and timing
Each camera update	Named extra units beyond existing growth; repeat purchases	Compatibility without paid capture; retain overlap
Each site cohort	Accepted installations, recurring attachment and renewal	Contracted sites do not deploy or bill; revise revenue/mix
Capacity expansion	Qualified good-unit output above current baseline	Nominal line investment without output/yield; no extra sales
Cash / share report	Burn and dilution remain compatible with path	New funding, SBC or acquisition changes per-share denominator
Competitor releases	Ouster retains task performance and customer economics	Production substitutes displace a socket; reduce share or net ASP

Large unresolved inputs are actual product ASPs and margins, accepted program counts, qualified good-unit throughput, camera/compute attachment, software renewals and future funding. They are retained as explicit estimates or precise watches. This full report does not invent an order to fill a missing disclosure. [M]

PRIMARY EVIDENCE / DATED RESEARCH REGISTER

Sources and scope

S01 - Current investing framework v8.0; SHA256 0dbf5930742cc570b069223c8e053ba0a6cc7a50463a3926496548e146755c5f
Local production framework read before analysis; active horizon Q4 2027

S02 - Q2 2026 issuer earnings, August 6
https://www.sec.gov/Archives/edgar/data/1816581/000162828026054297/exhibit991-6302026.htm

S03 - Q2 2026 Form 10-Q, filed August 6
https://www.sec.gov/Archives/edgar/data/1816581/000162828026054467/oust-20260630.htm

S04 - 2025 Form 10-K and current issuer events
https://www.sec.gov/Archives/edgar/data/1816581/000162828026013313/oust-20251231.htm

S05 - May 5 Q1 full management discussion, third-party copy
https://cdn2.benzinga.com/insights/news/26/05/52308827/ouster-q1-2026-earnings-call-complete-transcript

S06 - August 6 Q2 full management discussion, copy published August 13
https://www.fool.com/earnings/call-transcripts/2026/08/13/ouster-oust-q2-2026-earnings-call-transcript/

S07 - OS1 Max Rev8 original datasheet, revision August 3, 2026
https://data.ouster.io/downloads/datasheets/datasheet-rev8-v4p0-os1-max.pdf

S08 - Current Rev8 original technical/product page, accessed October 16
https://ouster.com/rev8

S09 - OS0 Rev8 original datasheet, revision August 3, 2026
https://data.ouster.io/downloads/datasheets/datasheet-rev8-v4p0-os0.pdf

S10 - Ouster public hardware catalog
https://ouster.com/products/hardware/os1-max

S11 - Stereolabs depth-range support, August 13, 2026
https://support.stereolabs.com/articles/9175329825-for-the-depth-sensing-what-is-the-range-for-the-zed-cameras-in-terms-of-measuring-distances-and-the-accuracy-of-the-detection

PRIMARY EVIDENCE / DATED RESEARCH REGISTER

Sources and scope continued

S12 - Seneca issuer/customer release, October 1, 2026
https://investors.ouster.com/news-releases/news-release-details/ouster-partners-seneca-advance-autonomous-drone-technology

S13 - GeoCue issuer/customer release, September 2, 2026
https://investors.ouster.com/news-releases/news-release-details/geocue-elevates-survey-grade-drone-mapping-ousters-baba

S14 - Flyability issuer/customer release, September 9, 2026
https://investors.ouster.com/news-releases/news-release-details/flyability-and-ouster-showcase-proven-lidar-partnership-intergeo

S15 - GUSS/Deere issuer/customer release, August 26, 2026
https://investors.ouster.com/news-releases/news-release-details/guss-automation-wholly-owned-john-deere-subsidiary-plans-advance

S16 - Utah/Econolite issuer release, August 11, 2026
https://investors.ouster.com/news-releases/news-release-details/ouster-bluecity-rev8-lidar-wins-multimillion-dollar-utah-traffic

S17 - Trossen/Stereolabs issuer/customer release, August 18, 2026
https://investors.ouster.com/news-releases/news-release-details/trossen-robotics-and-stereolabs-ouster-subsidiary-partner-put

S18 - AVerMedia/Stereolabs issuer release, October 7, 2026
https://investors.ouster.com/news-releases/news-release-details/avermedia-and-stereolabs-accelerate-ai-vision-deployment-nvidia

S19 - Stereolabs camera products/store, accessed October 16, 2026
https://www.stereolabs.com/products/zed-x

S20 - Historical Chronos issuer roadmap, March 10, 2022
https://investors.ouster.com/news-releases/news-release-details/ouster-introduces-chronos-best-class-automotive-digital-lidar

S21 - Nvidia DRIVE Hyperion qualification issuer release, May 12, 2026
https://investors.ouster.com/news-releases/news-release-details/ouster-brings-rev8-native-color-lidar-nvidia-drive-hyperion

S22 - Software adoption issuer release, March 5, 2026
https://investors.ouster.com/news-releases/news-release-details/ouster-accelerates-software-adoption-2025-record-bookings-and

PRIMARY EVIDENCE / DATED RESEARCH REGISTER

Sources and scope continued

S23 - BlueCity/Stamford issuer release, June 10, 2026
https://investors.ouster.com/news-releases/news-release-details/ouster-bluecity-unveils-500-foot-advanced-detection-rev8-native

S24 - Benchmark/Ouster joint manufacturing release, June 15, 2026
https://investors.ouster.com/news-releases/news-release-details/ouster-and-benchmark-expand-partnership-scale-volume-production

S25 - Hesai Picasso/ETX original release, April 20, 2026
https://www.hesaitech.com/hesai-unveils-picasso-6d-full-color-spad-soc-next-gen-etx-and-innovations-in-spatial-intelligence-and-physical-ai/

S26 - Hesai JT128 original user manual, March 30, 2026
https://www.hesaitech.com/wp-content/uploads/2026/04/JT128_User_Manual_J01-en-260330.pdf

S27 - RoboSense E1R product and EOCENE roadmap, April 21, 2026
https://www.robosense.ai/en/IncrementalComponents/E1R

S27b - RoboSense original EOCENE/Phoenix/Peacock announcement, April 21, 2026
https://www.robosense.ai/en/news-show-1978

S28 - Innoviz current product/SMART portfolio
https://innoviz.tech/products

S29 - Aeva Atlas Ultra issuer announcement, January 7, 2025
https://www.aeva.com/press/aeva-introduces-atlas-ultra-its-slimmest-high-resolution-long-range-4d-lidar-sensor-at-ces-2025/

S30 - MicroVision acquisition-completion Form 8-K, February 2026
https://ir.microvision.com/sec-filings/all-sec-filings/content/0001493152-26-004952/form8-k.htm

S31 - Ouster Rev8/BlueCity BABA issuer release, June 30, 2026
https://investors.ouster.com/news-releases/news-release-details/ouster-announces-build-america-buy-america-compliance-rev8-os

S32 - FHWA manufactured-products final-rule Q&A, root primary review
https://highways.dot.gov/sites/fhwa.dot.gov/files/QAs_for_BABA_Post_March_20_Doc4.pdf

PRIMARY EVIDENCE / DATED RESEARCH REGISTER

Sources and scope continued

S33 - Wavetronix official BABA / products, accessed October 16, 2026
https://www.wavetronix.com/index.html

S34 - Iteris official traffic-detection portfolio, accessed October 16, 2026
https://www.iteris.com/oursolutions/traffic-detection

S35 - Hesai 2025 annual filing / Ouster cross-license arbitration, April 24, 2026
https://www1.hkexnews.hk/listedco/listconews/sehk/2026/0424/2026042402719.pdf

S36 - Q3 earnings date announcement / issuer events, October 13, 2026
https://investors.ouster.com/news-events/events-presentations

S37 - IFR industrial robot stock/installations, September 24, 2026
https://ifr.org/ifr-press-releases/five-million-robots-now-operate-in-factories-globally

S38 - IFR professional service robot annual shipments, September 30, 2026
https://ifr.org/ifr-press-releases/global-sales-of-professional-service-robots-surge-24-percent

S39 - Stereolabs acquisition issuer release, February 9, 2026
https://investors.ouster.com/news-releases/news-release-details/ouster-acquires-stereolabs-creating-world-leading-physical-ai

M - Authoritative structured OUST model and linked Excel
OUST_Ouster_DeepDive_model.json / OUST_Q_Model / v3_2_master_portfolio.xlsx

SOURCE COMPLETENESS / SELF-CONTAINED ARTIFACT

What was read, and what remains unavailable

Financial statements, notes and competition disclosures were checked against primary issuer/SEC evidence. The latest two management discussions were read in full through published third-party transcript copies; their machine-transcription errors are not independent verification. Current issuer release bodies were substantively read through supported web retrieval. [S02-S06]

Direct investor-site downloads of several release/deck originals returned HTTP 403; the large Q2 deck exceeded the web extraction size limit. Those raw originals are not falsely described as downloaded or fully visually reviewed. No model claim is taken from unreadable deck images. Saved web extractions are labeled separately from original bytes.

Original OS1 Max/OS0 datasheets, competitor documents and original technical images were saved and content-hashed. Relevant datasheet pages and every embedded evidence image were visually reviewed. The PDF embeds its source exhibits and model charts for offline reading. The editable source uses embedded images, not a required external image folder.

A native color still is not a video transcript, independent benchmark or contract. Original prototype and pending-certification labels remain visible. Exact source hashes, retrieval limits and image captions are retained in the audit package.

Current authoritative model

All 18 quarterly operating observations, 72 vector rows and 15 forward-four-quarter ceilings are generated from the same structured model. Rounded presentation does not alter the exact calculations. Sources, vector allocations, probabilities and zero-overlap decisions are explicit; no second financial case is used for illustrations. [M]

Snapshot destination: G:/My Drive/1amInvesting/Artifacts/OUST_Ouster_DeepDive.md and synchronized .pdf. Linked model: OUST_Q_Model in v3_2_master_portfolio.xlsx. Recoverable prior versions and this review audit are stored separately. This current-state artifact does not contain a before/after change history.