BE - Bloom Energy Corporation | Full investment artifact

Full investment research | Model assumptions and source evidence

Evidence review: 6 October 2026 | **Financial calibration:** 18 September 2026 | **Framework:** 8.0 evidence integration | **Format:** standalone current-state analysis **Status:** Covered security; Watchlist assessment; protected portfolio override 90. Coverage and Base do not establish current ownership | **Classification:** TEMPORAL ADVANTAGE in time to power, reinforced by modular manufacturing, customer qualification and an attached service business **Artifact Base:** 43/60 = **72% - Watchlist** | **Protected portfolio Base:** 90% (user override retained; separate from artifact assessment) **Snapshot:** supplied-workbook price USD 219.340; model share proxy 332.000000M; implied snapshot market capitalization 72,820.880 USD millions. Price is frozen from the supplied workbook, not a current-market refresh; capitalization uses the modeled denominator. **Active price target:** Q4 2027 **USD 191.782451**, pricing Q4 2027-Q3 2028 at the retained 20× non-GAAP OP multiple and 339.5M shares. The previous Q3 2027 selection was USD 176.815412 at 338M shares. Both are existing rows in the unchanged rolling table; this calendar selection is not a forecast increase.

Deployment evidence now extends beyond data centers into AI manufacturing, and DC-native architecture offers another reason for adoption. The operating model retains a strong multi-GW ramp while explicitly constraining service economics, customer consideration and dilution. Financing commitments support conversion but do not become product sales until the relevant delivery conditions are met.

Review conclusion - what could be missing

Bloom's opportunity may be broader and more durable than a simple temporary power-shortage supplier. The strongest possible omissions are faster delivered volume, value-based pricing and a better manufacturing cost curve. The current financial model is nevertheless already ambitious: 2027 revenue of $9.176B, 2.82GW shipments and $2.383B non-GAAP OP; revenue rises approximately 127% from the $4.05B 2026 model. Finding positive company news is not, by itself, evidence that these forecasts are too low.

This review incorporates supplier evidence and makes the main unresolved drivers measurable. It retains one operating base case and all current quarterly ceilings. **Valuation remains 20x forward-four-quarter non-GAAP operating profit, with the same share schedule and horizon convention.** Analytical Base remains 72; the protected Excel Base remains 90. No financial cells, ranking inputs or other companies in the master workbook were changed for this review. The last financial calibration remains September 18. The October 6 evidence review adds corrected 800V distribution analysis and an identified competing onsite-power supplier; no revenue, cost, share or multiple assumption changes.

What is already captured, and what deserves more weight

Area	Current model treatment	Review finding and next usable input
Faster manufacturing and deliveries	2.82GW in 2027; 3.9GW in 2028; 5GW in 2029; 6GW in 2030.	MTAR independently supports the direction and timing of the supplier ramp. Its undisclosed capacity cannot yet be reconciled to Bloom's modeled shipments. Customer delivery schedules, not factory potential alone, are the missing numerical bridge. [S12]
Pricing power	Flat $2,950/kW gross product ASP, a calibration proxy rather than a disclosed price.	A flat price could understate the value of earlier power and reduced infrastructure. No verified new ASP or price increase was found. Obtain net realized price per kW and contract scope; do not treat customer savings as Bloom revenue.
Manufacturing cost reductions	Product GM approaches 40%, stays there during 2028-29, then eases in 2030.	The model lacks an explicit unit-cost learning curve. Ongoing cost reductions could exceed these margins if Bloom retains the savings. A gross manufacturing saving is not automatically a net COGS saving after mix, supplier inflation and warranty. [S3/S4]
Operating leverage	Non-GAAP opex rises from $527M in 2026 to $980M in 2027.	Revenue grows faster than opex already. A more fixed cost base would provide further upside; the sensitivity below isolates it without deleting growth investment.
Durable installed fleet	Service attach, commissioning and attrition already modeled; GM rises toward 30%.	Long service relationships support duration beyond a short power shortage. This revenue is already in the model. The 95% earning-fleet addition allows for commissioning/non-earning capacity; it does not contradict 100% contract attach.
800V DC and inference	Architecture supports capture and installation efficiency; no separate double-counted revenue.	Cost, site footprint and distribution constraints may preserve the advantage after grid queues improve. This is a stronger business-duration argument, not permission to raise the multiple. [S10]
Project readiness and financing	Generic site/gas risks and programme probabilities; aggregate delivery curve.	Project Jupiter needs an explicit permit/fuel/acceptance watch. A positive demand thesis can coexist with delayed revenue. Oracle's site design and the MSA overlap; they must not be added together. [S13/S14]


New supplier evidence: useful, but not a disclosed GW forecast

MTAR's July 30 issuer-hosted call states that phase 1 fuel-cell expansion is complete, phase 2 is scheduled for September-October 2026, and a multifold phase 3 is targeted for commissioning by March 2027, followed by a ramp from April. Management declined numerical capacity disclosure under an NDA, including when asked specifically about Bloom's requirements. This is meaningful independent supply-chain support for a larger 2027 ramp. It does not establish Bloom's annual delivered GW, realized prices or customer acceptance dates. [S12]


Framework breadcrumb treatment: use a 65% analytical confidence weight for timely supporting supplier expansion, within the multiple-source/management evidence band. The incremental capacity amount attributable to Bloom remains undisclosed, so there is no defensible extra GW amount to multiply by that probability. This strengthens support for the existing ramp; it does not silently add a second ramp. The unresolved item is the incremental size and delivery allocation, not merely the absence of a signed order.

Historical valuation chart - prior Q3 2027 selection

The model already assumes a substantial ramp



Current quarterly ceiling path



Historical chart: the embedded Active Q3 2027 label refers to the prior review. Current Q4 2027 price target is USD 191.782451. All shipment assumptions and quarterly values remain unchanged.

The shipment bars are model assumptions. The dashed 5GW line is management's existing-footprint potential, not current installed production, guaranteed sales or a lifetime ceiling. The valuation line is the existing model, not an updated target based on the sensitivities. Its farther-dated points have substantially lower forecasting reliability.

Historical Q3 2027 sensitivity reference


The following original sensitivity table and figure retain the previous Q3 2027 window. They are not recalculated for the active Q4 2027 target of USD 191.782451; section 9 shows that current selection and its unchanged inputs.

All sensitivities below value **Q3 2027 through Q2 2028** with the unchanged 20x multiple and 338M shares. This historical window has 3.39GW modeled shipments, $9,880.500M net product revenue, $5,939.212M product COGS, $1,140.000M opex and $2,988.180M non-GAAP OP. Group OP margin is 26.953%. Amounts are isolated arithmetic tests, not new forecasts or company guidance.

Isolated input change	Forward OP change, USD M	Q3 2027 ceiling, USD	Change, USD/share
Current model	0.00	176.82	0.00
+0.5 GW shipped	+397.56	200.34	+23.52

Isolated input change	Forward OP change, USD M	Q3 2027 ceiling, USD	Change, USD/share
Product ASP +5%	+500.02	206.40	+29.59
Product costs -5%	+296.96	194.39	+17.57
Product GM +1 point	+98.81	182.66	+5.85
Operating costs -10%	+114.00	183.56	+6.75
0.5 GW moves beyond window	-397.56	153.29	-23.52

Independent input sensitivities from $176.82 | same 20x and 338M shares



Historical operating sensitivities at the Q3 2027 horizon

Each dollar of incremental forward OP per 338M shares is valued at the same 20x. General formula: sensitivity ceiling = 176.815412 + incremental OP in USD millions x 20 / 338.

+0.5 GW shipped: An extra 0.5GW in the valuation window at the model's blended forward OP margin. This charges proportional operating costs; it is a simplified group-margin proxy, not a rebuilt customer/service schedule.

Product ASP +5%: Constant delivered GW and unit manufacturing cost; Oracle consideration stays fixed. Incremental price revenue flows to OP before any added selling/warranty costs. Pricing sensitivity only; no announced 5% increase.

Product costs -5%: A one-time 5% reduction versus already-modeled product COGS, with unchanged volume, ASP and opex. Incremental to existing margin gains, not an additional full annual cost-down assumption.

Product GM +1 point: One percentage point higher product gross margin on the same net product revenue, with unchanged opex. Alternative expression of better economics; do not add to the pricing/cost cases.

Operating costs -10%: 10% lower non-GAAP opex than the existing forward schedule; all revenues and product margins unchanged.

0.5 GW moves beyond window: 0.5GW moves out of Q3 2027-Q2 2028 without replacement in that window. Uses the same blended OP-margin proxy and symmetric cost flexibility; fixed costs could make the actual impact worse.

The volume sensitivity uses 0.5 x $2,950M/GW x 0.26953065 = $397.558M OP. The price sensitivity uses 3.39 x $2,950M/GW x 5% = $500.025M OP. The cost sensitivity uses $5,939.212M x 5% = $296.961M OP. These calculations hold the denominator and valuation method fixed. Volume is a proportional group-margin approximation; it is not a replacement for a fully phased product, installation and service rebuild.

Do not add these rows together. Price, gross-margin improvement and lower unit cost overlap. The price and cost rows are upper flow-through illustrations at fixed other costs, not assertions that Bloom can retain every dollar. The operating-cost row is separate but remains unproven. A 5% price improvement in this historical Q3 2027 sensitivity would produce $206.40; that is materially different from increasing the valuation multiple.

The constraint that can offset the upside

Oracle contract coverage needs updating: April's issuer release identified 1.2GW initially contracted within an up-to-2.8GW agreement. A September 24 Bloom statement, reproduced with an original-post link in S15, describes a 2.4GW Project Jupiter contract and continued Oracle commitment. The original X page could not be retrieved directly here; this is an attributed company statement preserved by another publisher, not an inspected contract amendment. The 1.2GW figure is historical, not a reliable current total. The 2.4GW contract description, approximately 2.45GW site design and 2.8GW MSA overlap and are not additive. The mapping and delivery schedule remain unresolved. This improves the evidence for contract coverage without proving incremental revenue above the existing aggregate shipment forecast. [S5/S13/S15]

Oracle's Project Jupiter update confirms Bloom's microgrid design but expressly conditions it on air permitting and pipeline approval. The NMED public notice page still lists application 10883, draft permit materials and an amended hearing notice; this review has not verified a final issued permit or a completed gas connection. Do not interpret an application, draft, hearing date or management reassurance as final authorization. [S13/S14]

September reports about force-majeure notices, gas timing and reaffirmed customer commitments are a watch item, not a verified cancellation or a proven unchanged shipment schedule. The underlying notice and a reconciled current construction/acceptance timetable were not obtained in this review. Contract flexibility and financier purchase obligations can mitigate site delays, but exact project-specific protections still need documentary support. No unsupported cancellation haircut or offsetting revenue increase is applied. [S15/S16]

Evidence that would justify a numerical revision

1. **Customer delivery bridge:** quarterly contracted MW, net new optional capacity, expected acceptance dates and overlap among Oracle, Nebius, financiers and other customers. Existing programme probabilities are not a fully reconciled customer-by-customer shipment schedule.
2. **Capacity conversion:** installed and qualified commercial output, yields, supplier commissioning and the distinction between annualized exit capacity and full-year shipments. MTAR's April 2027 ramp is a useful checkpoint.

3. **Price and cost separation:** realized product dollars/kW, scope, customer incentives and unit COGS. The current flat ASP/near-flat mature margin combination is the clearest place where economic upside could be missing.
4. **Profit quality:** warranty provisions, stack life, service replacement costs, working capital and customer cash collection. Non-GAAP OP is the locked valuation input, but it is not cash available to shareholders.
5. **Project execution:** final Jupiter permit, pipeline commissioning, customer purchase/acceptance obligations and alternative-site delivery capacity.

The review therefore strengthens the business thesis and identifies material potential upside without claiming an evidence-supported new ceiling. The active Q4 2027 price target is $191.782451 from the unchanged quarterly path; the $176.82 historical Q3 reference and its sensitivities above are retained for comparison. Subsequent evidence can update the relevant driver while preserving the valuation method.

1. Supercycle, supply chain and durable advantage

Bloom addresses a mismatch between the pace of data-center construction and the availability of conventional grid and generation capacity. Modular solid-oxide fuel cells provide onsite power, with a growing DC-native architecture proposition and service revenue after deployment. Its speed and site-integration advantage is economically valuable, while reliability, stack manufacturing know-how and customer qualification can persist beyond an immediate power shortage. The duration and breadth of that advantage are conditional: gas access, project economics and competing grid, engine, turbine and fuel-cell solutions remain relevant.

Bloom supplies onsite generation and service, not the entire data-center power bill or compute infrastructure. Electricity sales from the legacy owned/financed fleet are distinct from products sold to third-party financiers. A financier may appear as the accounting customer while an AI operator is the power user. Manufacturing standardization makes equipment transferable between projects, but does not remove all fuel-infrastructure, permitting, credit or installation exposure.

Business / curve	Stage	Evidence and next inflection
Large AI campuses	Rapid deployment ramp	Oracle and Nebius provide identified customer evidence.
800V DC-native generation	Early architecture adoption	September cost analysis strengthens a technical proposition but requires real project adoption.
Service annuity	Compounding installed fleet	High attach rate; realized margin depends on stack life and guarantees.
Commercial / industrial and AI manufacturing	Established channel expanding	MiTAC shows broader infrastructure exposure; not all 250MW is a newly announced order.

Stage percentages are qualitative framework bands relative to a possible mature opportunity, not measured market penetration. A current capacity constraint can coexist with a larger long-term TAM; qualification and economic capture decide how much reaches this company.

800V distribution: the design boundary matters

The July 1 Irrational Analysis memo asks a useful question about losses between onsite generation and a data hall, but its distance conclusion does not follow from its arithmetic. A 300kW load at 800V implies 375A. With the stated 0.4ohm resistance for a 10,000ft run, resistive loss is $375^2 \times 0.4 = 56.25$kW, or 18.75% of 300kW. Under those same fixed-current/resistance-per-length assumptions, a 10% loss corresponds to approximately 5,333ft, not 500ft. This correction does not endorse that conductor or a permissible engineering design. [S17]




Figure BE-IA19-23. Original Google AI Overview screenshot for 500kcmil wire, reproduced in the July 1, 2026 memo. This is an unverified search summary, not an engineering specification. The arithmetic correction uses the author's stated0.4ohm assumption and does not endorse the screenshot's conductor rating.

Figure BE-IA19-23. Original Google AI Overview screenshot for 500kcmil wire, reproduced in the July 1, 2026 memo. This is an unverified search summary, not an engineering specification. The arithmetic correction uses the author's stated0.4ohm assumption and does not endorse the screenshot's conductor rating.

A real design must distinguish one-way and loop length, both conductors, parallel busways, operating temperature, allowable current, voltage drop and protection. NVIDIA's primary architecture describes higher-voltage delivery and conversion at the facility perimeter, then 800V distribution to rows and racks. It does not require a single small conductor to transmit an entire campus load from a remote generator. DC-native generation can remove conversion stages in a suitable layout, while


distribution and protection costs remain. The semiconductor opportunity also depends on the converter stage: GaN and SiC are not interchangeable claims on the entire power system. [S18]

Model consequence. Retain the existing 65% broader-adoption judgment for 800V/Power Connect. The model already includes 2.82GW of 2027 shipments, installation economics and the growing service fleet. The invalid 150m boundary creates neither a new revenue cap nor a new source of incremental sales. Revenue, production cost, installation cost and OP changes are zero because this is a correction to an overlapping architecture thesis, not a newly sized project.

Competing onsite power: ERock is a concrete comparison

ERock, formerly Enchanted Rock, is an onsite natural-gas-engine and service provider listed as NYSE EROC. The July source's S-1 analysis is historical: by its August 11 Q2 release, ERock reported a 470MW Anthropic equipment order, approximately $1.7B of contracted system-sales backlog and the start of assembly at its Hyperion expansion. Production commitments extend into 2028. Those figures establish a real alternative supplier; backlog is not accepted revenue and an equipment order does not identify a cancelled Bloom purchase. [S19/S20]

Illustrative Time to Market for Various Grid Technologies



(1) Reflects the midpoint of a 6 to 18-month deployment timeline

Figure BE-IA19-13. Historical ERock S-1 deployment comparison reproduced July 1. The onsite range is 6-18 months; the comparison excludes Bloom and is a vendor marketing framework, not a matched project-cost or deployment guarantee.

Figure BE-IA19-13. Historical ERock S-1 deployment comparison reproduced July 1. The onsite range is 6-18 months; the comparison excludes Bloom and is a vendor marketing framework, not a matched project-cost or deployment guarantee.

Compare complete systems on delivered power, load-following, uptime, gas and air permits, fuel efficiency, maintenance and life-cycle cost. The article's one located cooling patent is not a complete intellectual-property inventory. Its low historical equipment gross margin also cannot be directly compared with Bloom's consolidated non-GAAP margin without service, depreciation and business-mix reconciliation. These are reasons to investigate competition at the project level, rather than conclude that fuel cells have an exclusive time-to-power advantage.

Overlap and probability. Competitive substitution is already a scored risk and is reflected in the conditional deployment/margin path. Existing Oracle delivery-timing confidence remains 85%, the 800V adoption judgment 65% and supporting supplier-ramp confidence 65%; none is applied again. A new BE revenue adjustment would require displaced or delayed Bloom MW × net realized price, less avoided manufacturing/installation costs and the related service contribution. Neither the article nor ERock's filing identifies such overlapping Bloom MW. The incremental amount is zero because there is no distinct transfer from the already modeled programme, not merely because the evidence is unofficial. No ERock backlog is added to or deducted from Bloom's revenue.

2. Forward TAM and the three-phase expansion lens

Phase	Engineering opportunity	Demand-to-company bridge
Phase 1; 100% thematic	Existing qualified onsite power	Q2 product revenue exceeds 935M; customer sites and accepted deliveries determine capture.
Phase 2; 50% thematic	AI campuses and distributed inference	Management cites 30-40GW new 2027 AI capacity from industry reports, not a separately verified global installed total. Modeled 2.82GW annual shipments imply 7.1-9.4% of that benchmark before allowing for non-AI sales.
Phase 3; 20% thematic	DC-native power, industrial uses and heat/carbon options	The September company study estimates 27% lower non-compute capex and 9% lower five-year total cost for its specified 1GW design. These are scenario economics, not universal savings, market size or an extra revenue vector.

The 100% / 50% / 20% thematic weights guide thesis assessment. They are not blanket discounts to reported sales, contracts or all forecasts. Programme probabilities below govern only separately identified optionality. Current reported sales calibrate the starting point; they do not cap the future market.

3. Current earnings and management evidence

Q2 revenue was 1,065.365M: product 935.413M, installation 50.978M, service 69.023M and electricity 9.951M. Non-GAAP GP was 365.363M and opex 125.721M, producing 239.642M OP. GAAP OP was 182.237M; the difference includes 56.402M SBC plus 1.001M restructuring/other adjustments. Full-year guidance is 3.9-4.2B revenue, approximately 34% non-GAAP GM and 800-900M non-GAAP OP. H1 actual revenue is 1,816.419M and non-GAAP OP 369.352M. The model calibrates exactly to 4,050M revenue, 34% GM and 850M OP in 2026. [S1/S2]

The April 28 and July 28 public management-call speaker sequences were reviewed through their closing remarks and Q&A. April described a manufacturing footprint capable of reaching 5GW annually, with service replacement capacity planned separately; it did not say 5GW was already installed manufacturing capacity or a fixed 2030 cap. Management also described typical data-center service terms of 10-15 years and a 100% service attach rate. July emphasized customer site-readiness rather than a fixed seasonal shipment pattern, a financing shelf expanded to 25B and a longer-term service margin above 20%. No precise 2027 revenue, shipment or operating-profit guide was supplied. [S3/S4]

Both public quarterly call speaker sequences were read through operator closing. The Q1 transcription contains a truncated early analyst question/answer and obvious word/number errors; issuer tables control all financial amounts. The July 29 amendment corrects the three-month/six-month customer concentration transposition in the original filing. Reported unsatisfied obligations total 442.4M product/installation plus 51.7M service = 494.1M; exclusions for short contracts and right-to-invoice services mean this is not directly comparable to broader commercial backlog or financing capacity. No independently verified complete contract schedule or physical shipment history is available, and those model inputs remain LOW confidence.

4. Local evidence and calibration packet

Q2 non-GAAP calibration: 347.844 - 0.732 + 15.160 + 3.091 = 365.363M GP; less 125.721M opex = 239.642M OP. The reported four-category anchors total 1,065.365M. H2 modeled revenue totals 2,233.581M and GP 775.332M; adding H1 1,816.419M revenue and 601.668M GP gives the full-year 4,050M / 34% target. H2 opex 294.684M plus H1 232.316M = 527M, yielding 850M full-year non-GAAP OP. The Q3/Q4 allocation is an estimate, not quarterly guidance. AH12 customer-spending bridge: Oracle's latest quarterly capex was 28.499B versus 8.502B, but includes compute, buildings and other equipment, so only named fuel-cell contracts and modeled deployment capture feed Bloom revenue. Oracle also used financing and customer prepayments; its 23.103B operating cash flow was below quarterly capex. The 25B Brookfield shelf is project funding capacity, not 25B of Bloom revenue. [S1/S5/S7/S11]

5. Summing thesis score

Category	Points / maximum	Evidence
Core Thesis	15/20	Proven speed, integration and qualified service advantage; competing power options remain.
Cycle Stage	10/10	Record shipments, cash generation and rapid order conversion.
TAM Expansion	9/10	Data centers, AI supply-chain factories and DC-native architectures broaden demand.
Catalysts	4/5	Power Connect, current deployments and DC transition; timing still site dependent.
Macro	8/10	Power shortages support demand; gas and customer financing are constraints.
Alpha	2/5	Recognition, service economics and financing counterparties require close modeling.
Risks	-5	Five distinct execution and economic risks.

Sum: 43/60 × 100 = 71.666667%, conventionally rounded to 72%. This advisory thesis score does not replace any portfolio Base override. The separate risk classes below total the displayed deduction; holding status and classification do not waive that deduction.

6. Revenue sources, capture and product margins

Model four reported revenue categories separately. Product is GW shipped × an explicitly estimated 2,950 dollars/kW, less customer consideration amortization. Installation is a declining share of product as factory integration and consult-only scope reduce field work. Service uses an effective commissioned fleet and annual per-GW service revenue, with explicit attrition and new-fleet commissioning. Electricity is a small declining legacy stream. Apply each product margin and deduct separate non-GAAP operating costs. Power Connect and 800V DC improve the operating thesis without being added as new standalone revenue categories.

Vector	Actual calibration / source	Forward demand and capture	Margin derivation / constraint
Product	Q2 935.413M net revenue; physical GW not disclosed.	Gross product = GW × 2,950M per GW, less the explicit Oracle deduction schedule. Shipments 2.82/3.9/5.0/6.0GW in 2027-30.	H2 product margin 37.8001% calibrates full-year guide; 2027 38.5-40%, 2028-29 40%, 2030 eases to 39.2%.
Installation	Q2 50.978M; scope varies by contract.	H2 53/55M, then 5.2% of net product tapering by 0.12 point each quarter to a 3.5% floor.	H2 -1.5%; gradual move from -1% toward +2% as factory integration lowers field effort.
Service	Q2 69.023M implies 2.301GW effective average fleet at assumed 120M/GW/year.	H2 80/90M. Start 2027 with 3.14GW effective fleet; service = (opening fleet + half of 95% of current shipments) ×30M; end fleet = opening ×99.75% +95% of shipments.	23% H2, 23.5% from Q1 2027 rising 0.5 point quarterly to 30%; still above the management 20%-plus floor, not a guide.
Electricity	Q2 9.951M reported.	10M each H2 quarter, then 9.8M declining 0.2M quarterly as the legacy fleet runs off.	31% assumed; small contribution and no new owned-fleet expansion.

Confidence: reported historical totals are HIGH. Source-based forward extrapolations are MEDIUM only where the cited source sizes the relevant period; other product allocations, future capture and margin assumptions are LOW. A source for the historical anchor does not make an unsourced future factor management guidance. The detailed factors below are the single modeled base case, with uncertain assumptions exposed for review.

V1. Energy Server product, net of customer consideration

Sources: S1/S2 actual; S3/S4 capacity, S5/S6/S7 customer programmes. Revenue = anchor × factor; GP/contribution = revenue × displayed product margin. Forecast confidence: LOW unless a specific actual/guided total is identified above.

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2026	935.413000	1.036975	970.000	37.800%	366.661
Q4 2026	935.413000	1.032251	965.581	37.800%	364.991
Q1 2027	935.413000	1.802412	1,686.000	38.500%	649.110
Q2 2027	935.413000	2.049362	1,917.000	39.000%	747.630
Q3 2027	935.413000	2.333194	2,182.500	39.500%	862.088
Q4 2027	935.413000	2.585489	2,418.500	40.000%	967.400
Q1 2028	935.413000	2.711636	2,536.500	40.000%	1,014.600

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q2 2028	935.413000	2.932395	2,743.000	40.000%	1,097.200
Q3 2028	935.413000	3.153153	2,949.500	40.000%	1,179.800
Q4 2028	935.413000	3.373911	3,156.000	40.000%	1,262.400
Q1 2029	935.413000	3.629947	3,395.500	40.000%	1,358.200
Q2 2029	935.413000	3.879035	3,628.500	40.000%	1,451.400
Q3 2029	935.413000	4.068256	3,805.500	40.000%	1,522.200
Q4 2029	935.413000	4.162867	3,894.000	40.000%	1,557.600
Q1 2030	935.413000	4.352088	4,071.000	39.800%	1,620.258
Q2 2030	935.413000	4.604383	4,307.000	39.600%	1,705.572
Q3 2030	935.413000	4.888215	4,572.500	39.400%	1,801.565
Q4 2030	935.413000	5.077436	4,749.500	39.200%	1,861.804

V2. Installation

Sources: S1/S2 actual; S9 factory-integrated installation. Revenue = anchor × factor; GP/contribution = revenue × displayed product margin. Forecast confidence: LOW unless a specific actual/guided total is identified above.

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2026	50.978000	1.039664	53.000	-1.500%	-0.795
Q4 2026	50.978000	1.078897	55.000	-1.500%	-0.825
Q1 2027	50.978000	1.719801	87.672	-1.000%	-0.877
Q2 2027	50.978000	1.910306	97.384	-0.800%	-0.779
Q3 2027	50.978000	2.123504	108.252	-0.600%	-0.650
Q4 2027	50.978000	2.296194	117.055	-0.400%	-0.468
Q1 2028	50.978000	2.348519	119.723	-0.200%	-0.239
Q2 2028	50.978000	2.475146	126.178	0.000%	0.000

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2028	50.978000	2.592051	132.138	0.200%	0.264
Q4 2028	50.978000	2.699235	137.602	0.400%	0.550
Q1 2029	50.978000	2.824144	143.969	0.600%	0.864
Q2 2029	50.978000	2.932524	149.494	0.800%	1.196
Q3 2029	50.978000	2.985994	152.220	1.000%	1.522
Q4 2029	50.978000	2.963773	151.087	1.200%	1.813
Q1 2030	50.978000	3.002660	153.070	1.400%	2.143
Q2 2030	50.978000	3.075342	156.775	1.600%	2.508
Q3 2030	50.978000	3.157284	160.952	1.800%	2.897
Q4 2030	50.978000	3.260867	166.233	2.000%	3.325

V3. Service on commissioned fleet

Sources: S1/S2 actual; S3/S4 service attach and margin; modeled installed-base bridge. Revenue = anchor × factor; GP/contribution = revenue × displayed product margin. Forecast confidence: LOW unless a specific actual/guided total is identified above.

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2026	69.023000	1.159034	80.000	23.000%	18.400
Q4 2026	69.023000	1.303913	90.000	23.000%	20.700
Q1 2027	69.023000	1.484505	102.465	23.500%	24.079
Q2 2027	69.023000	1.737095	119.900	24.000%	28.776
Q3 2027	69.023000	2.024191	139.716	24.500%	34.230
Q4 2027	69.023000	2.345714	161.908	25.000%	40.477
Q1 2028	69.023000	2.691248	185.758	25.500%	47.368
Q2 2028	69.023000	3.058648	211.117	26.000%	54.890
Q3 2028	69.023000	3.454070	238.410	26.500%	63.179

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q4 2028	69.023000	3.877443	267.633	27.000%	72.261
Q1 2029	69.023000	4.330761	298.922	27.500%	82.204
Q2 2029	69.023000	4.813956	332.274	28.000%	93.037
Q3 2029	69.023000	5.322817	367.397	28.500%	104.708
Q4 2029	69.023000	5.849018	403.717	29.000%	117.078
Q1 2030	69.023000	6.392499	441.229	29.500%	130.163
Q2 2030	69.023000	6.963557	480.646	30.000%	144.194
Q3 2030	69.023000	7.568325	522.388	30.000%	156.717
Q4 2030	69.023000	8.202595	566.168	30.000%	169.850

V4. Legacy electricity sales

Sources: S1/S2 actual legacy category. Revenue = anchor × factor; GP/contribution = revenue × displayed product margin. Forecast confidence: LOW unless a specific actual/guided total is identified above.

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2026	9.951000	1.004924	10.000	31.000%	3.100
Q4 2026	9.951000	1.004924	10.000	31.000%	3.100
Q1 2027	9.951000	0.984826	9.800	31.000%	3.038
Q2 2027	9.951000	0.964727	9.600	31.000%	2.976
Q3 2027	9.951000	0.944629	9.400	31.000%	2.914
Q4 2027	9.951000	0.924530	9.200	31.000%	2.852
Q1 2028	9.951000	0.904432	9.000	31.000%	2.790
Q2 2028	9.951000	0.884333	8.800	31.000%	2.728
Q3 2028	9.951000	0.864235	8.600	31.000%	2.666
Q4 2028	9.951000	0.844136	8.400	31.000%	2.604

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q1 2029	9.951000	0.824038	8.200	31.000%	2.542
Q2 2029	9.951000	0.803939	8.000	31.000%	2.480
Q3 2029	9.951000	0.783841	7.800	31.000%	2.418
Q4 2029	9.951000	0.763742	7.600	31.000%	2.356
Q1 2030	9.951000	0.743644	7.400	31.000%	2.294
Q2 2030	9.951000	0.723545	7.200	31.000%	2.232
Q3 2030	9.951000	0.703447	7.000	31.000%	2.170
Q4 2030	9.951000	0.683348	6.800	31.000%	2.108

7. Operating-cost bridge and quarterly operating model

Quarterly non-GAAP opex is 146, 148.684, 215, 235, 255, 275, 295, 315, 335, 355, 375, 395, 415, 435, 460, 485, 510, 535M. H2 values close the current annual guidance bridge. Later costs rise with manufacturing support, software, engineering and commercial activity while revenue grows faster. Allocate forecast opex 36% R&D, 23% sales/marketing and 41% G&A as a planning proxy based on Q2 costs excluding SBC; individual expense lines are not guided. The 58.3M specific warranty reserve is within reported product cost and is not added back simply because it is large. Future product margins include normal warranty cost, but another unusual provision would require a new deduction. A purely illustrative 5% of revenue recurring GAAP/non-GAAP cost gap would lower every quarterly OP by revenue ×5%; it is not a replacement valuation case. Depreciation is already inside OP and is not removed as though this were EBITDA.

Profit basis: Non-GAAP operating profit, retaining the original convention; excludes SBC and specified company adjustments, includes modeled Oracle revenue deductions. Amounts below are USD millions.

Quarter	Status	Revenue	GP / contribution	Opex %	Opex	OP margin	Operating profit	Main driver	Confidence
Q3 2026	Model (annual-guide allocation)	1,113.000	387.366	13.118%	146.000	21.686%	241.366	Annual-guide calibrated product deliveries	LOW model
Q4 2026	Model (annual-guide allocation)	1,120.581	387.966	13.268%	148.684	21.353%	239.282	Close 2026 at guide midpoint	LOW model

Quarter	Status	Revenue	GP / contribution	Opex %	Opex	OP margin	Operating profit	Main driver	Confidence
Q1 2027	Model	1,885.937	675.351	11.400%	215.000	24.410%	460.351	Capacity beyond 2GW run rate	LOW model
Q2 2027	Model	2,143.883	778.603	10.961%	235.000	25.356%	543.603	Contracted customer installations	LOW model
Q3 2027	Model	2,439.868	898.582	10.451%	255.000	26.378%	643.582	Growing service fleet	LOW model
Q4 2027	Model	2,706.664	1,010.261	10.160%	275.000	27.165%	735.261	2027 shipment and profit checkpoint	LOW model
Q1 2028	Model	2,850.981	1,064.519	10.347%	295.000	26.991%	769.519	Broader AI/infrastructure adoption	LOW model
Q2 2028	Model	3,089.095	1,154.818	10.197%	315.000	27.187%	839.818	Next-generation DC sites	LOW model
Q3 2028	Model	3,328.648	1,245.909	10.064%	335.000	27.366%	910.909	Approach 4GW annual deliveries	LOW model
Q4 2028	Model	3,569.634	1,337.815	9.945%	355.000	27.533%	982.815	2028 deployment check	LOW model
Q1 2029	Model	3,846.591	1,443.809	9.749%	375.000	27.786%	1,068.809	Further manufacturing additions	LOW model
Q2 2029	Model	4,118.268	1,548.113	9.591%	395.000	28.000%	1,153.113	Larger fleet service base	LOW model
Q3 2029	Model	4,332.917	1,630.848	9.578%	415.000	28.061%	1,215.848	Near 5GW shipments	LOW model
Q4 2029	Model	4,456.404	1,678.847	9.761%	435.000	27.911%	1,243.847	Qualification and warranty review	LOW model

Quarter	Status	Revenue	GP / contribution	Opex %	Opex	OP margin	Operating profit	Main driver	Confidence
Q1 2030	Model	4,672.699	1,754.858	9.844%	460.000	27.711%	1,294.858	Additional capacity beyond original footprint	LOW model
Q2 2030	Model	4,951.620	1,854.506	9.795%	485.000	27.658%	1,369.506	800V mix and repeat orders	LOW model
Q3 2030	Model	5,262.840	1,963.349	9.691%	510.000	27.615%	1,453.349	Fleet attrition/replacement test	LOW model
Q4 2030	Model	5,488.700	2,037.087	9.747%	535.000	27.367%	1,502.087	6GW annual modeled capture	LOW model

OP = sum of product GP/contribution - explicit operating costs. OP margin = OP ÷ revenue. Displayed numbers are rounded for reading; the workbook calculates from unrounded inputs. Guidance assigned to a future quarter retains Model status because guidance is not an actual result.

8. Multiple, shares and recognition convention

Retain 20× forward four-quarter non-GAAP OP, matching the original artifact's profit convention. Deployment speed, repeat customers and service growth support the multiple. Competitive substitutes, fuel dependence and uncertain mature-fleet economics constrain it. Do not infer a permanent monopoly or guaranteed demand floor from an energy-policy announcement.

Use 332M forward diluted shares at Q3 2026, then +1.5M each quarter to 357.5M at Q4 2030. This is an economic proxy allowing continuing net SBC, not a fixed vesting prediction. Q2 diluted weighted-average shares were 323.331M; July 22 common shares were 294.527346M. A gross cross-check adds roughly 21.328M maximum disclosed conversion capacity and 16.022M historical award dilution to that current common count, approximately 331.877M; this is deliberately more conservative than ordinary conversion-only shares and can include make-whole capacity that never arises. Converted unsettled shares must not be counted again once included in the later common count. Oracle's 2.154231M issued shares are already in the disclosed capitalization. No unannounced buyback-driven share-count reversal is assumed. [S2]

The valuation denominator is the ceiling quarter's diluted-share proxy. It is not a historical EPS weighted-average assumption disguised as a fully known future capitalization. Unit factor: 1; this converts the model units to USD per share. No cash balance, enterprise-value adjustment or after-tax earnings substitution is added to the operating-profit ceiling.

9. Complete rolling four-quarter ceiling derivation

Ceiling quarter	Exact earnings window	Forward 4Q OP	Multiple	Diluted shares M	Ceiling USD	Key inflection
Q3 2026	Q3 2026 → Q2 2027	1,484.601366	20×	332.000000	89.433817	Annual-guide calibrated product deliveries
Q4 2026	Q4 2026 → Q3 2027	1,886.817523	20×	333.500000	113.152475	Close 2026 at guide midpoint
Q1 2027	Q1 2027 → Q4 2027	2,382.796543	20×	335.000000	142.256510	Capacity beyond 2GW run rate
Q2 2027	Q2 2027 → Q1 2028	2,691.964830	20×	336.500000	159.997910	Contracted customer installations
Q3 2027	Q3 2027 → Q2 2028	2,988.180462	20×	338.000000	176.815412	Growing service fleet
Q4 2027	Q4 2027 → Q3 2028	3,255.507113	20×	339.500000	191.782451	2027 shipment and profit checkpoint
Q1 2028	Q1 2028 → Q4 2028	3,503.061533	20×	341.000000	205.458154	Broader AI/infrastructure adoption
Q2 2028	Q2 2028 → Q1 2029	3,802.352092	20×	342.500000	222.035159	Next-generation DC sites
Q3 2028	Q3 2028 → Q2 2029	4,115.646225	20×	344.000000	239.281757	Approach 4GW annual deliveries
Q4 2028	Q4 2028 → Q3 2029	4,420.585509	20×	345.500000	255.894964	2028 deployment check
Q1 2029	Q1 2029 → Q4 2029	4,681.617168	20×	347.000000	269.833843	Further manufacturing additions
Q2 2029	Q2 2029 → Q1 2030	4,907.665438	20×	348.500000	281.645075	Larger fleet service base
Q3 2029	Q3 2029 → Q2 2030	5,124.058931	20×	350.000000	292.803367	Near 5GW shipments
Q4 2029	Q4 2029 → Q3 2030	5,361.559324	20×	351.500000	305.067387	Qualification and warranty review
Q1 2030	Q1 2030 → Q4 2030	5,619.799385	20×	353.000000	318.402231	Additional capacity beyond original footprint

- **Q3 2026:** (241.366194 + 239.281806 + 460.350555 + 543.602811) × 20 × 1 ÷ 332.000000 = **89.433817 USD/share**. Window: Q3 2026-Q2 2027.
- **Q4 2026:** (239.281806 + 460.350555 + 543.602811 + 643.582350) × 20 × 1 ÷ 333.500000 = **113.152475 USD/share**. Window: Q4 2026-Q3 2027.
- **Q1 2027:** (460.350555 + 543.602811 + 643.582350 + 735.260827) × 20 × 1 ÷ 335.000000 = **142.256510 USD/share**. Window: Q1 2027-Q4 2027.
- **Q2 2027:** (543.602811 + 643.582350 + 735.260827 + 769.518842) × 20 × 1 ÷ 336.500000 = **159.997910 USD/share**. Window: Q2 2027-Q1 2028.
- **Q3 2027:** (643.582350 + 735.260827 + 769.518842 + 839.818443) × 20 × 1 ÷ 338.000000 = **176.815412 USD/share**. Window: Q3 2027-Q2 2028.
- **Q4 2027:** (735.260827 + 769.518842 + 839.818443 + 910.909001) × 20 × 1 ÷ 339.500000 = **191.782451 USD/share**. Window: Q4 2027-Q3 2028.
- **Q1 2028:** (769.518842 + 839.818443 + 910.909001 + 982.815246) × 20 × 1 ÷ 341.000000 = **205.458154 USD/share**. Window: Q1 2028-Q4 2028.

- **Q2 2028:** (839.818443 + 910.909001 + 982.815246 + 1,068.809402) × 20 × 1 ÷ 342.500000 = **222.035159 USD/share**. Window: Q2 2028-Q1 2029.
- **Q3 2028:** (910.909001 + 982.815246 + 1,068.809402 + 1,153.112577) × 20 × 1 ÷ 344.000000 = **239.281757 USD/share**. Window: Q3 2028-Q2 2029.
- **Q4 2028:** (982.815246 + 1,068.809402 + 1,153.112577 + 1,215.848285) × 20 × 1 ÷ 345.500000 = **255.894964 USD/share**. Window: Q4 2028-Q3 2029.
- **Q1 2029:** (1,068.809402 + 1,153.112577 + 1,215.848285 + 1,243.846905) × 20 × 1 ÷ 347.000000 = **269.833843 USD/share**. Window: Q1 2029-Q4 2029.
- **Q2 2029:** (1,153.112577 + 1,215.848285 + 1,243.846905 + 1,294.857673) × 20 × 1 ÷ 348.500000 = **281.645075 USD/share**. Window: Q2 2029-Q1 2030.
- **Q3 2029:** (1,215.848285 + 1,243.846905 + 1,294.857673 + 1,369.506069) × 20 × 1 ÷ 350.000000 = **292.803367 USD/share**. Window: Q3 2029-Q2 2030.
- **Q4 2029:** (1,243.846905 + 1,294.857673 + 1,369.506069 + 1,453.348678) × 20 × 1 ÷ 351.500000 = **305.067387 USD/share**. Window: Q4 2029-Q3 2030.
- **Q1 2030:** (1,294.857673 + 1,369.506069 + 1,453.348678 + 1,502.086966) × 20 × 1 ÷ 353.000000 = **318.402231 USD/share**. Window: Q1 2030-Q4 2030.

10. Annual trajectory cross-check

Calendar year	Revenue	GP / contribution	Opex	OP	OP margin
2027	9,176.351	3,362.797	980.000	2,382.797	25.967%
2028	12,838.358	4,803.062	1,300.000	3,503.062	27.286%
2029	16,754.180	6,301.617	1,620.000	4,681.617	27.943%
2030	20,375.860	7,609.799	1,990.000	5,619.799	27.581%

These are calendar-year sums of the quarterly path, not extra revenue and not the live valuation method. For non-December fiscal reporters, fiscal guidance and these calendar totals must be aligned using the period mapping above; a four-quarter run rate is not automatically the same fiscal year. Outer-year outputs are conditional TAM/capture trajectories, not verified management sales targets.

The model’s shipment schedule is: Q3 2026: 0.335593GW, 20M deduction; Q4 2026: 0.335790GW, 25M deduction; Q1 2027: 0.580000GW, 25M deduction; Q2 2027: 0.660000GW, 30M deduction; Q3 2027: 0.750000GW, 30M deduction; Q4 2027: 0.830000GW, 30M deduction; Q1 2028: 0.870000GW, 30M deduction; Q2 2028: 0.940000GW, 30M deduction; Q3 2028: 1.010000GW, 30M deduction; Q4 2028: 1.080000GW, 30M deduction; Q1 2029: 1.160000GW, 26.5M deduction; Q2 2029: 1.230000GW, 0M deduction; Q3 2029: 1.290000GW, 0M deduction; Q4 2029: 1.320000GW, 0M deduction; Q1 2030: 1.380000GW, 0M deduction; Q2 2030: 1.460000GW, 0M deduction; Q3 2030: 1.550000GW, 0M deduction; Q4 2030: 1.610000GW, 0M deduction. Product ASP is a LOW-confidence calibration proxy. The 5GW existing-footprint potential is not a hard lifetime ceiling, but 6GW annual sales in 2030 require expanded capacity, yield and suppliers that are not yet independently verified here. Service replacement production is separate from management’s commercial product capacity. The 306.5M remaining customer consideration asset is fully allocated over the displayed schedule (20/25/25/30/30/30/30/30/30/30/26.5M, then zero). Product GP margins are after this deduction; the model does not deduct it a second time. The service fleet assumes 5% commissioning lag/non-earning capacity and 0.25% quarterly attrition; replacing stacks does not create a second new-customer product sale. Service contract duration varies; there is no blanket twenty-year term for every AI deal.

11. Historical Q3 2027 dilution sensitivity - same operating case

The original sensitivity below uses 338M shares and the historical Q3 2027 target. The active Q4 selection uses 339.5M shares and USD 191.782451, as derived in section 9.

Denominator sensitivity	Q3 2027 shares M	Q3 2027 ceiling USD	Effect on ceiling
-5% shares	321.100000	186.121486	+5.26%
+0% shares	338.000000	176.815412	+0.00%
+5% shares	354.900000	168.395630	-4.76%
+10% shares	371.800000	160.741284	-9.09%

This isolates denominator uncertainty; it is not a second bull/bear operating case or permission to remove known dilution. The base case remains the explicit share path in the rolling table.

12. Programme and probability ledger

Programme / signal	Source and probability	Amount / unit base	Treatment in this model	Escalation / recognition
Oracle programme and Jupiter	Contract evidence strengthened; retain 85% delivery-timing judgment for contracted programme, not verified completion probability	April: 1.2GW initially contracted within 2.8GW MSA. September 24 attributed company statement: 2.4GW Jupiter contract. [S5/S15]	Existing aggregate shipment path retained; overlapping capacities are not added. Old 1.6GW optional remainder is no longer a dependable current classification.	Reconcile contract scope, unfilled balance, amendments, delivery/acceptance dates, gas and permits. No newly quantified incremental quarter allocation.
Nebius	Customer-announced; 80% current deployment confidence	328MW planned operational in 2026	Inside aggregate forecast; financier purchases are the same underlying systems	Commissioning and recognition, not a second sale to the end user.
Brookfield framework	Financing shelf; 80% availability / unspecified utilization	Up to 25B project financing	No standalone revenue addition or assumed utilization date	Funded project orders and transfer/acceptance terms.
800V DC / Power Connect	Company product/economic evidence; 65% broader adoption judgment	No disclosed incremental booked revenue amount	Supports shipment conversion and installation efficiency already modeled	Customer installations validate performance and actual total cost.
Supporting fuel-cell supplier expansion	MTAR management plus Bloom expansion evidence; 65% timely-ramp confidence	Incremental Bloom-attributable GW undisclosed	Reinforces existing ramp; no separately quantifiable revenue addition	Phase 2 September-October 2026; phase 3 commissioning March 2027 and ramp from April. [S12]
Critical-material supply	Management statement; 70% scaling confidence	Visibility for 25GW deployments; no China dependence asserted	No extra revenue; cumulative supply must keep pace with delivered and service systems	Qualified sources, inventory, yields and material intensity.

Probabilities are analyst judgments under the framework signal hierarchy. Embedded revenue is not multiplied or added a second time. Where no defensible amount or unit base exists, the opportunity remains explicitly unquantified; confidence alone cannot create a revenue number. New evidence can enlarge the TAM, improve capture or move recognition earlier, but each requires an identifiable model input.

13. Scored risk classes

Risk class	Scored deduction	Mechanism and consequence
Customer and financing concentration	-1	Counterparty concentration and capital availability can slow acceptance and collections.
Site readiness, gas and permits	-1	Relocatable units help, but campuses still require fuel, approvals and commissioning.
Stack durability and guarantees	-1	Warranty provisions and fleet replacement costs can impair product and service margins.
Competitive substitution	-1	Grid improvements and rival technologies can reduce the premium for fast onsite power.
Capital structure and supply scaling	-1	SBC, convertible settlement, working capital and critical-material capacity affect per-share outcomes.

14. Dated catalysts, counters and escalation

1. **Next Q3 2026 report; date unconfirmed - Annual revenue and margin bridge** Reconcile GAAP/non-GAAP costs, warranty additions and Oracle consideration amortization.
2. **Q4 2026 / initial 2027 outlook - Shipment schedule and site readiness** Compare 2.82GW modeled 2027 demand with disclosed capacity and firm customer schedules.
3. **2027 deployments - DC architecture and faster installations** Measure Power Connect site time and customer 800V adoption rather than assume all advertised savings.
4. **Each quarter - Corrected customer concentration** Track financier and end-user exposure separately; amended Q2 top customer is 73%, H1 top two 44%/21%.
5. **Each quarter - Service margin and warranty** Two quarters below 20% service GM or a major new reserve requires review of fleet costs and guarantees.
6. **September 2026 onward - Project Jupiter permit and gas readiness** Reconcile issued approvals, pipeline commissioning and contractual acceptance; no final permit verified in this review. [S13/S14]
7. **March-April 2027 - Supplier capacity** Check MTAR phase 3 commissioning and subsequent ramp; obtain Bloom-attributable capacity before adding incremental shipments. [S12]
8. **2028-30 - Capacity beyond 5GW footprint and aging fleet** Confirm new capacity before relying on 6GW sales; extend replacement-cycle analysis beyond the valuation window.

15. Cross-book monitoring

NBIS provides a direct customer cross-check. Compute suppliers depend on energized campuses, while VICR, transformers and other power-chain names address different conversion or grid functions. Bloom's DC-native design can remove some AC conversion equipment in particular layouts, so every power supplier should not receive the same TAM uplift automatically. Its natural-gas input, siting and financing requirements remain distinct from chip-level power delivery.

16. Source register and model limits

S17 - Irrational Analysis: Hot Summer Topics (2026-07-01). All body text and 23 original figures inspected. The 800V calculation is an author example, not a design standard; ERock excerpts are historical S-1 evidence. The June 30 holdings memo previews the same claims and is not independent corroboration.

S18 - NVIDIA 800V facility architecture (2025-05-20, updated July 31). Primary architecture separates higher-voltage delivery/conversion from facility row/rack distribution. Vendor efficiency claims are not measured Bloom project economics.

S19 - ERock Q2 results (2026-08-11). Equipment-order, backlog and manufacturing-expansion evidence; delivery commitments extend into 2028.

S20 - ERock Q2 Form 10-Q (2026-08-12). Public-company identity and post-IPO context. The offering's total transaction value must be separated from company proceeds and selling-stockholder proceeds.

S1 - Q2 earnings release and full reconciliation (2026-07-28). Four revenue categories and margins, operating-cost bridge, actuals and raised guidance.

S2 - Q2 amended Form 10-Q/A (2026-07-29). Corrected concentration periods; warrant consideration, warranty, RPO, capital structure and notes.

S3 - Q1 management call transcript (2026-04-28). Complete public speaker sequence through closing reviewed; transcription gaps noted.

S4 - Q2 management call transcript (2026-07-28). Complete public speaker sequence through closing reviewed; financing, capacity and service economics.

S5 - Oracle master agreement and initial contracted capacity (2026-04-13). 1.2GW contracted within up to 2.8GW MSA; deployment continues into 2027.

S6 - Nebius partnership announcement (2026-05-20). Customer confirms planned 328MW 2026 deployment and potential later expansion.

S7 - Brookfield financing framework expansion (2026-06-30). 25B financing framework, not a guaranteed current revenue amount.

S8 - MiTAC and AI infrastructure manufacturing update (2026-08-06). New manufacturing-campus application; nearly two dozen AI-infrastructure customers and about 250MW in that segment.

S9 - Power Connect launch (2026-08-19). Company claims greater-than-40% reduction in onsite installation time through factory integration.

S10 - 800V DC-native total-cost analysis (2026-09-16). Company-modeled project economics; not independently validated savings or booked orders.

S11 - Oracle fiscal Q1 2027 Form 10-Q (2026-09-11). 28.499B quarterly capex versus 8.502B, mostly data-center expansion; financing and cash-flow context.

S12 - MTAR issuer-hosted July 30 earnings-call transcript (2026-07-30; reviewed 2026-09-29). Printed pages 3, 10 and 15: phased fuel-cell capacity additions, commissioning/ramp distinction and undisclosed numerical capacity. The analyst's hypothetical hot-box count is not management guidance.

S13 - Oracle Project Jupiter update (2026-07-28; reviewed 2026-09-29). Customer-side source for onsite fuel-cell design and permit/pipeline conditions. Capacity overlaps existing Oracle plans.

S14 - New Mexico Environment Department public notices (accessed 2026-09-29). Yucca Growth Infrastructure / YGI Microgrid / Project Jupiter; application 10883 and draft permit/hearing materials. A final issued permit was not verified in this review.

S15 - September 24 Bloom company statement, reproduced in Collyer Bridge's September 26 article. Attributed company confirmation of Oracle commitment and a 2.4GW contract. Original X page returned an access error; text read from the linked publisher's embedded post. Oracle's separate contemporaneous statement says a notice alone does not establish a delay. Legal documents and exact capacity overlap were not inspected.

S16 - Axios report on Oracle's force-majeure notice (2026-09-24). Secondary reporting of a notice to the project developer. Used to identify a timing/contract watch item; not evidence of a cancelled Bloom purchase.

GW shipments, product ASP, commissioned capacity, future service rate and product margins are estimates, not company guidance. The annual 6GW 2030 trajectory requires capacity beyond the previously described 5GW footprint. Non-GAAP OP excludes an economically meaningful compensation cost and is not cash flow. Service pricing and a young fleet can make near-term margins look stronger than a later replacement-cycle outcome. Natural-gas fuel cells have carbon emissions despite low combustion-related local pollutants; no unpriced carbon-capture benefit is added.

Workbook: G:\My Drive\1amInvesting\Artifacts\v3_2_master_portfolio.xlsx, model tab BE_Q_Model; Master Portfolio BE row 71 at review. The workbook remains the source for portfolio ranking and prices. Financial inputs and all 15 ceilings were reconciled to the current BE model; no workbook changes were made for this evidence/sensitivity review. **Current artifact paths:** G:\My Drive\1amInvesting\Artifacts\BE_BloomEnergy_DeepDive.md and the matching self-contained PDF. The charts are embedded in both formats. **Recoverable prior copy:** saved separately under versions/BE_review_2026-09-29_144147Z/ before publication. Supporting calculations and source snapshots are retained in the local BE review workspace.