BESI.AS - BE Semiconductor Industries N.V. | Full investment artifact

Full investment research | Model assumptions and source evidence

Evidence and model update: 11 October 2026 | **Reported-financial cutoff:** 23 July 2026 | **Framework:** 8.0 | **Format:** standalone current-state analysis **Status:** NOT HELD in supplied workbook; High Conviction assessment | **Classification:** CHOKEPOINT - qualified advanced die placement and hybrid bonding; adoption and competition remain material **Artifact Base:** 47/60 = **78% - High Conviction** | **Protected portfolio Base:** 78% (current saved Excel Base; manual overrides removed October 7) **Snapshot:** supplied-workbook price EUR 221.400; model share proxy 80.951856M; implied snapshot market capitalization 17,922.741 EUR millions. Price is frozen from the supplied workbook, not a current-market refresh; capitalization uses the modeled denominator. **Active ceiling:** Q4 2027 **EUR 254.251606**, pricing Q4 2027-Q3 2028. The October calendar selection roll is not a forecast increase. All 15 quarterly ceilings are derived below.

Besi's precision assembly opportunity remains broad, but existing customer capacity may absorb more nonmemory hybrid demand than the original growth path assumed. The source's 30-60 annual net-tool estimate is a bounded risk signal, not a disclosed Besi shipment schedule. A 25% incremental downside branch reduces assumed nonmemory hybrid revenue in 2027-2028, with partial recovery in 2029. Q4 2027 ceiling falls from EUR 276.041130 to EUR 254.251606 (-7.89%). The existing 25x operating-profit basis, 80.951856M shares, current Excel Base 78 and analytical Base 78 are retained. The HBM adoption calibration is unchanged and its timing test remains inactive.

October 11: nonmemory installed-capacity risk under Rule 16b

The owner-supplied UBS thesis-map image estimates 30-60 annual net hybrid-bonding tool requirements outside memory during 2026-2028. It says installed TSMC/Intel capacity can satisfy much of the next volume increase, and already includes 30% pilot/evaluation and 20% duplication uplifts. The full original report, report date and industry-versus-Besi scope are missing. These are attributed estimates, not issuer guidance. Its 50-60% revenue shortfall versus consensus is not applied to our company forecast.

The active branch assigns a **25% subjective probability** to incremental customer-capacity saturation, after allowing for existing generic adoption/timing caution. The remaining 75% retains the previous operating trajectory. Hybrid memory/nonmemory mix is not disclosed: the bridge assumes 70% nonmemory, bounded at 60-80%. The source midpoint of 45 net tools plus 15 explicitly assumed replacement/gross-reconciliation equivalents gives 60 gross equivalents. At the artifact's existing EUR3M recognized revenue per tool-equivalent proxy, conditional nonmemory revenue is EUR180M annually in 2027 and 2028. This is a revenue-equivalent proxy that generously credits Besi all of the assumed gross equivalents, not a claim that UBS forecasts Besi's share or that all systems are fungible. Replacement assumptions do not add pilot/evaluation or duplication a second time.

Reference nonmemory revenue is 70% x EUR600M = EUR420M in 2027 and 70% x EUR950M = EUR665M in 2028. Conditional reductions are EUR240M and EUR485M; 25% weighting produces EUR60M and EUR121.25M active reductions. Allocate them using the existing quarterly hybrid delivery/acceptance weights. Retain product gross margins, save only 3% of removed revenue in variable support/commission expense and hold R&D fixed. Thus incremental OP equals revenue change x (hybrid GM - 3%). There is no second manufacturing-cost adjustment.

Overlap control: no new HBM haircut, no adjustment to other Die Attach, Packaging or Plating, and no change to 2026 guidance. The existing 80% logic/optical continuation and 60% supplier-capacity timing confidence remain qualitative context and are not multiplied again. The added branch addresses incremental *customer installed-capacity saturation*, not the separate HBM process-choice delay. If the original calibration is later shown to include this exact net-tool ceiling, remove the incremental branch. Source duplication is not treated as a second event: the October10 image review is the same evidence, newly mapped here to the explicit bridge.

Counter-evidence: July23 issuer results reported EUR292.9M orders, up 8.6% q/q and 128.8% y/y, with H1 orders EUR562.6M; Q3 revenue guidance remained +10-15% sequentially. This supports preserving 2026 and assigning 25%, rather than treating the bearish scenario as certain. EPIC participation broadens development access but proves neither orders nor accepted tools.

Calendar year	Reference hybrid EUR M	Active weighted reduction EUR M	Updated hybrid EUR M
2027	600.000	-60.000000	540.000000
2028	950.000	-121.250000	828.750000
2029	1280.000	-81.684211	1198.315789
2030	1600.000	0.000000	1600.000000

2029 retains half of the 2028 relative haircut; 2030 returns to the previous trajectory. This is a recovery assumption, not new evidence of catch-up orders. No missed sales are automatically added back. Recognition still requires delivery and customer acceptance.

Sensitivity at 25% probability	Net tools	Gross reconciliation	Nonmemory mix	Q4 2027 ceiling EUR	Change
Less adverse	60	20	60%	261.892561	-5.13%
Central	45	15	70%	254.251606	-7.89%
More adverse	30	0	80%	245.025793	-11.24%

These are bounded analyst proxy scenarios; the source does not establish the mix or replacement count. Hold the EUR3M tool-equivalent proxy constant to isolate those uncertainties.

2029 recovery sensitivity	Retained 2028 relative haircut	Q1 2029 ceiling EUR
Full recovery	0%	378.294613
Central partial recovery	50%	361.055614
No 2029 recovery	100%	343.816616

Next evidence: the dated full UBS report and net/gross scope; customer installed utilization; memory/nonmemory shipment mix; replacement/upgrade economics; accepted tool counts and realized tool-equivalent revenue. [B12]

UBS Research THESIS MAP a guide to our thinking and what's where in this report

PIVOTAL QUESTIONS

Q: Will hybrid bonding be adopted for high volume manufacturing of HBM5?
Yes, but likely only for some insertions. Given tight supply demand dynamics in the HBM market we believe high volume manufacturing adoption of hybrid bonding is likely only by HBM5. At this time stack height becomes more of a gating factor and the performance and thermal benefits of hybrid bonding become more critical. We estimate that hybrid bonding steps will initially be used for the critical base logic die and a number of bonding steps within the stack but unlikely the full stack, given the large installed base of thermo-compression bonding (TCB) tools.

Q: Can accelerated hybrid bonding adoption in logic offset this?
No, outside of memory, we see annual net demand of 30–60 tools in 2026–28E from co-packaged optics, AI accelerators and PC CPUs. This includes a 30% uplift to our demand models to account for pilot and evaluation tools, and a 20% uplift from industry wide duplication. Our estimates of existing capacity at TSMC and Intel suggest the installed base can already support meaningful volumes, limiting upside without adoption exceeding our already optimistic assumptions. Our 2027–28E hybrid-bonding revenue estimates are 50–60% below consensus.

Q: Can the mainstream business reach the €1.1bn long-term target?
Yes, we forecast €1.2bn by 2030E vs. Besi's long-term target of €1.1bn, driven by a broadening set of use cases and customers. Growth should be supported by increasing demand from HPC, HBM and AI-related 2.5D packaging alongside traditional smartphone, PC, automotive and industrial applications. This diversification should enable the mainstream business to exceed its long-term target while also potentially reducing cyclicality with its lower dependence on any single end market.

UBSVIEW

Besi is one of the highest-quality names in the sector and ts leadership in advanced packaging should enable it to outgrow the wider semis space over a 5-10 year time horizon. That said, we see downside risk to hybrid bonding estimates over the next three years, which is the key driver of the equity story. Our bottom up work suggests consensus is overestimating the hybrid bonding opportunity in both memory and logic applications, and we see downside risk to numbers. We rate Besi Sell.

Original owner-supplied UBS thesis-map excerpt. Undated clipped source; figures are attributed estimates, not Besi guidance.

EPIC partnership: broader development access within existing vectors

On October 1, Besi joined Applied Materials' EPIC Center as an Innovation Partner. The expanded collaboration covers hybrid bonding, thermo-compression bonding, die-on-wafer, die-on-die, die-on-panel and photonics interconnects. It builds on the 2020 Singapore program rather than creating a new independent customer-demand pool.



Applied Materials and Besi Expand Strategic Partnership to Advance Next-Generation Packaging for AI Scaling

October 1, 2026

- *Besi joins Applied's EPIC Center as an Innovation Partner, extending a collaboration that began in 2020 with the companies' joint Hybrid Bonding Center of Excellence in Singapore*
- *Expanded collaboration targets next-generation 3D IC scaling, logic and memory integration, and photonics applications supporting AI infrastructure build-out*
- *Partnership expands beyond die-to-wafer hybrid bonding to new hybrid bonding platforms, scaling of thermo-compression bonding (TCB), and new die-on-wafer, die-on-die and die-on-panel architectures*

SANTA CLARA, Calif. and DUIVEN, The Netherlands, Oct. 01, 2026 (GLOBE NEWSWIRE) -- Applied Materials, Inc. (Nasdaq: AMAT) and BE Semiconductor Industries N.V. (Besi) (Euronext Amsterdam: BESI) today announced an expansion of their longstanding strategic partnership, with Besi joining Applied's EPIC Center as an Innovation Partner. The collaboration builds on the companies' joint development program launched in 2020 and extends co-innovation beyond hybrid bonding into new interconnect architectures and applications supporting the semiconductor industry's AI-driven scaling roadmap.

As the AI infrastructure build-out drives demand for higher-density, higher-bandwidth chip-to-chip and chip-to-package interconnects, the expanded partnership is intended to give mutual customers earlier access to co-optimized process and assembly solutions spanning the full advanced packaging flow – from wafer-level hybrid bonding through panel-scale integration.

In 2020, Applied and Besi established a joint Center of Excellence at Applied's Advanced Packaging Development Center in Singapore, combining Applied's process expertise in etch, planarization, deposition, wafer cleaning, metrology, inspection and particle defect control with Besi's die placement, interconnect and assembly technology. That collaboration resulted in Kinex™, the industry's first integrated die-to-wafer hybrid bonding system.

Original October1 Applied Materials/Besi release, page1. The approximately USD5B EPIC investment belongs to Applied Materials and scales over time. Original exhibit, panel 1 of 2; read from top to bottom.

“Besi has been a trusted partner since we began co-developing next-generation hybrid bonding solutions,” said Gary Dickerson, President and CEO of Applied Materials. “With Besi joining EPIC as an Innovation Partner, we’re extending that collaboration across the interconnect technologies our customers need to scale AI systems. Bringing this work into Applied's EPIC Center gives both companies earlier visibility into where the roadmap is headed and lets us co-optimize the full packaging flow.”

“Our center of excellence with Applied in Singapore has been foundational to Besi's hybrid bonding roadmap,” said Richard Blickman, CEO and Chairman of the Board of Management of Besi. “Joining Applied's EPIC Center as an Innovation Partner is a natural next step, giving us a seat alongside the leading logic, memory and systems companies as we advance TCB scaling, die-on-panel integration and the interconnect technologies that will define the next generation of AI and photonics systems”

As an Innovation Partner, Besi engineers will work alongside Applied's teams at the EPIC Center to accelerate joint development across a broader set of interconnect and integration technologies. While advanced packaging was historically treated as a back-end assembly step, technologies such as hybrid bonding and panel-level integration now depend on the same materials engineering disciplines that define front-end wafer fabrication.

“Advanced packaging is no longer a back-end assembly step – it is a materials engineering challenge that demands the same precision and cleanliness as front-end wafer fabrication,” said Dr. Prabu Raja, President of the Semiconductor Products Group at Applied Materials. “Developing these technologies together with Besi engineers in a front-end R&D environment like the EPIC Center will allow us to treat them as one connected flow rather than a series of isolated steps. That gives our mutual customers earlier access to co-optimized solutions and a faster path from development to high-volume manufacturing.”

The expanded scope of collaboration will focus on next-generation 3D IC scaling and logic and memory integration for AI compute and memory architectures, with expected R&D programs to include:

- New platforms for die-to-wafer hybrid bonding, building on the companies' existing Singapore Center of Excellence
- Scaling of thermo-compression bonding (TCB) and its surrounding process ecosystem
- New die-on-wafer, die-on-die and die-on-panel integration platforms
- Photonics-enabled interconnect applications supporting co-packaged optics and AI system scaling

Applied’s new, $5 billion* EPIC (Equipment and Process Innovation and Commercialization) Center in Silicon Valley represents the largest-ever U.S. investment in advanced semiconductor equipment and process technology R&D. The center, which will be operationally ready this year, is designed from the ground up to dramatically reduce the time it takes to commercialize breakthrough technologies from early-stage research to full-scale manufacturing.

**Capital spending is expected to scale over time to approximately $5 billion as customer projects commence.*

About Applied Materials

Original October1 Applied Materials/Besi release, page1. The approximately USD5B EPIC investment belongs to Applied Materials and scales over time. Original exhibit, panel 2 of 2; read from top to bottom.

Original joint release. EPIC's operational readiness is not additional Besi commercial bonder-manufacturing capacity, a production qualification or a customer order.

Signal / existing vector	Retained subjective probability	Incremental treatment
HBM hybrid bonding	65% material-ramp confidence	Already embedded in hybrid revenue; no new unit pool disclosed
Logic and optical expansion	80% continuation confidence	Existing hybrid and placement sales include this opportunity
TC Next and panel formats	50% scale confidence	Existing other Die Attach/Packaging path; no additive TAM
EPIC member status	Documented collaboration; not a probability of all future sales	Reinforces access and co-development within those branches; USD 0 incremental revenue/OP
Investment scope	Applied Materials plans about USD 5B over time	Not Besi capex, revenue, cash or an ownership claim

The retained weights describe economic realization, not uncertainty that the announcement occurred. Analytical Base 78 and protected Excel Base 78 remain unchanged. Revisit the relevant existing branch when program-specific qualification, accepted commercial tools, capacity or customer economics separate a new increment. Membership alone does not remove competing-process or capacity risks.

1. Supercycle, supply chain and durable advantage

Besi supplies precision die placement, hybrid bonding, thermo-compression bonding, packaging and plating equipment. More chiplets, optical components and demanding interconnects can increase assembly steps and equipment content per package. Qualification, placement accuracy, throughput and process integration support a strong position. The thesis maps to DB5 advanced packaging and the photonics and memory chains. Hybrid bonding and TCB coexist: HBM adoption is gated by yield, cost and the end-customer architecture, not by an assumption that every HBM4 stack must use a Besi hybrid bonder.

Chip fabrication produces dies; assembly then places and interconnects them before packaging and testing. Besi earns from selected placement, bonding, molding and plating processes. It does not receive the entire CoWoS, HBM or optical-system bill of materials. Integrated lines also contain third-party process tools. Market leadership in a defined placement category should not be generalized to every advanced-packaging step.

Business / curve	Stage	Evidence and next inflection
Traditional advanced die attach	Expansion in an established market	AI packages add steps while mobile and industrial demand remain cyclical.
Logic hybrid bonding	Commercial ramp	Existing qualified processes broaden into more products and customers.
HBM hybrid bonding	Qualification to early adoption	Process yield, throughput and cost determine volume insertion.
TC Next and panel assembly	Early commercial development	Initial tools and qualifications precede large volume programmes.

Stage percentages are qualitative framework bands relative to a possible mature opportunity, not measured market penetration. A current capacity constraint can coexist with a larger long-term TAM; qualification and economic capture decide how much reaches this company.

2. Forward TAM and the three-phase expansion lens

Phase	Engineering opportunity	Demand-to-company bridge
Phase1; 100% thematic	Existing advanced die placement and packaging	2025 addressable-market estimate1.5B in the August deck excludes TCB; it must not be confused with the5.4B total assembly market. Currency and scope differ from company revenue. [B5]
Phase2; 50% thematic	Submicron logic, HBM and optical assembly	Company target Engine1 revenue1.1B plus Engine2 revenue0.6-1.1B gives total1.7-2.2B. This is a company capture objective, not industry TAM. [B5/B7]
Phase3; 20% thematic	More pervasive 3D integration and larger panel formats	Higher chiplet content can expand equipment demand, offset by throughput gains. No full CPO or HBM market value is added to tool sales.

The 100% / 50% / 20% thematic weights guide thesis assessment. They are not blanket discounts to reported sales, contracts or all forecasts. Programme probabilities below govern only separately identified optionality. Current reported sales calibrate the starting point; they do not cap the future market.

3. Current earnings and management evidence

Q2 2026 revenue was 249.9M, orders 292.9M, gross margin 65.7%, reported opex 55.3M and net income 89.0M. Rounded figures imply approximately108.884M operating profit; net income is not substituted for OP. H1 exact results are revenue434.745M, GP281.443M, SG&A62.263M, R&D46.469M and OP172.711M. Q3 guidance: revenue +10-15% sequentially, GM63-65%, opex flat to +5%. The model uses281.1375M revenue,64% GM and 56.6825M opex, the respective midpoints. [B1/B2]

The April 23 and July 23 earnings calls were read through prepared remarks and Q&A. July describes broader hybrid customer adoption but retains yield and cost qualification as the gating issues for HBM. Mainstream AI-related die attach, photonics and power packaging also contribute to orders. April explains that integrated Applied Materials lines do not give Besi the value of the entire line: Besi sells its bonders. Neither call discloses a complete quarterly hybrid unit or revenue series. The model therefore labels that allocation as an estimate. [B3/B4]

The two public earnings transcripts included the full speaker sequence through management closing remarks; numerical financial anchors were taken from issuer reports. The August deck and June Investor Day were reviewed for product scope, targets and adoption. Company-quoted third-party market forecasts remain attributed estimates. Exact hybrid units, customer yield data, realized ASP and future product margins remain unavailable, so the forecast makes those gaps visible.

4. Local evidence and calibration packet

H1 calibration: Die Attach366.577M +Packaging59.746M +Plating8.422M =434.745M. Applying those weights to Q2 total249.9M gives an estimated product split; hybrid is then assumed60M within Die Attach. That is explicitly an allocation, not a disclosed hybrid result. Historical consolidated GP281.443 less SG&A62.263 and R&D46.469 reproduces172.711 OP exactly. Q3 forecast revenue70+168+38+5.1375=281.1375M. Product starting GMs receive a common -0.0764 percentage-point approximate calibration so total GP179.928M equals64% of sales; OP=179.928-56.6825=123.2455M. [B1/B2] Customer check: TSMC’s disclosed capex range and 10-20% packaging/testing/mask/other allocation imply a6-12.8B umbrella, of which only qualified Besi processes are accessible. Named-customer purchase allocations are not disclosed, so this is a demand sanity check rather than a summed revenue model. [B9]

5. Summing thesis score

Category	Points / maximum	Evidence
Core Thesis	17/20	Precision and qualification support strong capture, with competing assembly processes and suppliers.
Cycle Stage	9/10	Orders and current shipments are accelerating; some new applications remain in qualification.
TAM Expansion	9/10	Logic, memory, photonics and panel formats increase reachable assembly content.
Catalysts	5/5	Current-quarter delivery, HBM qualification and broader hybrid customer deployment.
Macro	9/10	Advanced packaging investment supports demand across compute and optical networks.
Alpha	2/5	Tool units, throughput, acceptance and dilution require closer analysis than headline packaging TAM.
Risks	-4	Four separately scored operating risks.

Sum: 47/60 × 100 = 78.333333%, conventionally rounded to 78%. This advisory thesis score does not replace any portfolio Base override. The separate risk classes below total the displayed deduction; holding status and classification do not waive that deduction.

6. Revenue sources, capture and product margins

Use four mutually exclusive vectors matching the reported three segments, with hybrid bonding carved out of Die Attach rather than added on top. Q2 total is calibrated using H1 segment mix, then an explicitly assumed60M hybrid contribution is removed from Die Attach. Forecasts use displayed shipment factors and product gross margins. Service and spares are embedded in the relevant product lines and are not added again. A separate operating-cost schedule converts product GP to OP. All quarters are modeled, including the guided future quarter.


Vector	Actual calibration / source	Forward demand and capture	Margin derivation / constraint
Hybrid bonding	60M Q2 allocation inside Die Attach; not reported separately.	Updated revenue2027 540M; 2028 828.75M; 2030 1,600M. At an illustrative3M recognized revenue per tool-equivalent, those imply180/276.25/533.33 equivalents annually. ASP is a LOW-confidence planning proxy including mix and associated support, not a quoted tool price.	Starting GM approximately69.924%, rising to72%; qualification and throughput can alter economics.

Vector	Actual calibration / source	Forward demand and capture	Margin derivation / constraint
Other Die Attach	Q2 total Die Attach allocation less60M hybrid.	Revenue2027 690M,2028 770M,2030 1,000M. Includes TCB, MMA, photonics and conventional placement. A small Q1 2029 pause acknowledges a possible capacity digestion period.	Starting GM approximately63.924%, ending64%; mix gains offset price competition and costs.
Packaging	H1 reported59.746M; quarterly allocation is proportional.	Revenue2027 172M,2028 214M,2030 336M; requires more molding and panel-related throughput, not simply multiplying the whole semiconductor TAM.	Starting GM approximately54.924%, ending57%, an inferred allocation.
Plating	H1 reported8.422M; quarterly allocation is proportional.	Revenue2027 25M,2028 31M,2030 47M. Modest complementary growth with no hybrid-style step change.	Starting GM approximately52.924%, ending55%.

Confidence: reported historical totals are HIGH. Source-based forward extrapolations are MEDIUM only where the cited source sizes the relevant period; other product allocations, future capture and margin assumptions are LOW. A source for the historical anchor does not make an unsourced future factor management guidance. The detailed factors below are the single modeled base case, with uncertain assumptions exposed for review.


Process choice: stack height does not identify a Besi order

The September 6 Hot Chips recap raises a credible substitution mechanism: if an accelerator uses fewer memory layers, established bonding can remain economical for longer, delaying the point at which hybrid bonding's smaller interconnect pitch justifies new process cost. The source's stronger conclusion-that this defeats the whole Besi thesis-does not follow. Its reproduced SK material shows a 16-high HBM3E package using MR-MUF and discusses hybrid bonding for stacks of 20 layers or more. Some supporting technical comparisons are historical material, including an ISMP 2024 reference, rather than a new 2026 production qualification. [B10]



IA06 image014. Original reproduced SK HBM3E stacking exhibit: MR-MUF can support higher stacks. This is process evidence, not a Besi purchase commitment.

The process distinction is corroborated by SK hynix's June 18 issuer announcement: its 12-high, 48GB HBM4E samples use Advanced MR-MUF. Sampling is distinct from mass production and from the procurement of a particular bonder. Thus a return from 8-high to 12-high HBM would not by itself restore a hybrid-tool order: the disclosed architecture can still use conventional joining. Conversely, a continued conventional-memory route does not cancel logic hybrid integration. The AMD MI400 and Intel Diamond Rapids architecture material in the same recap shows distinct logic stacking applications; neither identifies Besi's supplier share or accepted tool count. [B10/B11]



IA06 image016. Original reproduced SK hybrid comparison for prospective stacks of 20 layers or more. Pitch and thermal advantages are conditional engineering benefits, not disclosed customer tool orders.

Historical HBM-only timing diagnostic, not active forecast

The pre-October11 reference forecast contained EUR 600M of hybrid revenue in 2027 and EUR 950M in 2028, inside Die Attach, with product gross margins around 70-71%. It does not separately disclose the HBM, logic and optical portions. The existing 65% HBM material-ramp confidence already accounts for yield, cost and process-choice uncertainty. Applying a new reduction to the whole hybrid vector would incorrectly expose logic and optical sales to a memory-only claim; reducing the whole Die Attach segment would additionally remove conventional processes that can benefit from the delay.

This retained historical diagnostic predates the nonmemory branch and is not a current combined downside forecast. Its reference targets are explicitly historical. It assumes that **20-40% of the existing hybrid revenue and its associated gross profit** is HBM exposed and shifts only that portion two quarters from 2027 onward. The range is an analyst test of unknown mix, not a disclosed HBM allocation. Each delayed quarter carries the earlier cohort's original product gross margin. All other revenue vectors, operating-expense dollars, shares and the 25× OP method remain fixed; no TCB offset is assumed because its incremental capture is also unidentified.

Conditional diagnostic, not active forecast	20% HBM exposure	40% HBM exposure
Delay of exposed hybrid cohort	2 quarters	2 quarters
Q4 2027-Q3 2028 revenue change, EUR M	-35.000	-70.000
Same-window GP and OP change, EUR M	-25.087628	-50.175257
Q4 2027 price-target change, EUR/share	-7.747700	-15.495400
Conditional Q4 2027 price target, EUR/share	268.293430	260.545729

These amounts come from the saved quarterly cohort schedule, not from a multiple applied to an industry TAM. They are not additionally probability weighted or activated. **Incremental active revenue and OP change: EUR 0.** The reason is overlap with the existing adoption calibration plus an unidentified HBM mix and timing delta; it is not the unofficial status of the recap. The evidence strengthens the monitoring test: seek customer-specific process selection, accepted tool quantities, realized tool ASP, yield/throughput economics and the HBM share of hybrid shipments. A disclosed mix or a delivery deferral that differs from the current schedule would permit a defined update. The HBM-only increment remains zero and its 65% material-ramp confidence is retained; the separate October11 nonmemory bridge above updates the active numerical build.

V1. Hybrid bonding within Die Attach

Sources: B2 reported Die Attach, B3/B4 adoption; allocation undisclosed. Revenue = anchor × factor; GP/contribution = revenue × displayed product margin. Forecast confidence: LOW unless a specific actual/guided total is identified above.

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2026	60.000000	1.166667	70.000	69.924%	48.946
Q4 2026	60.000000	1.666667	100.000	70.046%	70.046
Q1 2027	60.000000	1.800000	108.000	70.168%	75.781
Q2 2027	60.000000	2.100000	126.000	70.290%	88.565
Q3 2027	60.000000	2.400000	144.000	70.412%	101.393
Q4 2027	60.000000	2.700000	162.000	70.534%	114.266
Q1 2028	60.000000	2.907895	174.474	70.656%	123.277

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q2 2028	60.000000	3.271382	196.283	70.779%	138.926
Q3 2028	60.000000	3.634868	218.092	70.901%	154.629
Q4 2028	60.000000	3.998355	239.901	71.023%	170.385
Q1 2029	60.000000	4.524890	271.493	71.145%	193.154
Q2 2029	60.000000	4.836952	290.217	71.267%	206.829
Q3 2029	60.000000	5.149013	308.941	71.389%	220.551
Q4 2029	60.000000	5.461075	327.664	71.511%	234.318
Q1 2030	60.000000	6.166667	370.000	71.634%	265.044
Q2 2030	60.000000	6.500000	390.000	71.756%	279.847
Q3 2030	60.000000	6.833333	410.000	71.878%	294.699
Q4 2030	60.000000	7.166667	430.000	72.000%	309.600

V2. Other Die Attach, including TCB and photonics

Sources: B2 segment data; B5/B6 product and application maps. Revenue = anchor × factor; GP/contribution = revenue × displayed product margin. Forecast confidence: LOW unless a specific actual/guided total is identified above.

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2026	150.715689	1.114682	168.000	63.924%	107.392
Q4 2026	150.715689	1.094777	165.000	63.928%	105.481
Q1 2027	150.715689	1.094777	165.000	63.933%	105.489
Q2 2027	150.715689	1.127952	170.000	63.937%	108.693
Q3 2027	150.715689	1.161127	175.000	63.942%	111.898
Q4 2027	150.715689	1.194302	180.000	63.946%	115.103
Q1 2028	150.715689	1.227477	185.000	63.951%	118.309
Q2 2028	150.715689	1.260652	190.000	63.955%	121.515

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2028	150.715689	1.293827	195.000	63.960%	124.721
Q4 2028	150.715689	1.327002	200.000	63.964%	127.928
Q1 2029	150.715689	1.293827	195.000	63.969%	124.739
Q2 2029	150.715689	1.360177	205.000	63.973%	131.145
Q3 2029	150.715689	1.426527	215.000	63.978%	137.552
Q4 2029	150.715689	1.492877	225.000	63.982%	143.960
Q1 2030	150.715689	1.559227	235.000	63.987%	150.368
Q2 2030	150.715689	1.625577	245.000	63.991%	156.778
Q3 2030	150.715689	1.691927	255.000	63.996%	163.189
Q4 2030	150.715689	1.758277	265.000	64.000%	169.600

V3. Packaging

Sources: B2 reported segment; B5/B6 panel and molding applications. Revenue = anchor × factor; GP/contribution = revenue × displayed product margin. Forecast confidence: LOW unless a specific actual/guided total is identified above.

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2026	34.343179	1.106479	38.000	54.924%	20.871
Q4 2026	34.343179	1.135597	39.000	55.046%	21.468
Q1 2027	34.343179	1.164715	40.000	55.168%	22.067
Q2 2027	34.343179	1.222950	42.000	55.290%	23.222
Q3 2027	34.343179	1.281186	44.000	55.412%	24.381
Q4 2027	34.343179	1.339422	46.000	55.534%	25.546
Q1 2028	34.343179	1.426775	49.000	55.656%	27.272
Q2 2028	34.343179	1.514129	52.000	55.779%	29.005
Q3 2028	34.343179	1.601482	55.000	55.901%	30.745

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q4 2028	34.343179	1.688836	58.000	56.023%	32.493
Q1 2029	34.343179	1.805308	62.000	56.145%	34.810
Q2 2029	34.343179	1.921779	66.000	56.267%	37.136
Q3 2029	34.343179	2.038250	70.000	56.389%	39.472
Q4 2029	34.343179	2.154722	74.000	56.511%	41.818
Q1 2030	34.343179	2.271193	78.000	56.634%	44.174
Q2 2030	34.343179	2.387665	82.000	56.756%	46.540
Q3 2030	34.343179	2.504136	86.000	56.878%	48.915
Q4 2030	34.343179	2.620608	90.000	57.000%	51.300

V4. Plating

Sources: B2 reported segment; B5 product scope. Revenue = anchor × factor; GP/contribution = revenue × displayed product margin. Forecast confidence: LOW unless a specific actual/guided total is identified above.

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q3 2026	4.841132	1.061219	5.138	52.924%	2.719
Q4 2026	4.841132	1.136098	5.500	53.046%	2.918
Q1 2027	4.841132	1.239380	6.000	53.168%	3.190
Q2 2027	4.841132	1.239380	6.000	53.290%	3.197
Q3 2027	4.841132	1.239380	6.000	53.412%	3.205
Q4 2027	4.841132	1.445943	7.000	53.534%	3.747
Q1 2028	4.841132	1.445943	7.000	53.656%	3.756
Q2 2028	4.841132	1.549225	7.500	53.779%	4.033
Q3 2028	4.841132	1.652506	8.000	53.901%	4.312
Q4 2028	4.841132	1.755788	8.500	54.023%	4.592

Quarter	Revenue anchor	Demand / conversion factor	Revenue	Product margin	GP / contribution
Q1 2029	4.841132	1.859069	9.000	54.145%	4.873
Q2 2029	4.841132	1.962351	9.500	54.267%	5.155
Q3 2029	4.841132	2.065633	10.000	54.389%	5.439
Q4 2029	4.841132	2.168914	10.500	54.511%	5.724
Q1 2030	4.841132	2.272196	11.000	54.634%	6.010
Q2 2030	4.841132	2.375478	11.500	54.756%	6.297
Q3 2030	4.841132	2.478759	12.000	54.878%	6.585
Q4 2030	4.841132	2.582041	12.500	55.000%	6.875

7. Operating-cost bridge and quarterly operating model

The pre-risk reference operating-expense dollar schedule is: 56.6825, 59, 62, 65, 69, 73, 78, 82, 86, 90, 94, 98, 102, 106, 110, 114, 118, 122M from Q3 2026 through Q4 2030. Q3 uses the midpoint of guidance. Later spending increases for R&D and service support, even as revenue scales faster. For review, allocate42.737% of each reference quarter's cost to R&D and57.263% to SG&A using H1's reported mix; that split is a proxy. Hold those reference R&D dollars fixed and apply the new variable-cost savings only to SG&A. Do not reapply the historical percentage split to the lower total expense. Product margins include manufacturing costs, and no separate capex expense is deducted again. The opex% column is the result of dollar expense divided by revenue.

Profit basis: IFRS-style operating profit, including reported operating costs; excludes financing expense and income tax. Amounts below are EUR millions.

October11 expense bridge: prior operating-cost dollars are preserved except variable support/commission savings equal to 3% of revenue removed by the nonmemory branch. R&D remains fixed; therefore Opex/revenue ratios change mechanically. See the explicit per-quarter operating-cost amounts below.

Quarter	Status	Revenue	GP	Opex / revenue	Opex	OP margin	OP	Driver	Confidence
Q3 2026	Model (guidance anchored)	281.137	179.928	20.162%	56.682	43.838%	123.246	Q3 guide midpoint	LOW model
Q4 2026	Model	309.500	199.912	19.063%	59.000	45.529%	140.912	Backlog conversion	LOW model
Q1 2027	Model	319.000	206.527	19.323%	61.640	45.419%	144.887	Early qualified hybrid deployments	LOW model

Quarter	Status	Revenue	GP	Opex / revenue	Opex	OP margin	OP	Driver	Confidence
Q2 2027	Model	344.000	223.678	18.773%	64.580	46.249%	159.098	Advanced die placement	LOW model
Q3 2027	Model	369.000	240.877	18.569%	68.520	46.709%	172.357	Memory and logic qualifications	LOW model
Q4 2027	Model	395.000	258.662	18.344%	72.460	47.140%	186.202	Broader tool acceptance	LOW model
Q1 2028	Model	415.474	272.613	18.589%	77.234	47.026%	195.379	Hybrid production adoption	LOW model
Q2 2028	Model	445.783	293.479	18.201%	81.138	47.633%	212.341	Packaging intensity	LOW model
Q3 2028	Model	476.092	314.407	17.863%	85.043	48.177%	229.365	New customer capacity	LOW model
Q4 2028	Model	506.401	335.398	17.565%	88.947	48.667%	246.451	Hybrid and TCB mix	LOW model
Q1 2029	Model	537.493	357.576	17.385%	93.445	49.141%	264.131	Cyclical pause in other die attach	LOW model
Q2 2029	Model	570.717	380.266	17.067%	97.407	49.562%	282.859	Next-node programmes	LOW model
Q3 2029	Model	603.941	403.014	16.784%	101.368	49.946%	301.645	Installed capacity conversion	LOW model
Q4 2029	Model	637.164	425.819	16.531%	105.330	50.299%	320.489	Further accepted systems	LOW model
Q1 2030	Model	694.000	465.596	15.850%	110.000	51.239%	355.596	Additional manufacturing capacity	LOW model
Q2 2030	Model	728.500	489.462	15.649%	114.000	51.539%	375.462	Content per package	LOW model

Quarter	Status	Revenue	GP	Opex / revenue	Opex	OP margin	OP	Driver	Confidence
Q3 2030	Model	763.000	513.388	15.465%	118.000	51.820%	395.388	Broader qualified applications	LOW model
Q4 2030	Model	797.500	537.375	15.298%	122.000	52.085%	415.375	Maturing product mix	LOW model

OP = sum of product GP/contribution - explicit operating costs. OP margin = OP ÷ revenue. Displayed numbers are rounded for reading; the workbook calculates from unrounded inputs. Guidance assigned to a future quarter retains Model status because guidance is not an actual result.

8. Multiple, shares and recognition convention

Retain25× forward four-quarter operating profit from the source artifact. The premium reflects precision equipment, qualification and operating leverage, while the separately scored adoption and cycle risks remain. No takeover rumor, equity stake or share-price movement is used to increase the multiple.

Use80.951856M diluted H1 weighted-average shares as a forward proxy, constant across the model. At June 30,81.146738M issued ordinary shares included0.324540M treasury shares, giving80.822198M excluding treasury. The175M convertible notes were converted during Q2 by releasing approximately1.5M treasury shares; they must not be added again to an already diluted denominator. Recent buybacks are acknowledged, but the60M programme does not justify indefinite annual shrinkage. [B2/B8]

The valuation denominator is the ceiling quarter’s diluted-share proxy. It is not a historical EPS weighted-average assumption disguised as a fully known future capitalization. Unit factor: 1; this converts the model units to EUR per share. No cash balance, enterprise-value adjustment or after-tax earnings substitution is added to the operating-profit ceiling.

9. Complete rolling four-quarter ceiling derivation

Ceiling quarter	Exact earnings window	Forward 4Q OP	Multiple	Diluted shares M	Ceiling EUR	Key inflection
Q3 2026	Q3 2026 to Q2 2027	568.142680	25x	80.951856	175.456965	Q3 guide midpoint
Q4 2026	Q4 2026 to Q3 2027	617.254452	25x	80.951856	190.623935	Backlog conversion
Q1 2027	Q1 2027 to Q4 2027	662.543689	25x	80.951856	204.610407	Early qualified hybrid deployments
Q2 2027	Q2 2027 to Q1 2028	713.035235	25x	80.951856	220.203486	Advanced die placement
Q3 2027	Q3 2027 to Q2 2028	766.278207	25x	80.951856	236.646275	Memory and logic qualifications
Q4 2027	Q4 2027 to Q3 2028	823.285576	25x	80.951856	254.251606	Broader tool acceptance
Q1 2028	Q1 2028 to Q4 2028	883.534968	25x	80.951856	272.858157	Hybrid production adoption
Q2 2028	Q2 2028 to Q1 2029	952.286969	25x	80.951856	294.090530	Packaging intensity
Q3 2028	Q3 2028 to Q2 2029	1,022.805719	25x	80.951856	315.868520	New customer capacity
Q4 2028	Q4 2028 to Q3 2029	1,095.086572	25x	80.951856	338.190693	Hybrid and TCB mix
Q1 2029	Q1 2029 to Q4 2029	1,169.124884	25x	80.951856	361.055614	Cyclical pause in other die attach
Q2 2029	Q2 2029 to Q1 2030	1,260.590510	25x	80.951856	389.302535	Next-node programmes
Q3 2029	Q3 2029 to Q2 2030	1,353.193041	25x	80.951856	417.900561	Installed capacity conversion
Q4 2029	Q4 2029 to Q3 2030	1,446.935595	25x	80.951856	446.850655	Further accepted systems
Q1 2030	Q1 2030 to Q4 2030	1,541.821292	25x	80.951856	476.153781	Additional manufacturing capacity

- **Q3 2026:** (123.245500 + 140.912362 + 144.887223 + 159.097594) x 25 x 1 / 80.951856 = **175.456965 EUR/share**. Window: Q3 2026 to Q2 2027.
- **Q4 2026:** (140.912362 + 144.887223 + 159.097594 + 172.357272) x 25 x 1 / 80.951856 = **190.623935 EUR/share**. Window: Q4 2026 to Q3 2027.
- **Q1 2027:** (144.887223 + 159.097594 + 172.357272 + 186.201599) x 25 x 1 / 80.951856 = **204.610407 EUR/share**. Window: Q1 2027 to Q4 2027.
- **Q2 2027:** (159.097594 + 172.357272 + 186.201599 + 195.378769) x 25 x 1 / 80.951856 = **220.203486 EUR/share**. Window: Q2 2027 to Q1 2028.
- **Q3 2027:** (172.357272 + 186.201599 + 195.378769 + 212.340567) x 25 x 1 / 80.951856 = **236.646275 EUR/share**. Window: Q3 2027 to Q2 2028.
- **Q4 2027:** (186.201599 + 195.378769 + 212.340567 + 229.364641) x 25 x 1 / 80.951856 = **254.251606 EUR/share**. Window: Q4 2027 to Q3 2028.
- **Q1 2028:** (195.378769 + 212.340567 + 229.364641 + 246.450992) x 25 x 1 / 80.951856 = **272.858157 EUR/share**. Window: Q1 2028 to Q4 2028.
- **Q2 2028:** (212.340567 + 229.364641 + 246.450992 + 264.130770) x 25 x 1 / 80.951856 = **294.090530 EUR/share**. Window: Q2 2028 to Q1 2029.
- **Q3 2028:** (229.364641 + 246.450992 + 264.130770 + 282.859316) x 25 x 1 / 80.951856 = **315.868520 EUR/share**. Window: Q3 2028 to Q2 2029.

- **Q4 2028:** (246.450992 + 264.130770 + 282.859316 + 301.645494) x 25 x 1 / 80.951856 = **338.190693 EUR/share**. Window: Q4 2028 to Q3 2029.
- **Q1 2029:** (264.130770 + 282.859316 + 301.645494 + 320.489304) x 25 x 1 / 80.951856 = **361.055614 EUR/share**. Window: Q1 2029 to Q4 2029.
- **Q2 2029:** (282.859316 + 301.645494 + 320.489304 + 355.596395) x 25 x 1 / 80.951856 = **389.302535 EUR/share**. Window: Q2 2029 to Q1 2030.
- **Q3 2029:** (301.645494 + 320.489304 + 355.596395 + 375.461847) x 25 x 1 / 80.951856 = **417.900561 EUR/share**. Window: Q3 2029 to Q2 2030.
- **Q4 2029:** (320.489304 + 355.596395 + 375.461847 + 395.388049) x 25 x 1 / 80.951856 = **446.850655 EUR/share**. Window: Q4 2029 to Q3 2030.
- **Q1 2030:** (355.596395 + 375.461847 + 395.388049 + 415.375000) x 25 x 1 / 80.951856 = **476.153781 EUR/share**. Window: Q1 2030 to Q4 2030.

10. Annual trajectory cross-check

Calendar year	Revenue	GP / contribution	Opex	OP	OP margin
2027	1,427.000	929.744	267.200	662.544	46.429%
2028	1,843.750	1,215.897	332.363	883.535	47.921%
2029	2,349.316	1,566.674	397.549	1,169.125	49.764%
2030	2,983.000	2,005.821	464.000	1,541.821	51.687%

These are calendar-year sums of the quarterly path, not extra revenue and not the live valuation method. For non-December fiscal reporters, fiscal guidance and these calendar totals must be aligned using the period mapping above; a four-quarter run rate is not automatically the same fiscal year. Outer-year outputs are conditional TAM/capture trajectories, not verified management sales targets.

Total modeled revenue is EUR1,427.000M in2027, EUR1,843.750M in2028, EUR2,349.316M in2029 and EUR2,983M in2030. The2028 level remains within the company long-term EUR1.7-2.2B objective; the calendar timing is our assumption. Later levels require broader qualified adoption. At the EUR3M planning proxy, hybrid sales imply180 tool-equivalents in2027,276.25 in2028 and533.33 in2030. Capacity beyond the cited250 annual baseline, or greater revenue per accepted tool, remains necessary. Floor area is not qualified throughput. The separate nonmemory risk branch reduces customer demand requirements; it does not prove supplier capacity.

11. Current Q4 2027 dilution diagnostic

The table isolates denominator sensitivity around the active Q4 2027 ceiling of EUR254.251606, pricing Q4 2027 to Q3 2028. No share-count input changes are activated.

Denominator sensitivity	Q4 2027 shares M	Q4 2027 ceiling EUR	Effect on ceiling
-5% shares	76.904263	267.633269	+5.26%
+0% shares	80.951856	254.251606	+0.00%
+5% shares	84.999449	242.144387	-4.76%
+10% shares	89.047042	231.137824	-9.09%

This isolates denominator uncertainty; it is not a second bull/bear operating case or permission to remove known dilution. The base case remains the explicit share path in the rolling table.

12. Programme and probability ledger

Programme / signal	Source and probability	Amount / unit base	Treatment in this model	Escalation / recognition
Q3 revenue and margin guidance	Management guide; 90% midpoint confidence	281.1375M revenue; 64% GM	Included once in Q3 forecast	Replace with actual results.
HBM hybrid adoption	Qualification; 65% material-ramp confidence retained	No disclosed HBM share; HBM reference cohort retained while assumed nonmemory portion changes	Existing risk-adjusted ramp retained; 20-40% exposure/two-quarter delay is a separate diagnostic only	Customer process choice, yield/cost approval, accepted production tools and differentiated delivery timing.
Logic and optical expansion	Commercial programmes; 80% continuation confidence	Customer base broadening	Embedded in hybrid and other placement sales	Repeat orders and conversion to shipments.
Outer-year hybrid capacity	Analyst expansion assumption; 60% timing confidence	276.25 and 533.33 tool-equivalents in2028/2030	Requires capacity beyond the cited250 annual baseline	Funded capacity, supplier readiness and installation support.
Nonmemory installed-capacity saturation	UBS excerpt; 25% incremental downside	Assumed70% nonmemory,60 gross equivalents x EUR3M in2027/28	Weighted hybrid -60/-121.25M; 3% variable-opex saving; half-relative haircut in2029	Full source scope, installed utilization, gross replacements, mix and accepted deliveries.
TC Next and panel formats	Early commercial; 50% scale confidence	No separate announced multi-year revenue total	Included in other Die Attach/Packaging, no additive TAM	Volume qualification and process economics.

Probabilities are analyst judgments under the framework signal hierarchy. Embedded revenue is not multiplied or added a second time. Where no defensible amount or unit base exists, the opportunity remains explicitly unquantified; confidence alone cannot create a revenue number. New evidence can enlarge the TAM, improve capture or move recognition earlier, but each requires an identifiable model input.

13. Scored risk classes

Risk class	Scored deduction	Mechanism and consequence
Qualification and adoption timing	-1	Lower stacks can extend conventional bonding; even 12-high HBM4E samples use Advanced MR-MUF. HBM-only timing exposure is bounded above; logic and optical paths remain separate.
Customer capex and overcapacity	-1	Tool orders are concentrated and cyclical; excessive packaging capacity can cause a sharp correction.
Competition and technological substitution	-1	Competing bonders and process choices can pressure share, ASP and gross margin.
Export and operating footprint	-1	Market access and geographic concentration affect shipment eligibility and regional demand.

14. Dated catalysts, counters and escalation

1. **Next Q3 earnings; date unconfirmed at cutoff - Current guide** Reconcile revenue, mix, GM and expense; GM below63% or materially delayed shipments requires model review.
2. **H2 2026 into 2027 - HBM process and acceptance** Track conventional versus hybrid selection by customer and stack, the HBM portion of hybrid orders and accepted shipments. A 12-high specification or evaluation tool alone does not validate the modeled hybrid volume path.
3. **2027-28 - Capacity versus tool requirements** Confirm that required throughput and support expand before recognizing the modeled scale.
4. **Every quarterly update - Orders and overcapacity** Deteriorating bookings and customer utilization weaken the ramp despite a larger long-run TAM.
5. **2028 model checkpoint - Target conversion** Test whether recognized revenue approaches the long-term range with operating costs under control.
6. **Each filing and transaction update - Dilution and access** Track net shares and actual export-market disclosures; avoid double-counting converted notes.

15. Cross-book monitoring

LPK and Schmid can address different glass-substrate processes, while Besi supplies selected assembly steps; a conceptual workflow is not proof of a contracted three-vendor line. MU and SK hynix provide memory adoption signals. Lam and AMAT address other fabrication and integration steps. BESI, ASMPT, packaging subcontractors and test suppliers share the same investment cycle, so their order announcements are not independent pools of end demand.

16. Source register and model limits

B1 - Q2 and H1 2026 results (2026-07-23). Current quarterly results and Q3 revenue, GM and expense guidance.

B2 - Half Year 2026 Report (2026-07-23). Exact financial, product-segment, share and convertible-note data.

B3 - Q1 2026 management call (2026-04-23). Prepared remarks and Q&A through closing remarks reviewed.

B4 - Q2 2026 management call (2026-07-23). Prepared remarks and Q&A through closing remarks reviewed; adoption and cycle constraints.

B5 - Investor presentation (2026-08). Current product portfolio, addressable market, capex context and target model.

B6 - Investor Day presentation (2026-06-18). Technology roadmap, target model and customer-use-case illustrations; cited third-party market forecasts remain forecasts.

B7 - Raised long-term financial targets (2026-06-18). Revenue1.7-2.2B and operating-margin45-55% objectives.

B8 - Share repurchase transactions (2026-09-14). Recent executed purchases under the60M programme, not a perpetual share reduction.

B9 - TSMC Q2 management capex passage (2026-07-16). Official indexed passage: capex60-64B with10-20% for packaging, testing, masks and other uses; not all accessible to Besi.

B10 - Hot Chips 2026: Irrational Recap (2026-09-06). Full saved main body and all supplied body image elements reviewed; original exhibits used here are images014 and016. Distinguish reproduced vendor slides, historical technical comparisons, author overlays and personal investment conclusions. The author's position liquidation is not company guidance. One unrelated saved body image037 is a missing-content placeholder.


B11 - SK hynix ships 12-high HBM4E samples (2026-06-18). Issuer source identifies 48GB samples using Advanced MR-MUF; evidence that stack height alone does not identify hybrid-bonding adoption. It does not identify a Besi order, bonder allocation or full-volume economics.

B12 - Owner-supplied UBS thesis-map image, original report date not visible; received/reviewed October10,2026. Original file HUOhx9WWcAAKgw4.jpg, SHA-256 659131e503fe342ab42289d3d3e6c39a69f05ee970b5374bd0b7a56cb9a13c65. Preserved original image above. This is a clipped secondary source; full report, scope and gross-to-net definitions remain outstanding. The forecast change is our bounded risk bridge, not its50-60% consensus comparison.

Hybrid unit shipments, realized ASPs and segment gross margins are not publicly disclosed for Q2. These forecast inputs are LOW-confidence Plan-B assumptions calibrated to reported totals and guidance. Company long-term targets are not a fixed-year sales guarantee. No acquisition premium or rumored customer order is modeled. Outer years above the target range require additional capacity and qualifications.

Current saved workbook: v3_2_master_portfolio.xlsx, model tab BESI_AS_Q_Model. Portfolio prices and protected Base are preserved. The active numerical build adds the October11 probability-weighted nonmemory risk branch to the September18 reference and retains Q4 2027 as active horizon. **Current artifact path:** G:\My Drive\1amInvesting\Artifacts\BESIAS_BESemiconductor_DeepDive.md. **Original snapshot:** versions/originals/BESIAS_BESemiconductor_DeepDive.md. Superseded history is retained separately in VERSION_LOG, not in this current-state model.

Current saved quarterly model visuals




Revenue and gross profit. EUR millions. October11 weighted nonmemory risk included.

Quarter	Revenue	Gross profit
Q3 2026	281.137	179.928
Q4 2026	309.500	199.912
Q1 2027	319.000	206.527
Q2 2027	344.000	223.678
Q3 2027	369.000	240.877
Q4 2027	395.000	258.662

Quarter	Revenue	Gross profit
Q1 2028	415.474	272.613
Q2 2028	445.783	293.479
Q3 2028	476.092	314.407
Q4 2028	506.401	335.398
Q1 2029	537.493	357.576
Q2 2029	570.717	380.266
Q3 2029	603.941	403.014
Q4 2029	637.164	425.819
Q1 2030	694.000	465.596
Q2 2030	728.500	489.462
Q3 2030	763.000	513.388
Q4 2030	797.500	537.375

Operating-profit bridge




Operating-profit economics. EUR millions. R&D fixed; variable support/commission savings applied.

Quarter	Operating profit	Operating expenses
Q3 2026	123.246	56.682
Q4 2026	140.912	59.000
Q1 2027	144.887	61.640
Q2 2027	159.098	64.580
Q3 2027	172.357	68.520
Q4 2027	186.202	72.460
Q1 2028	195.379	77.234

Quarter	Operating profit	Operating expenses
Q2 2028	212.341	81.138
Q3 2028	229.365	85.043
Q4 2028	246.451	88.947
Q1 2029	264.131	93.445
Q2 2029	282.859	97.407
Q3 2029	301.645	101.368
Q4 2029	320.489	105.330
Q1 2030	355.596	110.000
Q2 2030	375.462	114.000
Q3 2030	395.388	118.000
Q4 2030	415.375	122.000

Forward ceiling path



Quarterly ceilings. EUR per share. Updated model and prior reference; 25x basis and share schedule retained.

Ceiling quarter	Forward four-quarter window	Ceiling / share
Q3 2026	Q3 2026 to Q2 2027	175.456965
Q4 2026	Q4 2026 to Q3 2027	190.623935
Q1 2027	Q1 2027 to Q4 2027	204.610407
Q2 2027	Q2 2027 to Q1 2028	220.203486
Q3 2027	Q3 2027 to Q2 2028	236.646275
Q4 2027	Q4 2027 to Q3 2028	254.251606
Q1 2028	Q1 2028 to Q4 2028	272.858157

Ceiling quarter	Forward four-quarter window	Ceiling / share
Q2 2028	Q2 2028 to Q1 2029	294.090530
Q3 2028	Q3 2028 to Q2 2029	315.868520
Q4 2028	Q4 2028 to Q3 2029	338.190693
Q1 2029	Q1 2029 to Q4 2029	361.055614
Q2 2029	Q2 2029 to Q1 2030	389.302535
Q3 2029	Q3 2029 to Q2 2030	417.900561
Q4 2029	Q4 2029 to Q3 2030	446.850655
Q1 2030	Q1 2030 to Q4 2030	476.153781