


```
--[ Tips ]--

This machine has a 64bit processor and many security-features enabled
by default, although ASLR has been switched off. The following
compiler flags might be interesting:

-m32           compile for 32bit
-fno-stack-protector  disable ProPolice
-Wl,-z,norelro  disable relro

In addition, the execstack tool can be used to flag the stack as
executable on ELF binaries.

Finally, network-access is limited for most levels by a local
firewall.

--[ Tools ]--

For your convenience we have installed a few useful tools which you can find
in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[ More information ]--

For more information regarding individual wargames, visit
```

```
For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

bandit0@bandit:~$ ls -alps
total 24
4 drwxr-xr-x  2 root   root   4096 Oct 14 09:25 ./
4 drwxr-xr-x 150 root   root   4096 Oct 14 09:29 ../
4 -rw-r--r--  1 root   root    220 Mar 31 2024 .bash_logout
4 -rw-r--r--  1 root   root   3851 Oct 14 09:19 .bashrc
4 -rw-r--r--  1 root   root    807 Mar 31 2024 .profile
4 -rw-r----- 1 bandit1 bandit0 438 Oct 14 09:25 readme
bandit0@bandit:~$ cat readme
Congratulations on your first steps into the bandit game!!
Please make sure you have read the rules at https://overthewire.org/rules/
If you are following a course, workshop, walkthrough or other educational activity,
please inform the instructor about the rules as well and encourage them to
contribute to the OverTheWire community so we can keep these games free!

The password you are looking for is: ZjLjTmM6FvvyRnrb2rfNW0Z0Ta6ip5If

bandit0@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
```

TASK1

```

      _-_-_-_-_-_-_-_-_-_-_-_-_-_-_-_-_
      |E|O|V|E|R|T|h|e|W|i|r|e|
      -_-_-_-_-_-_-_-_-_-_-_-_-_-_-_-_

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit1@bandit.labs.overthewire.org's password:

      _-_-_-_-_-_-_-_-_-_-_-_-_-_-_-_-_
      |O|v|e|r|t|h|e|w|i|r|e|
      -_-_-_-_-_-_-_-_-_-_-_-_-_-_-_-_

www.       ver        he          ire.org

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--
```

```
* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/:
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a
working directory with a hard-to-guess name in /tmp/. You can use the
command "mktmp -d" in order to generate a random and hard to guess
directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc
restricted so that users cannot snoop on eachother. Files and directories
with easily guessable or short names will be periodically deleted! The /tmp
directory is regularly wiped.

Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!

This includes writeups of your solution on your blog or website!
```

-- [Tips] --

```
-m32           compile for 32bit
-fno-stack-protector  disable ProPolice
-Wl,-z,norelro  disable relro
```

```

Finally, network-access is limited for most levels by a local
firewall.

--[ Tools ]--

For your convenience we have installed a few useful tools which you can find
in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[ More information ]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

bandit1@bandit:~$ ls -alps
total 24
4 -rwxr-xr-x 1 bandit2 bandit1 33 Oct 14 09:26 -
4 drwxr-xr-x 2 root root 4096 Oct 14 09:26 ./
4 drwxr-xr-x 150 root root 4096 Oct 14 09:29 ../
4 -rw-r--r-- 1 root root 220 Mar 31 2024 .bash_logout
4 -rw-r--r-- 1 root root 3851 Oct 14 09:19 .bashrc
4 -rw-r--r-- 1 root root 807 Mar 31 2024 .profile
bandit1@bandit:~$ cat ./-
263JGJPfgU6LdEvqfWU1XP5yac29mFx
bandit1@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.

```

Task2

```

C:\Users\User>ssh bandit2@bandit.labs.overthewire.org -p 2220

[bandit]

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibbon-0
bandit2@bandit.labs.overthewire.org's password:

[OverTheWire]

www. ver he ire.org

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

```

Lenovo Vantage

This machine might hold several wargames.
If you are playing "somegame", then:

- * USERNAMES are somegame0, somegame1, ...
- * Most LEVELS are stored in /somegame/.
- * PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

- * don't leave orphan processes running
 - * don't leave exploit-files laying around
 - * don't annoy other players
 - * don't post passwords or spoilers
 - * again, DONT POST SPOILERS!
- This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

-m32	compile for 32bit
-fno-stack-protector	disable ProPolice
-Wl,-z,norelro	disable relro

In addition, the execstack tool can be used to flag the stack as executable on ELF binaries.

For your convenience we have installed a few useful tools which you can find in the following locations:

- * gef (<https://github.com/hugsy/gef>) in /opt/gef/
- * pwndbg (<https://github.com/pwndbg/pwndbg>) in /opt/pwndbg/
- * gdbinit (<https://github.com/gdbinit/Gdbinit>) in /opt/gdbinit/
- * pwntools (<https://github.com/Gallopsled/pwntools>)
- * radare2 (<http://www.radare.org/>)

--[More information]--

For more information regarding individual wargames, visit
<http://www.overthewire.org/wargames/>

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

```
bandit2@bandit:~$ ls -alps
total 24
4 drwxr-xr-x  2 root  root  4096 Oct 14 09:26 ./
4 drwxr-xr-x 150 root  root  4096 Oct 14 09:29 ../
4 -rw-r--r--  1 root  root   220 Mar 31 2024 .bash_logout
4 -rw-r--r--  1 root  root 3851 Oct 14 09:19 .bashrc
4 -rw-r--r--  1 root  root  807 Mar 31 2024 .profile
4 -rw-r----- 1 bandit3 bandit2 33 Oct 14 09:26 --spaces in this filename--
bandit2@bandit:~$ cat spaces\ in\ this\ filename
cat: 'spaces in this filename': No such file or directory
bandit2@bandit:~$ cat -- "--spaces in this filename"
cat: '--spaces in this filename': No such file or directory
bandit2@bandit:~$ cat -- "--spaces in this filename"
cat: '--spaces in this filename': No such file or directory
bandit2@bandit:~$ cat -- "--spaces in this filename--"
MNk8KNH3Usiio41PRUEoDFPqfxLPLSmx
bandit2@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
```

Task3

```
C:\Users\User>ssh bandit3@bandit.labs.overthewire.org -p 2220
```

```

      _-_-_-_-_-_-_-_-_-_-_
     |   \   /   \   /   \   |
     |___|___|___|___|___|___|
     |   \   /   \   /   \   |
     |___|___|___|___|___|___|

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit3@bandit.labs.overthewire.org's password:
Permission denied, please try again.
bandit3@bandit.labs.overthewire.org's password:
```

```

      _-_-_-_-_-_-_-_-_-_-_
     |   \   /   \   /   \   |
     |___|___|___|___|___|___|
     |   \   /   \   /   \   |
     |___|___|___|___|___|___|

www. ver he ire.org
```

```

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

This machine might hold several wargames.
If you are playing "somegame", then:

    * USERNAMES are somegame0, somegame1, ...
    * Most LEVELS are stored in /somegame/.
    * PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a
working directory with a hard-to-guess name in /tmp/. You can use the
command "mktemp -d" in order to generate a random and hard to guess
directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc
restricted so that users cannot snoop on eachother. Files and directories
with easily guessable or short names will be periodically deleted! The /tmp
directory is regularly wiped.
Please play nice:

    * don't leave orphan processes running
    * don't leave exploit-files laying around
    * don't annoy other players
    * don't post passwords or spoilers
    * again, DONT POST SPOILERS!
      This includes writeups of your solution on your blog or website!

```

```
--[ Playing the games ]--
```

If you are playing "somegame", then:

- Write-access to `/tmp` is disabled. It is advised to create a working directory with a hard-to-guess name in `/tmp/`. You can use the command `mktemp -d` in order to generate a random and hard to guess directory in `/tmp/`. Read-access to both `/tmp/` is disabled and to `/proc` restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The `/tmp` directory is regularly wiped.
- Please play nice:

- ```
* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
```

This includes writeups of your solution on your blog or website!

```
bandit3@bandit:~$ ls -alps
total 24
4 drwxr-xr-x 3 root root 4096 Oct 14 09:26 ./
4 drwxr-xr-x 150 root root 4096 Oct 14 09:29 ../
4 -rw-r--r-- 1 root root 220 Mar 31 2024 .bash_logout
4 -rw-r--r-- 1 root root 3851 Oct 14 09:19 .bashrc
4 drwxr-xr-x 2 root root 4096 Oct 14 09:26 inhere/
4 -rw-r--r-- 1 root root 807 Mar 31 2024 .profile
bandit3@bandit:~$ cd inhere/
bandit3@bandit:~/inhere$ ls -al
total 12
drwxr-xr-x 2 root root 4096 Oct 14 09:26 ..
drwxr-xr-x 3 root root 4096 Oct 14 09:26 .
-rw-r----- 1 bandit4 bandit3 33 Oct 14 09:26 ...Hiding-From-You
bandit3@bandit:~/inhere$ cat --"...Hiding-From-You"
cat: unrecognized option '--...Hiding-From-You'
Try 'cat --help' for more information.
bandit3@bandit:~/inhere$ cat -- "...Hiding-From-You"
2WmrDFRmJIq3IPxneAaMGhapOpFHF3NJ
bandit3@bandit:~/inhere$ exit
logout
Connection to bandit.labs.overthewire.org closed.
```

```
C:\Users\User>ssh bandit4@bandit.labs.overthewire.org -p 2220
```



```
This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames
```

```
backend: gibson-0
bandit4@bandit.labs.overthewire.org's password:
```



```
www. ver he ire.org
```

```
Welcome to OverTheWire!
```

```
Enjoy your stay!
```

```
bandit4@bandit:~$ ls -alps
total 24
4 drwxr-xr-x 3 root root 4096 Oct 14 09:26 ./
4 drwxr-xr-x 150 root root 4096 Oct 14 09:29 ../
4 -rw-r--r-- 1 root root 220 Mar 31 2024 .bash_logout
4 -rw-r--r-- 1 root root 3851 Oct 14 09:19 .bashrc
4 drwxr-xr-x 2 root root 4096 Oct 14 09:26 inhere/
4 -rw-r--r-- 1 root root 807 Mar 31 2024 .profile
bandit4@bandit:~$ cd inhere/
bandit4@bandit:~/inhere$ ls
-file00 -file01 -file02 -file03 -file04 -file05 -file06 -file07 -file08 -file09
bandit4@bandit:~/inhere$ find . -type f | xargs file
./-file02: data
./-file04: data
./-file08: data
./-file00: data
./-file07: ASCII text
./-file06: data
./-file01: data
./-file03: data
./-file05: data
./-file09: data
bandit4@bandit:~/inhere$ man xarg
No manual entry for xarg
bandit4@bandit:~/inhere$ man xargs
bandit4@bandit:~/inhere$ cat ./-file07
4oQYVPkxZ00E005pTW81FB8j8LxXGUQw
bandit4@bandit:~/inhere$ exit
```

## Task5

[illegible]



```
* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
 This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled
by default, although ASLR has been switched off. The following
compiler flags might be interesting:

 -m32 compile for 32bit
 -fno-stack-protector disable ProPolice
 -Wl,-z,norelro disable relro

In addition, the execstack tool can be used to flag the stack as
executable on ELF binaries.

Finally, network-access is limited for most levels by a local
firewall.

--[Tools]--

For your convenience we have installed a few useful tools which you can find
in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[More information]--

For more information regarding individual wargames, visit
```

```
bandit6@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
```

## Task7

```
C:\Users\User>ssh bandit7@bandit.labs.overthewire.org -p 2220
```

```
 | _ _ _ _ _ | _ _ _ _ _ |
 | \| / \ / \ \| / \ / \|
 | \| / \ / \ \| / \ / \|
 | _ _ _ _ _ | _ _ _ _ _ |
```

```
This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames
```

```
backend: gibson-0
bandit7@bandit.labs.overthewire.org's password:
```

```
www. ver he " ire.org
```

```
Welcome to OverTheWire!
```

```
If you find any problems, please report them to the #wargames channel on discord or IRC.
```

This is an OverTheWire game server.  
More information on <http://www.overthewire.org/wargames>

```
bandit7@bandit.labs.overthewire.org's password:
```

If you find any problems, please report them to the #wargames channel on discord or IRC.

```
Cossack's 8tC1JTOC98K7GeNPmvZSqdX9m5J31GIN
blacktops 0tCq2fIk0rCnB8gzBPvc6mpzIWU2t41l
widest HEAZURJXXVXuhcMxEc3sFeL7vaDs3i66
baldness's 6Ss90USrKstkETLUfPUXnTy6V729crDJ
litterbug bhlUfxLmhsQMyd8aEscpGoZ9PRVWuf7m
rascals 4gDNYncGfDXF4Ba8czlmUKSsixxItl82X
pithy yRN023PrXg9A9oZMeQKCATJMIS2HI3GL
partners oTyM8HSiJI2w0zIa40wT1aV9BJxLxBRm
prairie 3coItFP6aquQNFoKvh5sy0vsfY4B3r9M
bankbooks ZKv9a1U13H3ofNPpWXpexejFgav06F0t
snorkeler ODkHNRfz0Qey4ssTKPKnGTffzLLITEaL
previews w6w0Bks5KXALY05wXxPoB0Px1RglF2xV
urology 1N5ra7A6iWknR8Q0jf9HIxuoV6khdyV
Lyndon px90s96gSBzTj40UtkzYfKpxYaN1COWI
timbers M8qEPbCTfyCDFmbmQDywGXysrde5odbG
prepare lgYYrxavnHCK4DiEjtK9BE4aK9GpI5j6
Md dS5xXfHVjAC99ErhTjKdaA1nYLn4rNNn
camouflaging 7h0TPtLnoimIirVFgAuDcs34ijGd5GhB
triples B10ck9H0wMcKtzmVKxtQhbANi4DRK7gr
fireball's CscpbC040eiT2vCzKnjVoHjNC9ardqKj
laburnum CGvv6nYnarabiT4aV51Ac68l2CL2r1gc
ulna UvMXwIOwbeHfvV5EaIcJDPH5HPIEpOLY
emancipation Bk2SpsdqfLNxkhuypEl5uFja2zTCw5dV
insurgency 0i56ZWD45JovbyMcpJFLshm7JbCvWtBw
crotchety F4R8b5aSh4oTP8J0wQ684eY7eg28J03l
sheaf WcLQ0067VrkVe7MxXmIQ0HprbfMsyvSA
launderer lzSJPIc68DpHercovMDXEK90ERLQeQxC
coexisting qCby8sY813x79YpgtuQQN7Vo34EqX91I
birdwatcher uFtgjfITxP2K5Sa2XBB4geV8T2RyTurM
researches nUjmD2fi363QJI0UW4Cck7kvXuV0ue8y
doses QybVtIif3EUV6zfgyTpM3w5EP4HLgUiE
newed xMNECCqkCBQjhLpKYdiRjjw46oe4cEXL
nautically upBptAfkRhavEZc86qfSnZtucTckORN5
Timothy pl82QgeojwWt1c0QMZKWEwKXC0QRoa4j
abating 8Rsd0GN25MgFiD6q30aZbbIJR2gVUfrn
Jolene rqCiQZPFvALmSlpepjQLFhNqg6t4GSre
bandit7@bandit:~$ whatis |strings
```



backend: gibbon-0  
bandit8@bandit.labs.overthewire.org's password:



www.OverTheWire.org

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on discord or IRC.

--[ Playing the games ]--

This machine might hold several wargames.  
If you are playing "somegame", then:

- \* USERNAMES are somegame0, somegame1, ...
- \* Most LEVELS are stored in /somegame/.
- \* PASSWORDS for each level are stored in /etc/somegame\_pass/

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can

```
bandit8@bandit: ~
use the
 command "mktemp -d" in order to generate a random and hard to
guess
 directory in /tmp/. Read-access to both /tmp/ is disabled and
to /proc
 restricted so that users cannot snoop on each other. Files and
directories
 with easily guessable or short names will be periodically dele
ted! The /tmp
 directory is regularly wiped.
Please play nice:

 * don't leave orphan processes running
 * don't leave exploit-files laying around
 * don't annoy other players
 * don't post passwords or spoilers
 * again, DONT POST SPOILERS!
 This includes writeups of your solution on your blog or we
bsite!

--[Tips]--

 This machine has a 64bit processor and many security-features
enabled
 by default, although ASLR has been switched off. The followin
g
 compiler flags might be interesting:

 -m32 compile for 32bit
 -fno-stack-protector disable ProPolice
 -Wl,-z,norelro disable relro

 In addition, the execstack tool can be used to flag the stack
as
 executable on ELF binaries.

 Finally, network-access is limited for most levels by a local
```

```
Finally, network-access is limited for most levels by a local
firewall.

--[Tools]--

For your convenience we have installed a few useful tools which
you can find
in the following locations:

 * gef (https://github.com/hugsy/gef) in /opt/gef/
 * pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
 * gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbin
it/
 * pwntools (https://github.com/Gallopsled/pwntools)
 * radare2 (http://www.radare.org/)

--[More information]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

For support, questions or comments, contact us on discord or I
RC.

Enjoy your stay!

bandit8@bandit:~$ |
```

nA0jnsAmjDh4HDRPtT9uYYQD4TtS7ATp  
mkg2fjgnDwCtFpNX3NwNych3bqW7pwaB  
UriFPhfo5J2F05BLuAS4zvt7wrcdjBPG  
kN1j0IK3Tjwq6v22TPYmtzJPutybqrMC  
CPl9maTRaiwuatGwBVXzJ6MUmZj3unQc  
66TrUQVXbVR6ULKNoUQCshyInYXqTYzE  
YUvDYOGnct8EDWJk6Td54BA5QXLDfr9E  
1kopVbuefPoyJ5GDxH0q46SXQVQQZmge  
6GAXZtABu3ubAxFpTGGSNbFm97v20eb1  
d2eVnHqImYkzKbGhUUWU621FPqZVgd2Z  
sfPNUHR7X8iJZ6YbhxyAzs3uUxFTtQJA  
fVMZtRIbKpAERTTt0SZD1gWMXqfS3dp5  
KJcLSir4i0SSuFooIFlgo3RTRBJuQLWP  
YUvDYOGnct8EDWJk6Td54BA5QXLDfr9E  
nRJQv9gBOXZdinF9yR8rArFOYEGhm05Y  
mQipvrwZ1exWu19Fz0Ww54Z00twN8siH  
1S7LmjYT5AlAvRmzK8ksutVRWlMel92r  
QdfzF00EDdjEwye0NP2acPre4dRSWMcw  
g5UBLltZjkLHyPQucLlDJ0a8J7Dvna8M  
6qkqrxIAscbi9wvRZu0b3ZKuaBKcyBh2  
YxIODx71BspHuiDnIlzPiubR0jcnNBdA  
CkPCxsHa9CVcFuBPFEDhQviFp2QAj7y6  
jchs6fFTYVTdPhSrJmQqruGSI5HtIOw3  
vgc2y6nCoLgiFsM2oAaApDwwsM6JLlS7  
QKHkKQ3yuded9rh1b076UA7jolGxszz3  
KofGme6ZijinwWXHuusJRBJKz1tEdWD  
9A0SfySLRMk7os6lcgrhPv0sR3Qfgovn  
onXIIYeYesy4nrJbQILfCWBPQ0HvzyK7  
6Fv4fN9rP2Jd3789kWRB0a10LxXTB1o1  
KJcLSir4i0SSuFooIFlgo3RTRBJuQLWP  
UuNCGjVZ2lddyKr1DNHsKoMI5mJ7cxv9  
dSQHIMqQ3AZwGwJ7qkgaEXfhjePq0HJg  
V8hdTr7tD12CgRsyLXVshVAKUBGruUnB  
uXYZ7arS84UyYCMJlqRJ2XbFbQud2pRH  
CPl9maTRaiwuatGwBVXzJ6MUmZj3unQc  
UihXKNyBT1s5ltAlCDiIEofJa6A3hW60  
bandit8@bandit:~\$ sort data.txt

[illegible]

| <u>UNIQ(1)</u> | User Commands | <u>UNIQ(1)</u> |
|----------------|---------------|----------------|
|----------------|---------------|----------------|

NAME

```
uniq - report or omit repeated lines
```

## SYNOPSIS

**uniq** [OPTION]... [INPUT [OUTPUT]]

DESCRIPTION

Filter adjacent matching lines from INPUT (or standard input), writing to OUTPUT (or standard output).

With no options, matching lines are merged to the first occurrence.

Mandatory arguments to long options are mandatory for short options too.

```
-c, --count
 prefix lines by the number of occurrences
```

```
-d, --repeated
 only print duplicate lines, one for each group
```

```
-D print all duplicate lines
```

```
--all-repeated[=METHOD]
 like -D, but allow separating groups with an
 empty line; METHOD={none(default),prepend,sepa-
 rate}
```

```
-f, --skip-fields=N
 avoid comparing the first N fields
```

```
--group[=METHOD]
 show all items, separating groups with an empty
```

```
Manual page uniq(1) line 1 (press h for help or q to quit)
```

```
bandit8@bandit:~$ man uniq
bandit8@bandit:~$ sort data.txt | uniq -c
10 1kopVbuefPoyJ5GDXH0q46SXQVQQZmge
10 1PIVQI2GADz12PtZBMarRD3DpMfDoxbG
10 1S7LmjYT5A1AvRmzK8ksutVRwLMel92r
10 2EFKJco5KZnbkQLj0oen5cVgbwzNioDr
10 2rTFFLUJ4KkcEGhrsio6o5QsgofP8yTyr
10 3XiARLa3d6LTJ5PYT5JCfN60VDx6FLVH
1 4CKMh1JI91bUIZZPXqDqGana14xvAg0JM
```

```

 10 zWqsFEtdWbShurXBl8iHy7yuvvYe69qu
 10 ZyF4B7i7txAxXBvVmrMPZl4W7izcNWMt
bandit8@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.

```

```
C:\Users\User>ssh bandit9@bandit.labs.overthewire.org -p 2220
```

## Task 9

```
C:\Users\User>ssh bandit9@bandit.labs.overthewire.org -p 2220
```

[illegible]

This is an OverTheWire game server.  
More information on <http://www.overthewire.org/warga>

mes

```
backend: gibbon-0
```

bandit9@bandit.labs.overthewire.org's password:

Permission denied, please try again.

bandit9@bandit.labs.overthewire.org's password:



Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on discord or IRC.

#### --[ Playing the games ]--

This machine might hold several wargames.  
If you are playing "somegame", then:

- \* USERNAMES are somegame0, somegame1, ...
- \* Most LEVELS are stored in /somegame/.
- \* PASSWORDS for each level are stored in /etc/somegame\_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.  
Please play nice:

- \* don't leave orphan processes running
  - \* don't leave exploit-files laying around
  - \* don't annoy other players
  - \* don't post passwords or spoilers
  - \* again, DONT POST SPOILERS!
- This includes writeups of your solution on your blog or website!

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

- |                      |                   |
|----------------------|-------------------|
| -m32                 | compile for 32bit |
| -fno-stack-protector | disable ProPolice |
| -Wl,-z,norelro       | disable relro     |

In addition, the execstack tool can be used to flag the stack as executable on ELF binaries.

Finally, network-access is limited for most levels by a local firewall.

#### --[ Tools ]--

For your convenience we have installed a few useful tools which you can find in the following locations:

- \* gef (<https://github.com/hugsy/gef>) in /opt/gef/
- \* pwndbg (<https://github.com/pwndbg/pwndbg>) in /opt/pwndbg/
- \* gdbinit (<https://github.com/gdbinit/Gdbinit>) in /opt/gdbinit/
- \* pwntools (<https://github.com/Gallopsled/pwntools>)
- \* radare2 (<http://www.radare.org/>)

#### --[ More information ]--

For more information regarding individual wargames, visit <http://www.overthewire.org/wargames/>

For support, questions or comments, contact us on discord or IRC.



```

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames ch
annel on
discord or IRC.

--[Playing the games]--

This machine might hold several wargames.
If you are playing "somegame", then:

 * USERNAMES are somegame0, somegame1, ...
 * Most LEVELS are stored in /somegame/.
 * PASSWORDS for each level are stored in /etc/somegame_pass/
.

Write-access to homedirectories is disabled. It is advised to
create a
working directory with a hard-to-guess name in /tmp/. You can
use the
command "mktemp -d" in order to generate a random and hard to
guess

```

```
bandit10@bandit:~$ cat data.txt
VGhLIHBhc3N3b3JkIGlzIGR0UjE3M2ZaS2IwUlJzREZTR3NnMlJXbnBOVmozcVJy
Cg==
bandit10@bandit:~$ base
Command 'base' not found, did you mean:
 command 'bake' from snap bake (0.1.3)
 command 'bash' from deb bash (5.2.21-2ubuntu1)
 command 'ase' from deb ase (3.22.1-3)
 command 'basex' from deb basex (10.5-1)
 command 'basez' from deb basez (1.6.2-3)
See 'snap info <snapname>' for additional versions.
bandit10@bandit:~$ man base64
```

BASE64(1) User Commands BASE64(1)

#### NAME

base64 - base64 encode/decode data and print to standard output

#### SYNOPSIS

base64 [OPTION]... [FILE]

#### DESCRIPTION

Base64 encode or decode FILE, or standard input, to standard output.

With no FILE, or when FILE is -, read standard input.

Mandatory arguments to long options are mandatory for short options too.

-d, --decode  
decode data

-i, --ignore-garbage  
when decoding, ignore non-alphabet characters

-w, --wrap=COLS  
wrap encoded lines after COLS character (default 76). Use 0 to disable line wrapping

--help display this help and exit

--version  
output version information and exit

The data are encoded as described for the base64 alphabet in RFC 4648. When decoding, the input may contain newlines in addition to the bytes of the formal base64

Manual page base64(1) line 1 (press h for help or q to quit)

```
bandit10@bandit:~$ cat data.txt
VGhlIHBhc3N3b3JkIGlzIGR0UjE3M2ZaS2IwUjJzREZTR3NnMlJXbnBOVmozcVJy
Cg==
bandit10@bandit:~$ base
Command 'base' not found, did you mean:
 command 'bake' from snap bake (0.1.3)
 command 'bash' from deb bash (5.2.21-2ubuntu1)
 command 'ase' from deb ase (3.22.1-3)
 command 'basex' from deb basex (10.5-1)
 command 'basez' from deb basez (1.6.2-3)
See 'snap info <snapname>' for additional versions.
bandit10@bandit:~$ man base64
bandit10@bandit:~$ base64 -d data.txt
The password is dtR173fZKb0RRsDFSGsg2RWnpNVj3qRr
bandit10@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
```

## Task 11

```
C:\Users\User>ssh bandit11@bandit.labs.overthewire.org -p 2220
```

# DOMESTIC

This is an OverTheWire game server.  
More information on <http://www.overthewire.org/warga>

mes

```
backend: gibbon-0
```

```
bandit11@bandit.labs.overthewire.org's password:
```



Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on discord or IRC.

--[ Playing the games ]--

This machine might hold several wargames.

If you are playing "somegame", then:

- \* USERNAMES are somegame0, somegame1, ...
- \* Most LEVELS are stored in /somegame/.
- \* PASSWORDS for each level are stored in /etc/somegame\_pass/

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess

ROT13 - CyberChef

gchq.github.io/CyberChef/#recipe=ROT...

Download CyberChef

Open

Input

Gur cnffjbeq vf 7k16JArUVv5LxVuJfsSVdbbtaHGlw9D4

ROT13

Rotate

☒ lower

☒ case

☒ Rotate

☒ chars

☒ upper

☐ case

☐ chars

☐ Rotate

☐ numbers

Amount

13

Output

The password is 7x16wNeHIi5YkIhWsfFIqoognUTyJ9Q4

bandit12@bandit: ~

bandit11@bandit:~\$ cat data.txt

Gur cnffjbeq vf 7k16JArUVv5LxVuJfsSVdbbtaHGlw9D4

bandit11@bandit:~\$ exit

logout

Connection to bandit.labs.overthewire.org closed.

C:\Users\User>ssh bandit12@bandit.labs.overthewire.org -p 2220

mes

This is an OverTheWire game server.

More information on <http://www.overthewire.org/warga>

backend: gibson-0

bandit12@bandit.labs.overthewire.org's password:

Welcome to OverTheWire!

## Task 12

```
C:\Users\User>ssh bandit12@bandit.labs.overthewire.org -p 2220
```

mes

This is an OverTheWire game server.  
More information on <http://www.overthewire.org/warga>

backend: gibson-0  
bandit12@bandit.labs.overthewire.org's password:

Welcome to OverTheWire!

```
--[Tips]--

This machine has a 64bit processor and many security-features
enabled
by default, although ASLR has been switched off. The followin
g
compiler flags might be interesting:

-m32 compile for 32bit
-fno-stack-protector disable ProPolice
-Wl,-z,norelro disable relro

In addition, the execstack tool can be used to flag the stack
as
executable on ELF binaries.

Finally, network-access is limited for most levels by a local
firewall.

--[Tools]--

For your convenience we have installed a few useful tools which
you can find
in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbin
it/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[More information]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/
```

```
bandit12@bandit:~$ mkdir /tmp/hanzala12
bandit12@bandit:~$ cd /tmp/hanzala12
bandit12@bandit:/tmp/hanzala12$ cp ~/data.txt .
bandit12@bandit:/tmp/hanzala12$ ls
data.txt
bandit12@bandit:/tmp/hanzala12$ xxd -r data.txt > data
bandit12@bandit:/tmp/hanzala12$ file data
data: gzip compressed data, was "data2.bin", last modified: Tue
Oct 14 09:26:00 2025, max compression, from Unix, original size
modulo 2^32 572
bandit12@bandit:/tmp/hanzala12$ mv data data.gz
bandit12@bandit:/tmp/hanzala12$ gunzip data.gz
bandit12@bandit:/tmp/hanzala12$ file data
data: bzip2 compressed data, block size = 900k
bandit12@bandit:/tmp/hanzala12$ mv data data.bz2
bandit12@bandit:/tmp/hanzala12$ bunzip2 data.bz2
bandit12@bandit:/tmp/hanzala12$ file data
data: gzip compressed data, was "data4.bin", last modified: Tue
Oct 14 09:26:00 2025, max compression, from Unix, original size
modulo 2^32 20480
bandit12@bandit:/tmp/hanzala12$ mv data data.gz
bandit12@bandit:/tmp/hanzala12$ gunzip data.gz
bandit12@bandit:/tmp/hanzala12$ file data
data: POSIX tar archive (GNU)
bandit12@bandit:/tmp/hanzala12$ tar -xf data
bandit12@bandit:/tmp/hanzala12$ ls
data data5.bin data.txt
bandit12@bandit:/tmp/hanzala12$ file data5.bin
data5.bin: POSIX tar archive (GNU)
bandit12@bandit:/tmp/hanzala12$ tar -xf data5.bin
bandit12@bandit:/tmp/hanzala12$ ls
data data5.bin data6.bin data.txt
bandit12@bandit:/tmp/hanzala12$ file data6.bin
data6.bin: bzip2 compressed data, block size = 900k
bandit12@bandit:/tmp/hanzala12$ mv data6.bin data6.bz2
bandit12@bandit:/tmp/hanzala12$ bunzip2 data6.bz2
bandit12@bandit:/tmp/hanzala12$ file data
```

```
bandit12@bandit:/tmp/hanzala12$ ls
data data5.bin data6.bin data.txt
bandit12@bandit:/tmp/hanzala12$ file data6.bin
data6.bin: bzip2 compressed data, block size = 900k
bandit12@bandit:/tmp/hanzala12$ mv data6.bin data6.bz2
bandit12@bandit:/tmp/hanzala12$ bunzip2 data6.bz2
bandit12@bandit:/tmp/hanzala12$ file data
data: POSIX tar archive (GNU)
bandit12@bandit:/tmp/hanzala12$ tar -xf data6.bin
tar: data6.bin: Cannot open: No such file or directory
tar: Error is not recoverable: exiting now
bandit12@bandit:/tmp/hanzala12$ tar -xf data6
bandit12@bandit:/tmp/hanzala12$ ls
data data5.bin data6 data8.bin data.txt
bandit12@bandit:/tmp/hanzala12$ file data8.bin
data8.bin: gzip compressed data, was "data9.bin", last modified:
Tue Oct 14 09:26:00 2025, max compression, from Unix, original
size modulo 2^32 49
bandit12@bandit:/tmp/hanzala12$ mv data8 data8.gz
mv: cannot stat 'data8': No such file or directory
bandit12@bandit:/tmp/hanzala12$ mv data8.bin data8.gz
bandit12@bandit:/tmp/hanzala12$ gunzip data8.gz
bandit12@bandit:/tmp/hanzala12$ file data8
data8: ASCII text
bandit12@bandit:/tmp/hanzala12$ cat data8
The password is F05dwFsc0cbaIiH0h8J2eUks2vdTDwAn
bandit12@bandit:/tmp/hanzala12$ |
```

## Task 13

Windows PowerShell

Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements!  
<https://aka.ms/PSWindows>

PS C:\Users\User> **ssh** -i C:\Users\User\sshkey.private bandit14@bandit.labs.overthewire.org -p 2220

OverTheWire

This is an OverTheWire game server.  
More information on <http://www.overthewire.org/wargames>

mes

backend: gibson-0

OverTheWire

www.OverTheWire.org

Welcome to OverTheWire!

```
m32 compile for 32bit
fn stack protect r disable Pr P lice
WL zn relr disable relr
```

In addition the execstack t l can be used to flag the stack as

executable in ELF binaries

Finally network access is limited from st levels by a local firewall

[ Tools ]

For your convenience we have installed a few useful tools which you can find in the following locations

```
* gef (https://github.com/hugsy/gef) in / pt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in / pt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in / pt/gdbinit/
* pwntools (https://github.com/Gall4psled/pwntools)
* radare2 (http://www.radare.org/)
```

[ More information ]

For more information regarding individual wargames visit <http://www.verthewire.org/wargames/>

For support questions or comments contact us on discord or IRC

Enjoy your stay

```
bandit14@bandit $ cat /etc/bandit/pass/bandit14
MU4VWeTyJkSR0 f1qqmcBPaih7LDcPvS
bandit14@bandit $
```

THE END