


Auth
register
login
block user
Reset pass
A
F
S
Templates
create
View
Update
attach
remove
A
F
owned by faculty, only
all
Academic Data Module (CRUD)
Institution
Department
Admin
Faculty Member
Student
degree
academic session
course
course enroll
course assign
Exam
Exam Result
Attendance
exam log
academic event
event type
CRU
A
S
F
R
RU
Limited
RD

TEMP#001



Campaign #1

Template: TEMP#001

Repeat: Every Month

Target: All Students

Status: Active

⇒ Automation Rule Engine (ARE)

أستغفر الله


C-Record

Topic | Time | Timezone | Target | Repeating | Is Setting


O/D/W/Y/S


بسم الله الرحمن الرحيم

Smart Academic Communication Platform - Use Case Diagrams




Delete: Remove / deactivation








Types:-
- Routine Campaigns
- Event Campaigns
- Special Campaigns

Usage of ARE:-
- Automates repetative messages.
- Works with campaigns, templates, & academic records.
- Usually works in background.
- Maps template placeholder with data.
- Works with messaging delivery service as well.













→ Core of our project











أستغفر الله

بسم الله الرحمن الرحيم

SACP – Usecase Diagrams



This day/month/year
(Engagement Graph)




Tour
Murree



Options
> Timeline
• day
• week
• month
• year
> Campaign → order not
- Department (all/selective)
- Courses/Semester
- Students, so on


Chart.js




أستغفر الله
I SEEK FORGIVENESS FROM ALLAH

بسم الله الرحمن الرحيم

SACP - Usecase Diagrams



3.6.1.1 Admin Login



Use Case Description:

Use Case ID	UC1-01	
Use Case Name	Admin Login	
Description	Allows the admin to securely log in to the SACP system to access their dashboard and manage faculty members, students, and institution-wide communication workflows.	
Primary Actor	Admin	
Pre-Condition	The admin must be a registered with valid name, institution, and credentials (email and password).	
Post-Condition	The admin is authenticated and redirected to the admin dashboard.	
Basic Flow	**Actor Action**	**System Action**
	1. The use case starts when the admin opens the SACP login page. 2. The admin enters a valid email and password. 3. The system verifies the credentials. 4. If valid, the system sends an OTP is 2FA is enabled. 5. After validating 2FA OTP, the admin will be logged in and redirected to dashboard. 6. The session is securely created and maintained.	• The system authenticates the admin and sends an OTP for 2FA. When admin enters the matching code, the system will grant dashboard access.
Alternate Flow	o If the credentials are invalid, the system shows an error message. o Admin can choose "Forgot Password" to recover access. o If OTP of 2FA is invalid, the system will show error message and won't grant any access until valid OTP is entered.	