QUICK SORT

QUICK SORT

This sorting algorithm uses the idea of divide and conquer.

It finds the element called **pivot** which divides the array into two halves in such a way that elements in the left half are smaller than pivot and elements in the right half are greater than pivot.

QUICK SORT

Three steps

- Find pivot that divides the array into two halves.
- Quick sort the left half.
- Quick sort the right half.

Example

Consider an array having 6 elements

5 2 6 1 3 4

Arrange the elements in ascending order using quick sort algorithm

This is our unsorted array

Array index	0	1	2	3	4	5
Array element	**5**	**2**	**6**	**1**	**3**	**4**

This is our unsorted array



This is our unsorted array



Left

Initially pointing to the
First element of the array

This is our unsorted array



This is our unsorted array



Left

Initially pointing to the
First element of the array

Right

Initially pointing to the
Last element of the array


Pivot
This is our unsorted array
Array index
0
1
2
3
4
5
Array element
5
2
6
1
3
4
Left
Initially pointing to the
First element of the array
Right
Initially pointing to the
Last element of the array


Initially pointing to the
First element
Pivot
This is our unsorted array
Array index
Array element
0
1
2
3
4
5
5
2
6
1
3
4
Left
Right
Initially pointing to the
First element of the array
Initially pointing to the
Last element of the array


Initially pointing to the
First element
Pivot
This is our unsorted array
Array index
0
1
2
3
4
5
Array element
5
2
6
1
3
4
We will quick sort this array
Left
Right
Initially pointing to the
First element of the array
Initially pointing to the
Last element of the array


Pivot
0
1
2
3
4
5
5
2
6
1
3
4
Left
Right

Remember this rule:



Remember this rule:

All element to the **RIGHT** of pivot be **GREATER** than pivot.



Remember this rule:

All element to the **RIGHT** of pivot be **GREATER** than pivot.

All element to the **LEFT** of pivot be **SMALLER** than pivot.



As the pivot is pointing at left




As the pivot is pointing at left
So we will start from right
Pivot
0
1
2
3
4
5
5
2
6
1
3
4
Left
Right


As the pivot is pointing at left
And move towards left
So we will start from right
Pivot
0
1
2
3
4
5
5
2
6
1
3
4
Left
Right

Pivot = 5
Right =4



Is Pivot < Right

(5 < 4)

Pivot = 5
Right =4



Is Pivot < Right

(5 < 4)

NO

Pivot = 5
Right =4



Is Pivot < Right

(5 < 4)

Pivot = 5
Right =4

NO

So we swap pivot and right



Is Pivot < Right

(5 < 4)

Pivot = 5
Right =4

NO

So we swap pivot and right



Is Pivot < Right

(5 < 4)

NO

So we swap pivot and right

Pivot = 5
Right =4



Is Pivot < Left

Pivot = 5
Left =4



Is Pivot < Left

NO

Pivot = 5
Left =4

So we swap pivot to the right



Now the pivot is pointing at right




Now the pivot is pointing at right
So we will start from left
Pivot
0
1
2
3
4
5
4
2
6
1
3
5
Left
Right


Now the pivot is pointing at right
So we will start from left
And move towards right
Pivot
0
1
2
3
4
5
4
2
6
1
3
5
Left
Right

Is Pivot > Left

(5 > 4)

Pivot = 5
Left =4



Is Pivot > Left

(5 > 4)

Pivot = 5
Left =4

YES



Is Pivot > Left

(5 > 4)

Pivot = 5
Left =4

YES

So we move left one position towards right

Pivot



Is Pivot > Left

(5 > 2)

Pivot = 5
Left =2



Is Pivot > Left

(5 > 2)

Pivot = 5
Left =2

YES



Is Pivot > Left

(5 > 2)

Pivot = 5
Left =2

YES

So we move left one position towards right

Pivot



Is Pivot > Left

(5 > 6)

Pivot = 5
Left =6



Is Pivot > Left

(5 > 6)

NO

Pivot = 5
Left =6



Is Pivot > Left

(5 > 6)

Pivot = 5
Left =6

NO

So we swap pivot and left

Pivot



Is Pivot > Left

(5 > 6)

Pivot = 5
Left =6

NO

So we swap pivot and left



Is Pivot > Left

(5 > 6)

Pivot = 5
Left =6

NO

So we swap pivot and left



Is Pivot > Left

(5 > 6)

Pivot = 5
Left =6

NO

So we swap pivot and left



And move the pivot to left


Pivot
0
1
2
3
4
5
4
2
5
1
3
6
Left
Right


Now the pivot is pointing at left
Pivot
0
1
2
3
4
5
4
2
5
1
3
6
Left
Right


Now the pivot is pointing at left
So we will start from right
Pivot
0
1
2
3
4
5
4
2
5
1
3
6
Left
Right


And move towards left
Now the pivot is pointing at left
So we will start from right
Pivot
0
1
2
3
4
5
4
2
5
1
3
6
Left
Right

Is Pivot < Right

(5 < 6)

Pivot = 5
Right =6



Is Pivot < Right

(5 < 6)

YES

Pivot = 5
Right =6



Is Pivot < Right

(5 < 6)

YES

Pivot = 5
Right =6

Pivot

So we move right one position towards left



Is Pivot < Right

(5 < 3)

Pivot = 5
Right =3



Is Pivot < Right

(5 < 3)

NO

Pivot = 5
Right =3



Is Pivot < Right

(5 < 3)

NO

So we swap pivot and right

Pivot = 5
Right =3



Is Pivot < Right

(5 < 3)

NO

Pivot = 5
Right =3

So we swap pivot and right



Is Pivot > Right

(5 > 3)

NO

Pivot = 5
Right =3

So we swap pivot and right



And move the pivot to right

Is Pivot > Left

(5 > 3)

Pivot = 5
Left =3



Is Pivot > Left

(5 > 3)

YES

Pivot = 5
Left =3



Is Pivot > Left

(5 > 3)

YES

So we move left one position towards right

Pivot = 5
Left =3



Is Pivot > Left

(5 > 1)

Pivot = 5
Left = 1




Pivot
0
1
2
3
4
5
4
2
3
1
5
6
Left
Right

Now both left and right are pointing at the same element of the array



Now both left and right are pointing at the same element of the array

This time 5 is the pivot and it is at the sorted position



Now both left and right are pointing at the same element of the array

This time 5 is the pivot and it is at the sorted position



Now both left and right are pointing at the same element of the array



Now both left and right are pointing at the same element of the array

This time 5 is the pivot and it is at the sorted position

Elements left of pivot are smaller

Pivot

Elements right of pivot are greater



So pivot has divided the array into two sub array

Now both left and right are pointing at the same element of the array

This time 5 is the pivot and it is at the sorted position

Elements left of pivot are smaller

Elements right of pivot are greater

Pivot



Left sub array

Right sub array

Left

Right

So pivot has divided the array into two sub array

Now both left and right are pointing at the same element of the array

This time 5 is the pivot and it is at the sorted position

Elements left of pivot are smaller

Elements right of pivot are greater

Pivot



Left sub array

Right sub array

Left Right

So pivot has divided the array into two sub array

We will now quick sort the left sub array

Is Pivot < Left

(4 < 1)

Pivot = 4
Left =1



Is Pivot < Left

(4 < 1)

NO

Pivot = 4
Left =1



Is Pivot < Left

(4 < 1)

NO

Pivot = 4
Left =1

So we swap pivot and right



Is Pivot < Left

(4 < 1)

NO

Pivot = 4
Left =1

So we swap pivot and right



Is Pivot < Left

(4 < 1)

NO

Pivot = 4
Left =1

So we swap pivot and right



Is Pivot < Left

(4 < 1)

NO

Pivot = 4
Left =1

So we swap pivot and right



The Array is Sorted

0	1	2	3	4	5
1	**2**	**3**	**4**	**5**	**6**

Jeanie Lyn Arnoco