

TECHNICAL & ECONOMIC WHITEPAPER

The Inaya Protocol

A Decentralized Sovereign Custody Network for High-Value Enterprise Assets



Document Identifier INAYA-WP-2026-V1
Attestation Suite BNB Chain Testnet

Security Classification Public
Date of Emission July 2026

ABSTRACT

Executive Summary

Security is realized through mathematical fragmentation, eliminating structural data vulnerability at its source.

In contemporary high-value corporate operations, traditional cloud data configurations pose immense systemic single-point-of-failure liabilities. Centralized data models face constant perimeter exploitation threats, server vulnerability manipulation, and third-party administrative risks.

The Inaya Protocol introduces a hardened infrastructure layer that eliminates central server dependencies through a zero-knowledge pipeline consisting of client-side localized cryptographic slicing, multi-swarm sharded distribution via the InterPlanetary File System (IPFS), and immutable state ledger tracking via Ethereum Virtual Machine (EVM) smart contracts.

This whitepaper details the underlying mechanical equations governing decentralized slicing arrays, the on-chain registry mechanics, and the institutional hybrid monetization frameworks engineered to secure multi-tenant cloud asset compliance without exposing cleartext credentials to external environments.

2 SHARD VECTORS PER ASSET	256 BIT AES-GCM ENCRYPTION	30M INAYA TOTAL SUPPLY
---	--	--

SECTION 01

Architectural Vulnerability Paradigm

Enterprise data asset protection platforms are fundamentally limited by standard storage paradigms. When digital assets are saved to classical servers, files reside whole within localized virtual environments. If an administrative boundary is breached via an attack on authentication mechanisms, the cleartext contents of the files are entirely compromised.

1.1 Systemic Threat Matrices

The protocol classifies enterprise storage vulnerabilities into three specific threat fields:

Perimeter Sniffing & Exfiltration Attack vectors targeting network interfaces to duplicate whole files during runtime transmission loops.	Host Multi-Tenant Contamination Hardware-level memory bleeds inside unified hypervisors where data from one enterprise is exposed to adjacent virtual clusters.	Cryptographic Custody Key Forgery Forced access to databases holding system-managed encryption master certificates on central database management servers.
--	--	---

1.2 The Absolute Custody Operational Philosophy

Derived from the structural linguistic Arabic term meaning "Absolute Protection, Vigilant Care, and Functional Grace," Project Inaya re-engineers data storage from a cold mathematical process into an active digital guardian framework. Security is realized through mathematical fragmentation, eliminating structural data vulnerability.

SECTION 02

The Localized Cryptographic Slicing Protocol

The core breakthrough of the Inaya Network is that files never leave user host parameters in a unified form. The system routes every incoming file object through a local compilation layer inside host browser runtimes before broadcasting transport parameters to network peers.

2.1 Client-Side Encryption Key Derivation

To preserve zero-knowledge status, master passwords are run through a password-based key derivation function (PBKDF2) using an isolated pseudo-random number generator salt sequence. The derived output vector forms an asymmetric local vault key wrapper.

Let P represent the administrative master passkey text and S represent the generated cryptographically secure 16-byte salt string. The derived key matrix K_v is established as:

DERIVATION FUNCTION

$$K_v = \text{PBKDF2}(P, S, c = 100,000, \text{HMAC-SHA256}, \text{len} = 256)$$

2.2 Dual-Vector Binary Sharding Logic

Once local encryption is completed via AES-GCM-256 blocks, the resulting unified ciphertext payload string C is mathematically bisected into standalone structural fragments. The slicing coordinate is calculated dynamically at the precise byte midpoint of the array string:

MIDPOINT COORDINATE

$$M_p = \lceil \text{length}(C) / 2 \rceil$$

The payload is divided into two distinct vector streams, denoted as Shard Alpha (V_α) and Shard Beta (V_β):

SHARD VECTORS

$$V_\alpha = C[0 \dots M_p - 1] \text{ and } V_\beta = C[M_p \dots \text{end}]$$

2.3 Mathematical Slicing Perimeter Isolation Proof

Neither Shard Alpha nor Shard Beta contains enough contiguous bit information to recreate block structures. If an individual network peer gateway is compromised, the isolated shard is mathematically indistinguishable from random binary noise, rendering raw exfiltration vectors useless.

SECTION 03

On-Chain Ledger Attestation Layer

Project Inaya entirely eliminates the need for database clusters. The management registry loop tracks global storage asset pointers by mapping references directly onto public smart contract variables on EVM-compatible execution networks.

3.1 Smart Contract State Configurations

```
struct AssetRecord {
    string filename;
    string cidAlpha; // Content Identifier pointing to IPFS Swarm A
    string cidBeta;  // Content Identifier pointing to IPFS Swarm B
    uint256 timestamp;
    address operator; // Cryptographic signing address of the node
}

mapping(string => AssetRecord) private _registry;
```

3.2 Immutable Data Registry Flow

When an asset record is published, the network operator invokes the execution function `registerAsset`. This updates contract storage variables permanently across all decentralized validation nodes globally.

```
function registerAsset(
    string memory assetId,
    string memory filename,
    string memory cidAlpha,
    string memory cidBeta
) public {
    require(bytes(_registry[assetId].cidAlpha).length == 0, "Asset collision");
    _registry[assetId] = AssetRecord({
        filename: filename,
        cidAlpha: cidAlpha,
        cidBeta: cidBeta,
        timestamp: block.timestamp,
        operator: msg.sender
    });
    emit AssetArchived(assetId, cidAlpha, cidBeta, msg.sender);
}
```

SECTION 04

Business Pay-As-You-Go Storage

To eliminate multi-token management friction for developers and retail users, the platform processes storage deployment in stablecoins while managing bandwidth allocations on a structured monthly schedule.

- ◆ **Baseline Storage Rate:** 4.5 USDT / TB / month.
- ◆ **The Competitive Edge:** Traditional Web2 solutions start at 6.95 USDT / TB / month for archiving and balloon to 15 USDT / TB / month for performance storage. Inaya undercuts legacy cloud provider pricing while scaling open network telemetry.
- ◆ **Monthly Egress Allocation Structure:** Bandwidth usage is aggregated and settled on a clean monthly billing cycle at a baseline metric of 5 INAYA per 0.5 TB of data retrieved.
- ◆ **Staking Benefits & Yield:** Users staking INAYA tokens generate passive APY from the protocol's 26.7% rewards pool while unlocking priority bandwidth routing and enhanced API throughput.
- ◆ **Annual Maintenance Fee:** A flat fee of 5 USDT / Year (fractionalized seamlessly at just 0.41 USDT / month inside the normal usage invoice).

SECTION 05

Market Pricing Comparison

Inaya structurally outperforms centralized and legacy data models by removing excessive bandwidth multipliers and eliminating contractual minimum duration requirements.

PROVIDER	STORAGE (1 TB / MONTH)	EGRESS (1 TB DOWNLOAD)	MINIMUM DURATION
Amazon S3 (Standard)	~23.00 USDT	~90.00 USDT	30 Days
Google Cloud Storage	~20.00 USDT	~80.00 USDT	30 Days
Legacy Web2 (B2)	~6.00 USDT	~10.00 USDT	None
Inaya Network (DePIN)	4.50 USDT	10 INAYA	Zero Constraints

SECTION 06

Corporate Reserve Plans (Annual)


For institutional entities with fixed large-scale storage requirements, the Corporate Reserve tiers deliver extreme financial optimization paid in USDT, with system maintenance settled natively in INAYA tokens.

TOTAL ALLOCATED DATA	LEGACY AWS S3 COST	COMPETITOR B2 RESERVE	INAYA CORPORATE FEE	ANNUAL MAINTENANCE
250 TB / Year	76,680 USDT / yr	19,500 USDT / yr	13,500 USDT / Year	500 USDT eq. / yr
500 TB / Year	151,680 USDT / yr	39,000 USDT / yr	27,000 USDT / Year	1,000 USDT eq. / yr
1000 TB / Year	295,680 USDT / yr	78,000 USDT / yr	54,000 USDT / Year	2,000 USDT eq. / yr

SECTION 07

dApp Auto-Conversion & TVL Engine

Inaya removes the friction of navigating secondary token markets by embedding an automated instant-swap matrix into the dApp gateway, immediately resolving open-market liquidity constraints.



- **Instant Liquidity Buyback** — the exact moment a storage invoice is settled in USDT, the smart router executes an automated market buyback.
- **The TVL Locking Mechanism** — tokens are programmatically funneled and locked into the network core vault registry.
- **Frictionless Client Experience** — the enterprise experiences a standard stablecoin checkout, while the protocol captures real-time economic value.

SECTION 08

Dual-Velocity Flywheel

Instead of triggering structural sell-pressure, Inaya Network enables node operators to transition from liquidity drainers into long-term network stakeholders through a compound staking engine.

The Staking Multiplier Loop

Node operators are heavily incentivized to bypass immediate liquidation. By locking their earned miner rewards back into the 26.7% Staking Rewards Pool, they generate a secondary passive income stream directly inside the registry contract.

The Bull-Run Supply Squeeze

As operators choose accumulation over liquidation, floating token supply on Tier-1 exchanges drops exponentially. When monthly consumer demand triggers to settle egress fees, this artificial scarcity amplifies price velocity natively.

Continuous Market Balance

Rewards systematically emitted to node operators are naturally absorbed by incoming corporate storage consumers via monthly download billing cycles, ensuring optimal ecosystem equilibrium.

SECTION 09

Tokenomics Ecosystem Matrix

The economic framework enforces strict programmatic token scarcity to protect network bandwidth allocation.

9.1 Verified Token Allocation Matrix

The underlying architecture operates under a fixed hard cap, mapped directly onto verified smart contract allocations:

30,000,000 \$INAYA
TOTAL CRYPTOGRAPHIC HARD CAP

ALLOCATION SECTOR	PERCENTAGE	TOTAL TOKENS
Swarm Reserve (Nodes)	40.0%	12,000,000 INAYA
Staking Rewards Pool	26.7%	8,000,000 INAYA
Liquidity Pool Allocation	21.7%	6,500,000 INAYA
Team Runway Core	5.0%	1,500,000 INAYA
Ecosystem Fund	3.3%	1,000,000 INAYA
Genesis Airdrop Portals	3.3%	1,000,000 INAYA

Rewards systematically emitted to node operators are naturally absorbed by incoming corporate storage consumers via monthly download billing cycles, ensuring optimal ecosystem equilibrium.

9.2 Micro-Utility Network Burn Mechanics

Each upload transaction burns 0.0001 INAYA, ensuring perpetual deflation tied to system usage.

SECTION 09 (CONTINUED)

Swarm Reserve Emission Mechanics

9.3 Uptime-Gated SLA Framework

To enforce enterprise-grade availability and eliminate mercenary liquidity dumping, emissions from the 40% Swarm Reserve (12,000,000 \$INAYA) are strictly performance-gated and subject to a mandatory operational cliff.

📌The 3-Month Commitment Cliff.

Storage nodes must maintain an average uptime of $\geq 90\%$ for a minimum of 3 consecutive months to qualify for Swarm Reserve token emissions.

🔒Controlled Monthly Cap.

Token distributions are hard-capped at a maximum of 30 \$INAYA / month per node operator, ensuring a predictable and anti-inflationary emission decay schedule.

✓Cryptographic Verification.

Uptime telemetry and Proof-of-Storage challenges are validated on-chain via the ProofRegistry before authorizing payouts.

TIER LEVEL	QUARTERLY UPTIME THRESHOLD	MONTHLY EMISSION CAP	SLA RATING
Tier 1 (Elite)	98.0% – 100%	30 \$INAYA / month	Enterprise-Grade
Tier 2 (Standard)	95.0% – 97.9%	20 \$INAYA / month	Commercial-Grade
Tier 3 (Baseline)	90.0% – 94.9%	10 \$INAYA / month	Minimum Viable
Ineligible	< 90.0%	0 \$INAYA	Slash / Reputation Penalty


Key Economic Advantages

- **Anti-Dumping Mechanism** — prevents speculative, short-term miners from claiming and dumping rewards without contributing real, sustained infrastructure capacity.
- **Institutional SLA Guarantees** — drives node operator behavior to meet enterprise-level Web2 reliability standards (98%+ availability).
- **Sustainable Reserve Preservation** — extends the runway of the 12,000,000 \$INAYA Swarm Reserve pool across long-term growth phases.

VISUAL REFERENCE

Token & Revenue Flow Map

A consolidated view of how enterprise USDT revenue and INAYA token utility circulate through the network in a single closed loop — from customer payment through escrow vesting, proof-of-storage validation, and on into staking and open-market circulation.



USDT Revenue Flow (top band). An enterprise or retail customer pays for storage in USDT. The RevenueRouter smart contract validates the payment and automatically splits it on-chain: 39% into the Node Reward Escrow, 51% into the Protocol Treasury, and 10% into Team & Platform Operations, with a future periodic buyback feeding value back into the Sovereign Vault. The escrowed 39% vests over a 12-month schedule into daily reward epochs, gated by the Node Registry & SLA Oracle and the ProofRegistry, before reaching eligible Node Operators — who may hold or sell their rewards on the open market.

INAYA Token Utility & Circulation (lower band). Users pay egress fees in INAYA when retrieving data (10 INAYA per 0.5 TB). These fees collect in a locked Egress Fee Pool, which rolls forward into the Staking Rewards Pool, where stakers earn ongoing yield based on their stake and lock duration. This keeps the token continuously rotating between utility, staking, and the open market rather than settling as static, idle supply.

SECTION 10

Financial Matrix & Alignment

By optimizing value-distribution layers, Inaya Network creates a perfect equilibrium between robust operator rewards and institutional investor profitability.

LINE ITEM	ALLOCATION
Gross Network Inflow (Total Sales)	100%
Node Operator Commissions (COGS)	39% (dynamic weighted average)
Protocol Net Retention (Gross Margin)	61%
Ecosystem Grants & Scholarships	3%
Tech R&D & Global Telemetry Scaling	5%
Admin, Legal & Marketing Frameworks	2%
Target Protocol EBITDA Margin	51%

SECTION 11

Capacity-Based Case Scenario

12-month macro yield modeling under active corporate scaling. This model projects the exact financial distribution when executing a balanced mix of enterprise reserve commitments and pay-as-you-go volume.

- **1000 TB Corporate Plan** (50% split): 10 Clients × 54,000 USDT = 540,000 USDT
- **500 TB Corporate Plan** (40% split): 20 Clients × 27,000 USDT = 540,000 USDT
- **250 TB Corporate Plan** (30% split): 33 Clients × 13,500 USDT = 445,500 USDT
- **Pay-As-You-Go Volume** — Open retail/dev pool = 274,500 USDT

1,800,000 USDT
TOTAL GROSS NETWORK INFLOW

SECTION 12

The Foundation Scholarship

- A dedicated percentage of network cash flow is routed directly into community enrichment to expand application builds leveraging the Inaya architecture.
- ◆ **Total Commitment:** 3% of protocol revenue, representing an annual fund of 54,000 USDT based on baseline growth models.
 - ◆ **Deployment Method:** Distributed entirely as non-dilutive, objective-focused micro-grants.
 - ◆ **Allocation Scale:** Ranges carefully from 2,500 USDT to 10,000 USDT per single recipient.
 - ◆ **Target Demographics:** Young developers, cryptography students, and independent open-source software builders.
 - ◆ **Core Mandate:** Corporate maintenance and locked download fees fuel this SDK expansion, accelerating third-party development.

SECTION 13

Professional Network Fundamentals

The underlying network layer treats these operational benchmarks as native defaults for all integrated users, matching enterprise standards.

Always-Hot Performance Object Storage Data shards are permanently ready for concurrent retrieval, avoiding traditional latency gaps present in cold archiving solutions.	Zero Minimum File Size Penalties Store tiny configuration files or massive video assets under the exact same uniform rate framework without punitive scaling.
Zero Storage Duration Constraints Grants total data liquidity. Users can delete or cycle files without paying contractual early-termination penalties enforced by legacy providers.	Free Core API Calls Developers can configure, query, and monitor storage data routes without accumulating unexpected transaction micro-charges.

SECTION 14

Strategic Leadership

Balanced technical governance built for institutional review and continuous scale.

Talha Waqas

FOUNDER & CHIEF TECHNOLOGY OFFICER

Web3 full-stack engineer specializing in low-level cryptographic infrastructure execution layers and secure data routing pipelines.

Fibha Urooj

CO-FOUNDER & CHIEF MARKETING OFFICER

Drives global commercial operations, enterprise B2B partner acquisitions, and large-scale ecosystem growth initiatives.

Summary Institutional Highlights

"Institutional stability meets decentralized scale. The definitive framework for sovereign corporate infrastructure."

Programmatic TVL Architecture — the automatic USDT-to-INAYA buyback router creates instant market liquidity and locks verifiable value securely into the smart contract architecture.

Bull-Run Multiplier Framework — by combining a monthly corporate download sink with an attractive miner compound-staking mechanism, the protocol turns general market cycles into high-yield value accrual for token holders and VCs.

Exceptional Operating Runway — a target 51% EBITDA cushion guarantees robust flexibility during varying market cycles.

SECTION 15

Conclusion & Vision

The Inaya Protocol represents a paradigm shift in data privacy mechanics. By combining localized cryptographic processing with decentralized storage channels and public blockchain state registers, it guarantees complete custody over data assets.

The system proves that corporate data integrity does not require centralized databases but can be realized through zero-knowledge execution and mathematical grace.

“Absolute Protection, Vigilant Care, and Functional Grace — the guiding principles of a network built to guard what matters most.”
