



INSTITUTIONAL REVIEW & OPERATIONAL COMPLIANCE FRAMEWORK

Inaya Network *Institutional & Enterprise* Fraud-Proof FAQs

CONFIDENTIAL · PREPARED FOR INSTITUTIONAL REVIEW

INAYA NETWORK — DEPIN INFRASTRUCTURE & CUSTODY PROTOCOL

Q1

What is the primary architectural differentiation of the Inaya Protocol compared to traditional legacy decentralized storage layers?

Traditional legacy decentralized storage protocols (such as Filecoin or Arweave) focus primarily on commodity file hosting, where complete files often reside intact on single nodes, risking metadata exposure. Inaya Network operates as an advanced zero-knowledge DePIN custody orchestration layer.

Files never leave the enterprise user's local host perimeter in a unified state. The Inaya framework enforces client-side localized encryption and binary midpoint bisection before multi-swarm routing, using public EVM contracts purely as an immutable metadata tracking attestation log. This completely eliminates database clusters and centralized administrative attack vectors.

Q2

How does the dual-asset hybrid utility model insulate the network from utility commoditization?

Standard utility-token networks suffer from high pricing volatility, rendering enterprise billing unpredictable and forcing a race to the bottom that commoditizes the underlying protocol. Inaya solves this via a rigid dual-asset billing settlement matrix priced at **0.1 USDT + 0.1 INAYA per Gigabyte (GB)**.

The 0.1 USDT allocation guarantees a stable, fiat-pegged baseline to consistently offset the real-world operational hardware costs borne by distributed node operators.

The 0.1 INAYA requirement injects continuous, non-speculative, programmatic purchasing demand directly into the open market with every structural file upload action.

Q3

What are the parameters, capacities, and target markets of the B2B Corporate Subscription Tiers?

Outside the baseline consumption rate per GB, enterprises requiring programmatic high-throughput automated access are segmented into fixed recurring monthly licensing frameworks:

TIER	PRICING	PROFILE & INCLUSIONS
Scale Matrix	\$999 / month	Engineered for early-stage dApps and audited startup protocols. Includes up to 15M automated gateway API requests and client-side authenticated GCM cryptographic pipelines.
Established Swarm	\$5,000-\$10,000 / month	Tailored for mid-tier DeFi networks and active Web3 systems. Includes up to 150M API loops and priority distributed Alpha/Beta shard routing registers.
Institutional Node	\$15,000-\$35,000 / month	Custom-configured for Tier-1 blockchain ecosystems and enterprise financial applications. Includes dedicated RPC endpoints, absolute zero-latency SLAs, and unlimited secure object allocations.

Q 4

Can you break down the mathematical security verification of client-side binary sharding?

When an asset ingestion command is triggered, the user's browser runtime applies a password-based key derivation function (PBKDF2) using an isolated 16-byte salt string over 100,000 iterations via HMAC-SHA256 to create an asymmetric key wrapper. Following local AES-GCM-256 bit encryption, the ciphertext payload (C) is dynamically split at its precise midpoint byte location into standalone vector streams:

$$M_p = \lceil \text{length}(C) / 2 \rceil$$

$$V_\alpha = C[0 \dots M_p - 1] \text{ and } V_\beta = C[M_p \dots \text{end}]$$

Because neither Shard Alpha (V_α) nor Shard Beta (V_β) contains contiguous bit structures, an isolated compromise of any single storage node or peer gateway yields only random binary noise, rendering external data exfiltration mathematically impossible.

Q 5

What is the operational sustainability structure of the protocol's unit economics?

Inaya Network maintains an exceptionally lean operational profile, achieving a projected **50% EBITDA margin**. Because raw hardware, bandwidth, and physical server storage expenditures are sustained independently by distributed community edge nodes, the network eliminates direct capital expenditures (CAPEX).

The 85% gross profit margin generated from pipeline orchestration software requests easily absorbs the 20% structural allocation dedicated to ecosystem grants, 10% for continuous technical R&D/telemetry auditing, and 5% for administration and customer acquisition loops (CAC), leaving a clean 50% net corporate cash flow retention cushion.

Q 6

How does the Inaya Foundation Scholarship & Grant Project drive commercial user acquisition?

The project operates an automated, self-sustaining growth flywheel. By systematically tax-routing 20% of all gross B2B enterprise subscription revenues directly into the Inaya Foundation Grant Pool, the network funds its own developer ecosystem expansion. Under an early conservative scaling scenario, this framework allocates **\$360,000 USD annually** toward equity-free micro-grants (\$2,500 to \$10,000 per recipient) for young engineers and cryptography builders.

The structural mandate forces all grant recipients to natively deploy their applications via the Inaya Custody SDK, ensuring that every dollar distributed immediately generates real enterprise transactional data volume, scaling the utility demand of the network.