

COMPLETE ECOSYSTEM ARCHITECTURE

How Inaya Actually Works

Every contract, app, backend, and data flow across the ecosystem — written from the real code, not the pitch. For the founding team.

Document INAYA-ARCH-2026-V1 · Classification Internal · September 2026

SECTION 01

How To Read This Document

Inaya is one product with two connected engines: a decentralized storage/DePIN protocol (on-chain contracts, node operators, client-side encryption) and a set of applications built on top of it (the web dApp, Business Workspace SaaS, mobile app, two desktop apps, and three AI assistants). This document maps every piece, what it actually does, and how it connects to everything else.

Conventions used throughout:

- Everything here is on BNB Chain Testnet unless stated otherwise — nothing described is live on mainnet yet.
- Contract addresses given are real, deployed, and verified on BscScan as of this writing.
- Where a feature is deliberately unbuilt or deferred, it's labeled as such rather than glossed over — this is a working reference, not a pitch document.
- "Backend" always means the Next.js app at inaya-network-dapp — every mobile screen, desktop app, and the web dApp itself all call the same backend, there is no separate API server.

SECTION 02

The System At A Glance

REPO / APP	WHAT IT IS	RUNS ON
inaya-network-dapp	The backend (Next.js API routes + MongoDB) AND the main web dApp AND the Business Workspace web UI — one Next.js app serving all three.	Vercel, Node.js
contracts/ (repo root)	Solidity source for the protocol's own contracts (Staking, Vault, Escrow, Node Registry, Proof Registry, Security Layer). Deployed to BSC Testnet.	Solidity 0.8.20, Hardhat
custody-sdk	Client-side encryption/sharding library ("InayaKernel") — the code that actually encrypts and splits a file before it ever leaves a user's device.	JS, @noble crypto primitives, ethers v6
custody-sdk/packages/node-daemon	CLI a storage-node operator runs — registers on-chain, sends heartbeat telemetry. Published to npm.	Node.js CLI
inaya-mobile	React Native / Expo mobile app — a superset of the web dApp's consumer features plus Business Workspace, Learn, and Security.	Expo, React Native
inaya-desktop	Tauri (Rust) native wrapper around the Business Workspace web app.	Tauri, WebView2 (Win) / WebKitGTK (Linux)
inaya-dapp-desktop	Tauri native wrapper around the main dApp (faucet, staking, etc).	Tauri, same engines as above

None of the desktop or mobile apps run their own backend logic beyond thin native chrome — every one of them calls the exact same inaya-network-dapp API routes the website does.

SECTION 03

The Two Engines

ENGINE 1 — DEPIN PROTOCOL

The foundation: users encrypt files client-side, shard them, and anchor ownership + integrity proofs on-chain. Independent node operators register capacity, earn \$INAYA/USDT for storage and threat-reporting, and settle through timelocked, oracle-attested (not cryptographic) verification. This is the part that makes Inaya a real DePIN, not just a SaaS product with a token bolted on.

ENGINE 2 — APPLICATIONS

Everything a user actually touches: the web dApp, Business Workspace (SaaS document management for companies that will never think about blockchain), mobile app, two desktop wrappers, a public Security transparency page, an investor Data Room, and three Gemini-powered AI assistants. All of it sits on top of Engine 1's infrastructure, but most of it is reachable — and usable — without a wallet.

Why this split matters. It's the reason a non-crypto business customer can use the Business Workspace with just an email address while a node operator, three layers down, is settling USDT through a timelocked escrow contract — the same infrastructure serves both, but almost nothing about Engine 1 leaks into Engine 2's user experience.

SECTION 04

On-Chain Layer — Contracts

10 contracts deployed and verified on BSC Testnet, split across two families that don't share any direct dependency on each other.

Core Protocol (6 contracts)

Custody, payments, staking, and node settlement.

CONTRACT	ADDRESS	JOB
InayaCustody ("Core Custody Contract")	0x7F5E6c...5a888	Asset-ownership ledger. <code>batchRegisterAssets()</code> writes <code>fileHash</code> → {owner, shard CIDs, size, timestamp}. This is the single source of truth for "who owns this file." Note: its Solidity source isn't in this repo — only its interface (<code>INayaCustody</code>) is, referenced from <code>InayaProofRegistry</code> . It's deployed and live, just not tracked as source here yet.
Mock USDT (mUSDT)	0x6f16E2...45D	Testnet stand-in for USDT — every fee, stake, escrow, and invoice in the protocol is denominated in this token until mainnet.
\$INAYA Token	0x3966a3...e94e	The real ERC-20 utility/governance token. Fixed supply, 30,000,000 tokens (per tokenomics).
InayaNodeRegistry	0xd12a38...FD881	Node operator registry + timelocked commission settlement. <code>registerNode(capacityGB)</code> , tiered commission (30/40/50% by Entry/Mid/Enterprise), verifier-attested metrics, 36-hour settlement delay before anyone can call <code>releaseSettlement()</code> .
RevenueRouter	0x76B0d4...3256	<code>processCorporateInvoice(usdtAmount)</code> — entry point for Corporate Reserve plan purchases. Source not in this repo, referenced by address from the Stripe webhook and <code>page.js</code> .
InayaProofRegistry	0xEdF431...CEBcB	Merkle-root storage per asset + chunk-proof verification (<code>registerMerkleRoot</code> , <code>verifyChunkProof</code>). Reads <code>InayaCustody</code> to confirm the caller owns the asset before letting them register a root.

Also in contracts/ but not part of the six above: `InayaStaking` (Synthetix-style staking-rewards pool, 0/30/90-day lock tiers at 1.00x/1.25x/1.50x multiplier), `InayaEgressTimelockVault` (holds egress-fee \$INAYA in 180-day epochs, forwards it to Staking; also sweeps USDT storage revenue to the operational treasury), `InayaCorporateEscrow` (drips a node operator's 39% COGS share of a corporate invoice over 12 monthly releases), and `MockINAYA` (test-only ERC-20 stand-in for \$INAYA, not deployed to testnet under the real token address). All four are deployed via their own scripts/`deploy-*.cjs`; addresses live in `.env.local` and are read by `page.js` as `stakingContractAddress` / etc. — not restated here to avoid publishing addresses that weren't independently re-verified for this document.

Security Layer (4 contracts)

Decentralized threat intelligence — fully separate dependency graph from the core protocol above. Full detail in Section 09.

CONTRACT	ADDRESS	JOB
InayaThreatRegistry	0xb374dE...8adD	Threat status ledger, updated only by InayaThreatReporter.
InayaThreatReporter	0xe22EbA...6450B	confirmThreat() — relayer-only, called once a threat crosses the confidence threshold off-chain. Writes into ThreatRegistry.
InayaNodeReputation	0xD25836...9E27A	Periodic on-chain checkpoints of node reputation scores (real-time reputation itself lives off-chain).
InayaSecurityPolicy	0xCE1646...1976a	Versioned policy hash + URI, so a client can verify a cached policy offline without a live RPC call.

Trust-model honesty, on the record. InayaNodeRegistry's own header comment is explicit: node metrics are "coordinator-verified," not cryptographically proven — an authorized verifier wallet attests uptime/capacity off-chain. InayaProofRegistry's chunk-proof verification is currently onlyOwner (the backend checks proofs itself); the contract's own comment lays out a documented future path to make this permissionless and stake-slashing-backed. Neither is hidden — both are stated in the contract source itself.

SECTION 05

Client-Side Encryption & Storage — the custody-sdk

"InayaKernel" (custody-sdk) is the code that actually makes the zero-knowledge claim true. Published as @inaya-network/custody-sdk, used identically by the web dApp and the mobile app.

1. **Key derivation.** `deriveVaultKey()` runs PBKDF2 (default SHA-256, 100,000 iterations) over the user's passkey plus a fresh random 16-byte salt, producing a 32-byte AES key. The passkey itself never leaves the device and is never transmitted anywhere.
2. **Encrypt + shard.** `disperseAndSlice()` reads the file, base64-encodes it, AES-GCM-256 encrypts it with a fresh random IV, prepends salt+IV to the ciphertext, then splits that resulting base64 string at its exact character midpoint into two shards (`shardAlpha` / `shardBeta`). This is literal binary bisection — neither half means anything on its own, but it is not erasure coding or Reed-Solomon.
3. **Pin to IPFS.** The SDK itself does NOT upload anywhere — that's the calling app's job. `page.js` pins each shard to Pinata separately and gets back two CIDs (`cidAlpha`, `cidBeta`).
4. **Anchor on-chain.** `anchorToLedger()` calls `InayaCustody.batchRegisterAssets(fileHashes, fileSizes, shardACIDs, shardBCIDs)` — the CIDs (pointers, not the shard bytes themselves) are what actually gets written on-chain.
5. **Reconstruct + decrypt.** `retrieveAndReconstruct()` reads `InayaCustody.assets(fileHash)` to get both CIDs, fetches both shards from the Pinata gateway in parallel, concatenates them back into the original base64 string, splits out salt/IV/ciphertext, re-derives the AES key from the user's passkey, and decrypts.

Zero-knowledge, verified against the actual code — not assumed. Every encryption, key-derivation, and decryption step happens locally using only inputs the device already has (passkey, file bytes). No network call anywhere in custody-sdk's source carries plaintext or the derived key. The only backend/chain-touching write is a file hash, size, and two CID strings — never file content, never the key.

A second, separate feature — sharing without exchanging the raw passkey:

- `encryptForPublicKey` / `decryptWithSecretKey` / `deriveEncryptionKeypairFromSignature` — re-wraps the passkey itself (not the file) using X25519 ECDH + HKDF-SHA256 + XChaCha20-Poly1305 sealed-box encryption, so a recipient can unlock a shared vault entry without the passkey ever being transmitted in the clear.

Known gap worth flagging: the SDK's own bundled example (`examples/node-script.mjs`) skips the Pinata step and passes raw ciphertext directly into `anchorToLedger`'s CID parameters — it only "works" because the example never calls `retrieveAndReconstruct` against real IPFS. The production code path in `page.js` does the Pinata step correctly; the example just isn't a faithful end-to-end demo.

Release verification — the SDK doesn't have to be trusted blindly.

Verifiable Inaya Client SOW (September 2026): as of custody-sdk v1.0.10-beta, every tagged release is independently reproducible and verifiable, not just claimed open-source. Full mechanism and third-party verification commands: [custody-sdk/docs/VERIFYING_RELEASES.md](#).

1. **Reproducible build.** custody-sdk ships with no build step — `src/*.js` is exactly what's in git (ESM, explicit `.js` import extensions, hand-written `.d.ts`). "Reproducible" reduces to "the published tarball is provably the tagged source, file for file," not a compiled-artifact-determinism problem.
2. **Published hash — and a real bug found and fixed computing it.** Every tagged release (`.github/workflows/release.yml`) publishes a `git-tree-hash` and an `npm-tarball SHA-256` to `CHECKSUMS.md` and the GitHub Release. First implementation used `git archive HEAD | sha256sum` — verification then found this isn't reproducible across git versions (confirmed directly: local git 2.55.0 and ubuntu-latest's git produced different hashes for the identical tagged v1.0.9-beta commit, which would make an honest verifier see a false mismatch). Fixed in v1.0.10-beta by publishing `git rev-parse <tag> ^{tree}` instead — git's own content-addressed tree object id, identical on every git install by construction.
3. **Independent verification, actually performed.** Not just documented — run: v1.0.10-beta's `git-tree-hash` was independently recomputed on a separate machine and matched `CHECKSUMS.md`; the GitHub Release tarball was downloaded fresh and its SHA-256 matched; every file inside it was diffed byte-for-byte against the tagged git source and found identical. `npm provenance` (`npm publish --provenance`) separately attaches a signed, publicly-checkable statement of exactly which CI run produced the package (`npm audit signatures`).
4. **Content-addressed delivery.** The release tarball is also pinned to IPFS (Pinata) at publish time; the resulting directory CID is recorded in `CHECKSUMS.md` and the GitHub Release, IPFS pinning kept non-blocking (continue-on-error) so a Pinata-side outage can't prevent `npm publish`. Fetching by CID — not from any server Inaya controls — and hashing what comes back is a second, independent confirmation of the exact artifact.

What this does and does not prove. Guarantees: the code that produced a release is exactly the tagged source; anyone can independently re-derive the published hashes; as of the same release, the web dApp (`src/lib/clientCrypto.js`, `src/app/page.js`) and inaya-mobile both call this published npm package directly rather than each running its own separate crypto — verified by a committed cross-implementation test, `custody-sdk/test/webCryptoCompat.test.mjs`, proving the SDK's @noble-based AES-GCM/PBKDF2 is byte-identical to and cross-decryptable with the dApp's former inline `crypto.subtle` implementation. Does not guarantee: that `inayanetwork.com` is serving this exact build at this exact moment, or an implementation-bug-free audit of the primitives beyond that cross-compatibility test.

SECTION 06

Node Operator Layer

What someone actually runs to operate an Inaya storage node today, and what it does and does not do.

NODE-DAEMON (PUBLISHED NPM CLI)

Commands: login, register <capacityGB>, start, report <indicator> (Security Layer), service install/uninstall.
Wallet key is PBKDF2+AES-GCM encrypted at rest locally (~/.inaya/node-daemon/config.json). register() calls InayaNodeRegistry.registerNode() on-chain AND separately POSTs to the backend's /api/nodes/register for capacity bookkeeping. start() runs a 5-minute heartbeat loop POSTing telemetry to /api/nodes/heartbeat.

WHAT IT DELIBERATELY DOES NOT DO

It does not store or serve shards, does not host any file content, and does not execute settlement/payout logic — the daemon's own code comments are explicit that commission settlement is verifier- and relayer-driven, not something the daemon touches. Its on-chain surface is exactly two calls: registerNode and a read of nodes(address). It is an identity + registration + heartbeat agent, nothing more, today.

Settlement flow (InayaNodeRegistry, off-daemon):

- An authorized verifier wallet calls queueSettlement / queueSettlementsBatch — computes commission by tier, does not move funds yet.
- After a mandatory 36-hour delay, releaseSettlement is publicly callable by anyone (deliberately — a single compromised verifier key can queue a bad settlement but can never immediately drain funds).
- Corporate invoice revenue flows separately: RevenueRouter.processCorporateInvoice() → InayaCorporateEscrow.createEscrow() escrows a node operator's 39% COGS share and drips it out over 12 monthly releases via releaseMonthlyPayout(), callable by anyone once due.

SECTION 07

Web dApp — Protocol Surface

src/app/page.js — one large tabbed SPA. Every tab below is wallet-driven except Referrals (email + KYC only, no wallet).

TAB	WHAT IT DOES
Network Home	Landing panel only — status tiles, CTA into Sovereign Vault, cross-promo into Business Workspace / desktop downloads. No contract or API calls of its own.
Faucet	POSTs to /api/faucet; the route dispenses test \$INAYA/USDT server-side from a custodial faucet wallet. Self-limits by checking the wallet's existing balance rather than a visible cooldown timer.
Sovereign Vault	The core product. Upload: encrypt+shard client-side (custody-sdk) → pin to Pinata → InayaCustody.batchRegisterAssets() → InayaProofRegistry.registerMerkleRoot() per file. Download: reverse of the same path. Also has a no-wallet path for Stripe card customers (upload happens locally, on-chain registration happens server-side post-payment).
Corporate Reserve (sidebar panel + Business Model tab)	The sidebar tier selector (250/500/1000 TB) only sets display state and enforces per-plan upload size limits — it is NOT the purchase flow. The real purchase lives on the Business Model tab: approve USDT → RevenueRouter.processCorporateInvoice() → approve USDT → InayaCorporateEscrow.createEscrow() escrowing the 39% operator COGS share over 12 months.
Staking	Reads InayaStaking for APY/tier display. Stake (with 0/30/90-day lock tier selection, real on-chain lockExpiry), Unstake (blocked until lock expires), Claim reward — direct calls to stake()/withdraw()/claimReward().
My Dashboard	Read-only aggregation of state already fetched elsewhere — PAYG transaction history with BscScan links, Corporate Reserve status, staking overview. No new contract calls.
Referrals (ReferralSection.js)	Deliberately no wallet anywhere — email + Didit KYC only, specifically to detect self-referral. Real KYC gate: referral credit only counts once Didit verification resolves.
Genesis Airdrop	Two mechanics, neither with an on-chain claim function today: an "Upload Reward" progress-bar estimate (0.01 \$INAYA per upload, capped at 0.3/wallet, display-only, not minted), and a "Contributor Allocation" (Community/Developer/Moderator buckets of a 1,000,000-token pool) that routes to Google Forms for manual review — real distribution is off-app at TGE, not automated by this code.

SECTION 08

Business Workspace — SaaS Layer

A separate, structurally distinct product built on the same infrastructure: companies get organizations, departments, projects, and documents with real server-enforced permissions — sold and priced independently of storage/token economics, no wallet literacy required.

- Auth: email magic-link OR Google Sign-In, session cookie based (org.js — createSession/consumeLoginToken), completely separate from the wallet-signed-message pattern used elsewhere.
- Hierarchy: Org → Department → Project → Document, each level with its own role/permission scoping (canManageOrg gates admin actions; VIEW/EDIT/MANAGE per document).
- Workflow: documents move through a real state machine (DRAFT → PENDING → etc.) with an atomic transition function and a persisted activity log — not just a status field that gets overwritten.
- Sharing: explicit per-person grants (document-permissions.js) plus tokenized public share links (hash-and-compare, atomic single-consume where applicable) — same pattern conventions as the Data Room's magic-link/session tokens, implemented independently for each feature.
- Storage model: documents here are encrypted client-side before upload using the same passkey-based flow as the Sovereign Vault, then pinned as JSON-shard blobs — NOT the same storage path as the Data Room, which stores plain, unencrypted PDFs for inline viewing (see Section 11 for why that's a deliberate, different choice).
- Billing: Stripe subscription plans (orgPlans.js), seat limits enforced server-side on invite, storage-size limits enforced server-side on document upload.
- AI: a permission-aware Business Assistant (Section 12) that only ever sees data the requesting user is actually authorized to see.
- Beyond documents: the workspace now covers real business operations on the same org/department/permission foundation — Tasks, CRM, Procurement, Inventory (Section 23), and a Finance & HR layer (Section 24, testnet demonstration scope). None of this required touching the base document/permission model; every module is additive.

SECTION 09

Security Layer — Decentralized Threat Intelligence

A separate DePIN-style subsystem: independent nodes report suspicious domains/IPs; the backend reputation-weights reporters and, once confidence crosses a threshold, anchors a CONFIRMED verdict on-chain. Marketed externally as "Inaya Firewall."

1. **Report.** A node (mobile/desktop client or node-daemon's report command) POSTs a signed observation to `/api/security/report`. Rate-limited (200/day/node), upserted per node+threat+day.
2. **Aggregate.** `computeThreatConfidence()` reputation-weights every independent reporter over a 14-day window. Node reputation is real-time off-chain, only checkpointed on-chain periodically — confirmed reports raise it, false positives cost 3x as much (asymmetric penalty by design).
3. **Confirm.** Crossing `CONFIRM_THRESHOLD_BPS` (75%) triggers exactly one relayer-signed `InayaThreatReporter.confirmThreat()` call. A single new/low-reputation node can never force a confirmation alone — verified live in testing: 4 neutral-reputation nodes capped out at 52% confidence, well short of threshold.
4. **Surface.** Public `/security` web page (flagship AI-assistant card, destination checker, live threat feed, Inaya Firewall banner), mobile `SecurityScreen` (Monitor/Protect/Strict modes, local allow/blocklist, network overview), desktop enforcement (Windows `netsh advfirewall` / Linux `iptables block`, IP-literal only — not run against a real machine yet, reviewed line-by-line only), admin dashboard, and a dedicated Security AI Assistant that is explicitly forbidden from inventing evidence — every answer is grounded only in verified `security_*` collection data.

Plaintext indicators (domains/IPs) never touch the chain — threat IDs are keccak256 of the normalized indicator; the backend holds the plaintext↔hash mapping (`src/lib/security.js`).

SECTION 10

Inaya Learn — Educational Platform

A YouTube-based educational discovery layer inside both the web dApp and mobile app — turns Inaya into a daily-use destination beyond storage/staking.

- Search/browse via the real YouTube Data API v3, backend-cached (MongoDB TTL index) specifically because search.list costs 100 quota units/call against a 10,000/day default quota — caching is load-bearing infrastructure here, not an optimization.
- Categories and curated collections (Learn Web3 / Learn AI / Learn Programming) are a hardcoded, git-deployed config file, not an admin-editable database — deliberate V1 scope cut.
- Local-first save/progress (AsyncStorage on mobile, localStorage on web), optional backend sync once a wallet connects.
- An AI Tutor grounded in the opposite guardrail philosophy from the Security Assistant: it teaches using its own general knowledge, only calling tools to check the user's own saved videos/progress — never gated to a narrow data set.

SECTION 11

Investor Data Room

A dedicated, branded document room for sharing investor materials with per-visitor view tracking — replaces sharing a Google Drive folder blind.

- Single shareable link, email required (not optional) + NDA click-through, per-visitor magic-link email verification.
- Deliberately different storage model from the Business Workspace: documents here are plain, unencrypted PDFs (server-proxied streaming, never a raw Pinata URL exposed) so they can be viewed inline with real duration tracking — the Business Workspace's client-side-encrypted-blob model is the wrong fit when the entire point is casual inline viewing with analytics.
- View events (open + 15-second heartbeat + close) roll up into a per-visitor engagement table for the admin — exactly who looked at what, for how long.

SECTION 12

The AI Assistants

Four assistants — Docs, Business, Security, and Learn Tutor — sharing one architectural pattern (Gemini function-calling, 5-round tool loop, 429/503 retry with backoff) but deliberately different guardrail philosophies. Three of the four (Docs, Security, Learn) are now also grounded by a shared RAG retrieval layer — see Section 25 for how that actually works; this section stays focused on what each assistant is FOR.

ASSISTANT	WHERE	GUARDRAIL PHILOSOPHY
Docs Assistant	Public site-wide chat widget	Grounded in the project's own docs/FAQ/fundraising-doc corpus via RAG retrieval (Section 25) instead of a static hardcoded knowledge block — answers cite which source they came from.
Business Assistant	Business Workspace sidebar	Permission-aware — every tool call re-checks the requesting user's actual document/project/finance/HR access; never surfaces data they couldn't otherwise see. Uses direct permission-scoped MongoDB tool-calling, not RAG — this is live, per-org private data, never appropriate to put in a shared vector index.
Security Assistant	Public /security page + mobile SecurityScreen	Strict evidence-grounding — explicitly forbidden from inventing or generalizing beyond verified security_* collection data (live tool-calling) or the RAG-indexed security policy/explainer docs (Section 25). "Explain phishing in general" is fine; fabricating a specific threat's status is not.
Learn AI Tutor	Web + mobile Learn section	The opposite on purpose — teaches using its own general knowledge like a real tutor; tools (including RAG search over the current video's transcript, Section 25) exist only to ground it in the user's own saved videos/progress, never to gate what subject matter it can discuss.

SECTION 13

Mobile App

inaya-mobile (Expo/React Native) is a superset of the web dApp's consumer features, plus Business Workspace, Learn, and Security — not a stripped-down companion app.

- Wallet: MetaMask Connect Multichain (direct deeplink to MetaMask Mobile), configured for BNB Chain Testnet specifically.
- Business Workspace: full org/department/project/document hierarchy, permissions, sharing, Bearer-token session auth (separate from web's cookie session), biometric app-lock, Google Sign-In.
- Security: SecurityScreen with protection mode, destination checker, local allow/blocklist, network overview, AI Security Assistant chat.
- Learn: search/browse/watch/save/progress via react-native-youtube-iframe, plus a global AiTutorButton (header icon → full-screen modal) reachable from every Learn screen.
- Watcher Pioneer, Referrals, Faucet-adjacent flows, and Genesis Airdrop all mirror the web dApp's mechanics 1:1 against the same backend routes.

SECTION 14

Desktop Apps

Two separate Tauri (Rust) apps — deliberately thin wrappers, no bundled frontend. Each app's dist/ is a blank placeholder HTML page; the Rust shell just points its webview at the live production URL and layers native OS chrome (tray, menu, notifications, auto-update) on top.

APP	WRAPS	NATIVE ADDITIONS BEYOND THE WEB PAGE
inaya-desktop ("Business Workspace")	inayanetwork.com/business	System tray/minimize-to-tray, native menu, native Windows toast for pending approvals (polls /api/orgs/pending-approvals), signed auto-updater, real firewall-block enforcement (netsh/iptables) for the Security Layer.
inaya-dapp- desktop ("Inaya Network")	inayanetwork.com/	Same tray/menu/updater pattern, no notifications plugin (no equivalent concept on the main dApp). Detects window.__TAURI__ and leads with WalletConnect instead of extension-based wallets, since a native webview has no browser extensions.

Chosen over Electron after measuring both: 8.3MB installed vs 269MB for an equivalent Electron build, since Tauri rides the OS's own WebView2 (Windows) / WebKitGTK (Linux) instead of bundling Chromium. Not code-signed yet (deferred decision, see Section 20) — Windows installs show an expected SmartScreen warning.

SECTION 15

Backend Infrastructure & Conventions

One Next.js app (inaya-network-dapp) serves the web dApp, Business Workspace, every public page, and the entire API surface every client (mobile, both desktop apps) calls.

- Data layer: MongoDB, one lib file per feature domain (security.js, learn.js, dataroom.js, activity.js, orgs.js, watcherPioneer.js, feedback.js...) — each with the same shape: getXCollections(), ensureXIndexes() (module-level idempotency guard), validateXInput() functions that throw (fail-closed).
- Cron jobs (Vercel Cron, vercel.json): settlement-release (midnight), security reputation checkpoint (3am — moved off a 6-hourly schedule after it silently broke every deployment for weeks on the Hobby plan's once-daily cron limit).
- Two admin surfaces: /admin (Enterprise Dashboard — revenue, usage, DAU/WAU, feedback) and /admin/security and /admin/dataroom, all gated by the same ADMIN_DASHBOARD_SECRET ?key= pattern, not a full multi-admin auth system (solo-founder-appropriate, by design).
- Every route follows the same shape: export const dynamic = "force-dynamic", outer try/catch → 500 + console.error, inner try/catch → specific 4xx.

SECTION 16

Identity & Auth Patterns

PATTERN	USED BY	MECHANISM
Signed-message wallet auth	Sovereign Vault sign-up, Security Layer node reports, Watcher Pioneer	ethers.verifyMessage over a reconstructed message string, 5-minute freshness window — reimplemented locally per-feature rather than shared, by established convention in this codebase.
Cookie session (magic-link / Google)	Business Workspace (web)	orgs.js — generateToken/hashToken, TTL-indexed magic_links collection, consumeLoginToken.
Bearer token session	Business Workspace (mobile)	Same session concept as web, token-based instead of cookie-based since mobile has no cookie jar shared with a browser.
Anonymous device/visitor ID	Referrals, Watcher Pioneer, activity pings, Security destination checker, Learn progress (no wallet)	Client-generated UUID cached in localStorage/AsyncStorage, upgraded to wallet address once one connects — same trust model reused across every feature that needs to work pre-wallet.
Investor Data Room session	Data Room only	Its own magic-link + session-cookie pair, deliberately separate from Business Workspace's — different visitor identity model (name+email+NDA, not org membership).

SECTION 17

Activity & Analytics (DAU/WAU)

One small, shared primitive tracks daily/weekly active users across all three surfaces — dApp, Business Workspace, mobile.

- One MongoDB doc per identity+surface+day, upserted (not inserted) — repeated pings the same day are free no-ops, so dedup is structural, not query-time logic.
- DAU = distinct identities pinging today; WAU = distinct identities over the trailing 7 days — both computed with a plain `distinct()` query since the per-day collapse keeps the working set small.
- Identity: wallet address if connected, otherwise the same anonymous visitor/device ID pattern from Section 16.
- Surfaced as one more section on the existing /admin dashboard — not a new page, not a new auth system.

SECTION 18

End-to-End Flow: Uploading a File

1. **1.** User connects wallet, signs a verification message (Sovereign Vault sign-up), sets a master passkey, selects a file.
2. **2.** custody-sdk derives an AES key from the passkey (PBKDF2), encrypts the file (AES-GCM-256), and splits the ciphertext into two shards.
3. **3.** Each shard is pinned to Pinata/IPFS independently, returning two CIDs.
4. **4.** Client checks for a duplicate asset hash, reads live fee rates, approves USDT/\$INAYA if needed, then calls `InayaCustody.batchRegisterAssets()` — this is the transaction that actually makes the upload "real."
5. **5.** Client separately calls `InayaProofRegistry.registerMerkleRoot()` per file (a Merkle root over the file's chunks) — a second, independent transaction; if this one fails, the custody registration from step 4 is not rolled back.
6. **6.** On download, the reverse: read `InayaCustody.assets(fileHash)` for both CIDs → fetch both shards from Pinata → concatenate → derive the same AES key from the user's passkey → decrypt. The passkey never leaves the device at any point in either direction.

SECTION 19

End-to-End Flow: A Threat Getting Confirmed

1. Independent nodes each observe the same suspicious domain/IP and POST a signed report to `/api/security/report` — rate-limited, deduped per node+threat+day.
2. `computeThreatConfidence()` reputation-weights every independent reporter within a 14-day lookback window.
3. Once aggregate confidence crosses 75%, the backend (acting as an authorized relayer) fires exactly one `InayaThreatReporter.confirmThreat()` call — anchoring category, confidence, and a hash of the contributing-node list on-chain.
4. The public `/security` page, mobile `SecurityScreen`, and desktop enforcement all read the same confirmed-threat feed from that point forward — a confirmed domain gets blocked at the app layer everywhere, and at the OS firewall layer on desktop for a real, confirmed threat.

SECTION 20

Known Gaps & Deliberate Deferrals

Stated plainly, not buried — these are conscious scope cuts, not things quietly forgotten:

- Node-daemon does not store/serve shards or run settlement logic — it's identity + registration + heartbeat only, today.
- InayaEgressTimelockVault has no code path yet that actually pays INAYA/USDT into it — it only accrues balance once something is wired to send it.
- InayaProofRegistry's chunk-proof verification is onlyOwner (backend-checked) rather than permissionless/stake-slashing-backed — a documented future path, not built yet.
- Real Android VPN/packet interception for the Security Layer is out of scope — mobile enforcement checks destinations inside the Inaya app only.
- Desktop firewall-block commands (netsh/iptables) are written and reviewed but have not been executed against a real machine.
- Neither desktop app is code-signed (Authenticode) — investigated, no free option exists for closed-source software, deferred to mainnet rather than spend on it now.
- Genesis Airdrop has no on-chain claim function — both mechanics are display/manual-review only, real distribution happens off-app at TGE.
- macOS is out of scope for both desktop apps, per Apple Developer Program cost + notarization constraint.
- Finance & HR (Section 24) is explicitly a testnet demonstration/validation layer — no PDF invoice generation, no multi-currency conversion, no regulated banking/payment-processor integration, no payroll/tax processing.
- RAG (Section 25) deliberately never ingests custody-sdk's own docs or the legacy KNOWLEDGE_ARTICLES collection, and never ingests private per-org Business Workspace data or per-identity Security events into the shared vector index — those stay live, permission-scoped tool calls, by design.

SECTION 21

Oracle & Automation Layer

A third, independent subsystem alongside the core protocol and Security Layer: an on-chain registry of approved external data sources, an adapter that validates every submission before trusting it, and an off-chain keeper that executes pre-approved contract actions under smart-contract rules — never arbitrary admin commands. Deployed and running live on BSC Testnet, publicly verifiable at inayanetwork.com/automation.

CONTRACT	ADDRESS	JOB
InayaOracleRegistry	0x0b4695...FdD90	Owner-approved data sources: which address may submit for which data type, active/inactive, emergency disable. Holds no data itself.
InayaOracleAdapter	0x44E9E1...4789	The actual data store other contracts read. Every submission is validated on-chain — not from the future, not already stale, not faster than the source's minimum interval, not an outlier beyond a configurable max deviation from the previous value. A submission failing any check reverts; nothing partially-invalid is ever recorded.
InayaAutomationRegistry	0xa24Eae...ADf53	A transparent record of approved automated tasks and what they've actually done — deliberately holds no special calling rights over any target contract and never forwards a call. The off-chain worker calls target functions directly, under whatever access control they already enforce.

- 1. Real data, not a simulated demo.** The oracle source live today is the INAYA/USDT spot price, read directly from the live PancakeSwap testnet pool's reserves — the same price computation the egress checkout flow already uses. Not a fabricated number for demonstration purposes.
- 2. Real automation target, not a toy example.** InayaNodeRegistry's `releaseSettlementsBatch()` was already permissionless and time-locked — anyone could call it once a settlement's 36-hour delay passed, but nothing was calling it automatically. The keeper now does, on a schedule, running against a genuine existing function rather than one built just for this demo. The first real run found and released an actual previously-unclaimed settlement.
- 3. Fails safe, not silently.** If oracle data goes stale, dependent automation skips that pass rather than acting on unverified data — proven live by deliberately lowering the staleness threshold and confirming the system correctly detects and reports it, then restoring normal operation.

The keeper is a standalone script an operator runs (manually or on their own schedule) with their own key — not a hosted service with standing infrastructure access. Its on-chain authority is narrow by construction: it can only submit to oracle sources it's explicitly registered for, and it can only call functions that are already safe to call permissionlessly.

SECTION 22

Where Everything Lives

AREA	PATH
Core protocol contracts	contracts/ (repo root) — InayaStaking.sol, InayaEgressTimelockVault.sol, InayaCorporateEscrow.sol, InayaNodeRegistry.sol, InayaProofRegistry.sol, MockINAYA.sol
Security Layer contracts	contracts/InayaThreat{Registry,Reporter}.sol, InayaNodeReputation.sol, InayaSecurityPolicy.sol
Oracle & Automation contracts	contracts/oracle/InayaOracleRegistry.sol, InayaOracleAdapter.sol, contracts/automation/InayaAutomationRegistry.sol
Deploy scripts	scripts/deploy.js, deploy-staking.cjs, deploy-vault.cjs, deploy-escrow.cjs, deploy-node-registry.cjs, deploy-verifier-safe.cjs, deploy-security-layer.js, deploy-oracle-automation.js
Automation keeper + tests	scripts/automation-worker.mjs, scripts/test-automation-worker.mjs, test/OracleAutomation.test.js
Client-side crypto SDK	inaya-network-dapp/custody-sdk/src/ (crypto.js, index.js, contracts.js)
Node operator CLI	inaya-network-dapp/custody-sdk/packages/node-daemon/
Release verification (reproducible build, published hashes, IPFS pin)	custody-sdk/.github/workflows/release.yml, CHECKSUMS.md, docs/VERIFYING_RELEASES.md, scripts/pin-release.mjs
Cross-implementation crypto compatibility proof	custody-sdk/test/webCryptoCompat.test.mjs
Native multi-chain bridge	contracts/InayaTokenBridge{Home,Spoke}.sol, InayaChainRegistry.sol, InayaMessenger.sol; src/lib/chain-adapters/; deployments/bridge/*.json; aptos/programs/inaya-bridge-aptos/, sui/programs/inaya_bridge_sui/
Wormhole interoperability layer	src/lib/chain-adapters/interop/, src/app/api/interop/; deployments/interop/wormhole-wtt/bscTestnet-attestation.json; docs/{interopability-provider-evaluation,inaya-interoperability,multichain-support-matrix,chain-expansion-guide,interop-security-boundary}.md
Storage backup & redundancy	contracts/InayaBackupRegistry.sol; src/lib/pinningProviders/ (Pinata + Firebase); docs/backup-redundancy-architecture.md
AI guarded execution + cryptographic audit trail	src/lib/ai-action-requests.js, src/lib/auditChain.js, src/lib/ai-business-tools.js (propose_* tools); src/app/api/cron/execute-approved-ai-actions/; src/app/api/orgs/audit/

AREA	PATH
Backend + web dApp + Business Workspace	inaya-network-dapp/src/app/, src/lib/, src/app/api/
Business Operations (Tasks/CRM/Procurement/Inventory)	src/lib/{task,deal,purchase-request,purchase-order}-workflow.js, inventory.js; src/app/api/orgs/{tasks,crm,procurement,inventory}/
Finance & HR	src/lib/{invoice,expense,employee,leave}-workflow.js, attachments.js; src/app/api/orgs/{finance,hr}/
RAG infrastructure	src/lib/rag/ (chunking, embeddings, vectorStore, retrieve, ingest); src/app/api/admin/rag/, src/app/api/cron/rag-reingest/
Mobile app	inaya-mobile/src/
Desktop — Business Workspace wrapper	inaya-desktop/src-tauri/
Desktop — dApp wrapper	inaya-dapp-desktop/src-tauri/
INAYA NETWORK	INAYA-ARCH-2026-V1

SECTION 23

Business Operations — Tasks, CRM, Procurement, Inventory

Four modules added to the Business Workspace on the exact same org/department/permission foundation Section 08 describes — no new auth system, no new storage system, every record department-scoped through the same canAccessDepartment gate every document already goes through.

MODULE	CORE OBJECTS	NOTABLE MECHANIC
Tasks	tasks (assignee, dueDate, status)	Real state-machine workflow, not just a status field — the {from,to,requiresManage,activityAction} transition-table pattern this whole layer reuses everywhere.
CRM	crm_contacts, crm_deals	A contact IS the unified Lead/Customer record — type flips LEAD→CUSTOMER on conversion rather than the record being recreated, so history/notes/deals stay attached.
Procurement	purchase_requests, purchase_orders, suppliers	PR→PO approval chain; PO receiving genuinely moves real Inventory stock — the two modules are integrated, not just adjacent.
Inventory	products, warehouses, stock_levels, stock_movements	stock_levels is a materialized view, only ever changed via \$inc; stock_movements is the real append-only ledger — same 'ledger is truth' discipline used elsewhere in this codebase (faucet lifetime-caps, Finance's leave balances).

Shared infrastructure, not per-module reinvention:

- org_activity — one domain-generic audit log every module's transitions write into, not a bespoke activity table per module.
- getAccessibleScope() (document-permissions.js) — the one function that resolves 'everything this member can see across the whole org,' extended incrementally as each module shipped rather than four separate resolvers.
- AI tools: list_tasks, list_contacts/list_deals, list_suppliers/list_purchase_orders, list_products — all permission-scoped through the same getAccessibleScope() the human-facing routes use, so the Business Assistant never sees more than the requesting user could see themselves.

Full detail (data model, workflow tables, permission model, test coverage, explicit out-of-scope list) in BUSINESS_OPERATIONS_TASKS.md, _CRM.md, _PROCUREMENT.md, and _INVENTORY.md at the repo root.

SECTION 24

Finance & HR Layer

Invoices, Expenses, Payments, and CSV reporting (Finance); Employee records, Employee documents, Leave management, and Department Administration (HR) — a testnet demonstration/validation layer, explicitly not regulated banking, tax filing, or payroll processing. Every Finance/HR screen carries a visible 'Testnet / Beta' badge.

Roles are additive, not a restructure.

org_members.role stays a single fixed string (owner|admin|member), checked in exactly one place (canManageOrg). Finance and HR each get their own new, OPTIONAL fields on the same document instead: financeRole (null|manager|staff), hrRole (null|manager|staff), managedDepartmentIds (new — Department Manager, a role that didn't exist before this layer). Zero risk to any existing module's gates.

CONCEPT	MECHANIC
Invoice lifecycle	DRAFT→SENT→PAID/CANCELLED, plus a cron-driven SENT→OVERDUE (invoices-mark-overdue, nightly, CRON_SECRET-gated) — the one transition in this entire layer that isn't user-invoked. Idempotent: a PAID invoice with a past due date is never touched, because the cron filters on status, not on date.
Expense approval	submit→PENDING_APPROVAL→APPROVED/REJECTED, approve/reject gated by canManageFinance (Finance Manager or org owner/admin) — Finance Staff can submit but not approve their own or anyone else's.
Employee identity	employees.memberEmail is nullable — set when the employee has real workspace login, absent when HR is just tracking someone who never logs in. Either way is a valid record.
The 'Employee' role	Not a role string at all — any member viewing the employees record whose memberEmail matches their own session gets read access to that one record and their own leave requests. A data-scoping rule, not an enum value.
Leave balance	Computed fresh on every read (allocationDays – this year's APPROVED day-spans), never a mutable stored counter — same 'ledger is truth' discipline as Inventory's stock levels (Section 23).
HR/expense documents	A new attachments collection, deliberately NOT a reuse of org_documents (which mandates a projectId and a department/project permission model wrong for 'who can see this employee's contract') — reuses the same client-side encrypt/shard/pin pipeline, just records metadata differently.

A real bug this layer's own tests caught. getAccessibleScope() originally filtered a Department Manager's managedDepartmentIds against their own already-visible departments before querying, intended as a redundant-query optimization — but department-level visibility doesn't imply HR/employee visibility, which is gated separately. A Department Manager whose own membership already included their managed department (the normal case) ended up with an empty managedDeptIds and silently lost their HR grant. Caught by test/hr-workflow.test.mjs's Department Manager scope test, fixed by removing the incorrect filter — a genuine finding from testing against real Atlas, not a hypothetical.

Full detail in BUSINESS OPERATIONS FINANCE.md and HR.md at the repo root.

SECTION 25

RAG — Retrieval-Augmented Generation Infrastructure

The shared retrieval layer behind the Docs, Security, and Learn assistants (Section 12) — replaces the Docs Assistant's old static hardcoded knowledge block with real semantic + keyword search over a live, re-ingestible content index. Built on this project's real MongoDB Atlas cluster, not a bolted-on vector-DB vendor.

1. **Chunk & embed.** Static sources (docs pages, FAQs, the fundraising-docs content files, the security policy explainer, Learn's curated config, and lazily-ingested YouTube video transcripts) get chunked by heading/paragraph/structured-section as appropriate, then embedded via Gemini's gemini-embedding-001 (768 dimensions), content-hash-cached so re-ingesting unchanged content costs nothing.
2. **Index — native Atlas, both kinds.** rag_chunks carries both an Atlas Vector Search index (\$vectorSearch) and an Atlas Search index (\$search), both created idempotently in code (collection.createSearchIndex()) — no manual Atlas dashboard step required.
3. **Hybrid retrieve.** retrieveContext() merges vector + keyword results via Reciprocal Rank Fusion in application code (not a native \$rankFusion stage, for broader Atlas-tier compatibility), then gates on a relevance threshold calibrated against real measurements on this project's own cluster — DEFAULT_MIN_RELEVANCE = 0.8, set after live-measuring relevant queries scoring ~0.89-0.91 cosine similarity against irrelevant ones at ~0.72-0.77 (a genuinely higher baseline than intuition suggested, and a real bug caught: an earlier 0.55 threshold plus a keyword-match override let an irrelevant query pass).
4. **Attribute the answer.** Every assistant response using RAG-retrieved context appends a formatted attribution of which source(s) it drew from — never a bare answer with no traceable origin.

Permission-safe by construction:

- Nothing private is ever ingested into the shared rag_chunks index — Security's per-identity events and Learn's per-wallet progress stay live, permission-scoped MongoDB tool calls (Section 12/23's pattern), never embedded text.
- custody-sdk's own docs and the legacy KNOWLEDGE_ARTICLES collection are deliberately excluded from ingestion — documented scope trims, not oversights.

Ops:

- Admin UI at /admin/rag (reingest, stats) plus a nightly cron (rag-reingest, CRON_SECRET-gated, same pattern as every other cron in this codebase).
- rag_query_log and rag_ingestion_runs give an honest record of what was actually retrieved and when content was last (re)indexed — metrics recording is fail-open, never blocks the caller.

Full detail in RAG_INFRASTRUCTURE.md at the repo root.

SECTION 26

Multi-Chain Bridge & Interoperability (September 2026)

\$INAYA is no longer BSC-only. Two independent systems move it to other chains, deliberately kept separate — a problem in one says nothing about the other. Every capability claim below is backed by a real transaction, not a deployment assumed to work.

System 1 — Inaya's own native bridge (mint/burn, BSC home)

InayaTokenBridgeHome (BSC) + InayaTokenBridgeSpoke per remote chain, coordinated by InayaChainRegistry (trusted-chain + spoke-address registration) and InayaMessenger, secured by threshold validator signatures over each cross-chain message. bridgeOut() on the source chain, executeMessage()/receive_message() on the destination.

CHAIN	VERIFIED LEVEL	EVIDENCE
BSC Testnet (home) / Sepolia / Avalanche Fuji	Staking-level — full unified staking interaction proven	Established prior to this pass; re-confirmed alongside the new chains below.
Arbitrum Sepolia	Messaging — registries wired and trust-verified, no transfer confirmed through it yet	deployments/bridge/arbitrumSepolia.json
Solana Devnet	Token-transfer — first-ever proven cross-chain message execution on Inaya's Solana program	Real bridgeOut + receive_message cycle, wrapped balance confirmed on-chain. deployments/bridge/solanaDevnet.json.
Hedera Testnet	Token-transfer	Hedera runs the EVM natively, so the identical spoke bytecode already proven on Sepolia/Fuji/Arbitrum was deployed unchanged. Real bridgeOut + executeMessage cycle confirmed. deployments/bridge/hederaTestnet.json.
Aptos Testnet	Token-transfer	New native Move contract (aptos/programs/inaya-bridge-aptos), reusing the same validator-signing scheme as the EVM spokes. Real cycle confirmed first attempt. deployments/bridge/aptosTestnet.json.
Sui Testnet	Token-transfer	New native Move contract (sui/programs/inaya_bridge_sui). Real cycle confirmed twice. deployments/bridge/suiTestnet.json.
Polygon Amoy	Discovered only	Configured, never deployed — not claimed as more.

Two real, non-obvious bugs found getting Solana and Sui working. Solana: its native secp256k1 precompile keccak256-hashes the instruction's message field internally before recovering the signature — undocumented in the public client crate docs, root-caused empirically by tracing the real (and, confusingly, doc-versioning-inconsistent) error-enum ordering; fixed in the off-chain validator signing procedure, not the on-chain program. Sui: ethers.toBeArray(0) returns a zero-length array (minimal big-endian encoding of zero has no bytes), silently truncating a signature by one byte whenever a validator's recovery id was 0 — fixed in the relayer script.

System 2 — Wormhole interoperability layer (parallel, does not replace System 1)

Reaches other chains through Wormhole's third-party guardian network instead of a hand-built bridge per chain. Evaluated against LayerZero on live docs (docs/interoperability-provider-evaluation.md); Wormhole selected (WTT/lock-and-mint mode), LayerZero deferred rather than rejected.

4 real, proven routes (full lock-and-complete cycle, verified non-zero destination balance):

- BSC → Ethereum Sepolia, BSC → Arbitrum Sepolia, BSC → Avalanche Fuji — all proven end-to-end.
- BSC attestation-only path additionally proven.
- Solana: wrapped token created and verified, but a transfer is blocked because Wormhole's own guardians never registered BSC as a trusted source chain on their Solana Devnet Token Bridge — a governance action on Wormhole's side, not fixable by Inaya.
- Sui and Aptos via Wormhole: both blocked by stale bytecode/package references inside Wormhole's own SDK, confirmed by re-running the actual attempts and inspecting the exact on-chain abort — the same root cause that led directly to building Aptos/Sui support into the native bridge (System 1) instead.

/bridge's UI offers only the routes actually proven as real send options; every other Wormhole-reachable chain is shown as reference-only, per an explicit no-fake-chain-support policy. Relay infrastructure (api/interop/wtt/{initiate,relay,status}, a 5-minute cron) fetches the Guardian-signed VAA via a plain REST call to Wormholescan's public API rather than the @wormhole-foundation/sdk package directly — importing that SDK inside a Next.js API route was found to break the production build (it eagerly pulls in XRPL support, whose dependency chain ships ESM-only files webpack can't bundle).

SECTION 27

Storage Backup & Redundancy (September 2026)

Closes a real gap that existed until this pass: each file's two encrypted shards (Section 05) were each pinned to exactly one provider (Pinata). Losing that one pin permanently lost the file — zero redundancy. Additive only; the existing encryption/sharding pipeline is unchanged.

- 1. **Replica redundancy, two independent providers.** Every shard is now replicated across Pinata and Filebase (an S3-compatible, IPFS-backed provider on a genuinely different infrastructure/failure domain), not just one.
- 2. **Two-tier failure detection.** Cheap pin-status checks every 15 minutes with a 3-strike grace window (a single blip never triggers recovery), plus daily content-hash integrity checks that catch real corruption with zero grace.
- 3. **Five backup-health states, a pure state machine.** Protected / Rebuilding / Degraded / Recovery Required / Recovery Failed — computed by a fully unit-tested state machine (19/19 tests), not scattered conditionals.
- 4. **Integrity-verified automatic recovery.** Fetches from a surviving healthy replica, verifies its hash against what was captured at original pin time, re-pins to restore the target replica count, and deletes the failed replica's underlying storage object (not just its database record).

COMPONENT	DETAIL
InayaBackupRegistry.sol	Deployed to BSC Testnet: 0x062c341aE4f11CB1dEa1B0D3930d52902F97f48a. Records only a redundancy commitment and health-state transitions on-chain — never the replica data itself — written only at real state boundaries, mirroring InayaProofRegistry's trust model. 15/15 contract tests.
InayaKernel.Backup SDK client	getBackupStatus / getBackupHealth / getRedundancyStatus / getRecoveryStatus / requestRecovery. 9/9 tests, published to npm as part of custody-sdk.

Real, live, end-to-end proof — not just unit tests. Replicated a real already-uploaded asset's shards to both Pinata and Filebase (correctly computed Protected, matching an independently-confirmed on-chain transaction); then deleted a real Filebase replica and watched the system correctly detect it (Recovery Required), fetch from the surviving Pinata copy, verify its hash, re-pin to Filebase, and self-heal back to Protected — with the on-chain registry tracking every real state transition. Two real coordinator-level bugs (not in the already-correct, already-tested state machine itself) were found and fixed by this exact proof run: a recovery sweep that checked shard health using a fake empty replica list, always reading worst-case; and a source/target-provider selection rule requiring zero recorded failures ever, instead of the same 'still retrievable' definition used everywhere else in the system.

One real, external, currently-open constraint: the project's Pinata account is over its plan's usage limit (confirmed via a live 403 from Pinata's own API), which blocked the first attempt at a fresh live pin during this proof and separately affects custody-sdk's own release-pinning step (Section 05). Not a code bug — an account-side limit to address separately. Full writeup: docs/backup-redundancy-architecture.md.

SECTION 28

AI Guarded Execution & Cryptographic Audit Trail (September 2026)

The Business Assistant's most consequential capability: it can propose real changes across 9 business domains (Task, Document, Deal, Purchase Request, Purchase Order, Leave Request, Employee, Expense, Invoice) — and can never execute any of them itself. `src/lib/ai-action-requests.js` is the guarded-execution state machine; `src/lib/auditChain.js` is the tamper-evident log everything writes into.

State machine (`ai-action-requests.js`)

PENDING_APPROVAL → APPROVED (sets `unlockAt` = now + 36h) → QUEUED (cron, once unlocked) → EXECUTED (cron, after calling the real `transitionX()`) or EXPIRED (cron, if the real transition no longer applies). PENDING_APPROVAL can also go to REJECTED; APPROVED can go to CANCELLED, but only before `unlockAt` passes.

Authorization, belt-and-suspenders throughout:

- `proposeAiAction()` requires `canPropose` — resolved by the caller through the exact same `getAccessibleScope()`-derived gate the real action's own tool context uses. An AI can't propose something the requesting user isn't already allowed to ask for.
- `reviewAiAction()`'s `approve/reject` requires `canApprove` — resolved through the domain's real `requiresManage` gate (e.g. `canManageFinance` for an expense decision). An AI-proposed action can never be approved by someone who couldn't already perform the real action themselves.
- Execution (the 36h-later cron) runs as a synthetic org-manager membership attributed in the activity log to the human who approved it — not a fabricated identity, and not re-derived from the approver's current membership (which could have changed since approval).
- Idempotency: `idempotencyKey` = `sha256(orgId+toolName+targetRecordId+args+hour-bucket)`, uniquely indexed — an identical proposal within the same hour upserts into the existing pending request instead of duplicating.
- Risk classification (`classifyRisk()`) is keyed first by exact action, falling back to a per-domain default, and never returns undefined — an unrecognized combination defaults to MEDIUM rather than silently under-classifying as LOW. EXPENSE, INVOICE, and PURCHASE_ORDER default HIGH; PURCHASE_REQUEST `approve/reject` and EMPLOYEE `terminate` are explicitly HIGH.

The audit trail (`auditChain.js`) — a hash-chained overlay, not a replacement log

Runs alongside the existing plain-insert logs (`org-activity-log.js`, `activity-log.js`, `security.js`), which keep writing exactly what they always have. This module additionally appends a linked entry: `entryHash` = `sha256(prevHash + canonicalJSON(eventFields))` — each entry commits to the entire chain before it, not just its own content, so altering or deleting any past entry breaks every hash after it.

- Concurrency: one org's chain is strictly sequential (entry N must know entry N-1's real, committed hash), so `appendAuditEntry` does an optimistic compare-and-swap on `audit_chain_heads` and retries on conflict — under contention this means a few wasted reads, never a corrupted chain; a conflicting write always fails closed.
- `verifyChainIntegrity(orgId)` walks the whole chain and recomputes every hash, catching a direct DB edit, a deleted entry, or a reordered entry — returns exactly which sequence number broke and why.

- GET /api/orgs/audit/export (org-scoped, owner/admin only) exports the full chain — every field needed to independently recompute and verify it — so a business customer doesn't have to trust Inaya's own "Verified" banner; they can walk the export and recompute sha256(prevHash + canonicalFields) themselves. Same shape as the internal admin export, just gated by org membership instead of internal auth.

Why this belongs next to custody-sdk's release verification (Section 05). Same underlying principle applied to a different trust boundary: custody-sdk lets anyone verify the client code wasn't tampered with before it ran; the audit trail lets anyone verify a business's own activity log wasn't tampered with after it was written. Neither asks the reader to simply trust Inaya's word. 19 automated tests cover this system, 11 of them adversarial scenarios specifically trying to defeat the guardrails (approving without real authority, bypassing the delay, replaying an idempotency key, etc.) rather than just the happy path.

SECTION 29

Web3 App Store, NFT Vault & Wallet-Attack Protection (September 2026)

Three related additions to the dApp side, shipped 2026-09-01: a curated + community app directory, an NFT backup vault, and live threat-registry checks wired into the bridge's recipient field.

Web3 App Store (/apps) — real submission-to-approval pipeline, not just a directory

8 first-party apps plus dynamically-fetched community listings (`src/lib/appStoreListings.js`). A developer submits either an already-pinned IPFS CID (opens via a public gateway in a new tab, never touches Inaya's origin) or an externally-hosted URL rendered in a strictly sandboxed iframe (`src/app/apps/embed/[slug]/page.js` — no `allow-same-origin` combined with `allow-scripts`, the actual dangerous combination). Same-origin hosting and an unvetted registry were both explicitly considered and rejected.

- Every submission requires a wallet signature (the same generic metadata-auth framework used elsewhere in the codebase) and is checked against the live Security Layer threat registry both at submission and again at admin-review time — nothing is ever auto-published, every listing starts pending.
- Admin review/approve/reject queue at `/admin/app-store`, mirroring `/admin/audit`'s existing passphrase-gated session pattern exactly.
- Verified end-to-end with a real signed submission, a real reject/approve cycle, and three adversarial cases (malformed CID, javascript: URL scheme, forged wallet signature) — all correctly rejected. Two real bugs were caught and fixed during that verification: `/apps` was being statically prerendered at build time (new listings would never appear until redeploy), and a `resourceId` mismatch between the raw signed URL and its normalized form was incorrectly flagging legitimate submissions as tampered.
- Genuinely missing, not yet built: a CLI deploy path directly into this store (custody-sdk's CLI deploys to the storage network, not to this app-store collection).

NFT Vault (/nfts)

Discovers a wallet's owned tokens from a specific ERC-721 + Enumerable collection (no indexer credentials configured, so auto-discovery across every collection is a stated, honest gap, not silently claimed) and backs up metadata + image via the existing `encrypt/shard/pin` pipeline (`src/lib/clientCrypto.js`). A backup record requires both a wallet signature and a real on-chain `ownerOf()` check — API at `src/app/api/nft/backup(s)/route.js`.

Wallet-attack protection — live threat check on the bridge's recipient field

A real browser extension doesn't exist and wasn't judged proportionate; instead the existing Security Layer threat registry (Section 09) is wired directly into the Bridge page's recipient address field (`src/components/AddressRiskCheck.js`) — a debounced live check, honest silence when there's no data on file, and a clear warning for a real CONFIRMED/DISPUTED report. Verified live end-to-end against a seeded threat record.

SECTION 30

Multi-Factor Authentication & September 2026 Security Hardening

Two related trust-surface additions: real MFA on Business Workspace login, and a full ecosystem security audit + remediation pass across web, mobile, custody-sdk, and both desktop apps.

MFA (TOTP + SMS) on Business Workspace login

An optional second factor on top of the existing magic-link/Google sign-in — TOTP (any standard authenticator app) or SMS via Firebase Phone Auth, managed from the Security nav item (`src/components/business/MfaSettings.js`) and enforced at login (`MfaVerifyScreen.js`). Mirrors the same pattern on inaya-mobile.

Security hardening pass — 2 critical, 6 high, 8 medium findings, all remediated

A full audit across the whole ecosystem (web, mobile, custody-sdk, both desktop apps, node infra). Selected findings, chosen because they're the ones a reader would most want confirmed fixed rather than just counted:

- Critical: a hardcoded Aptos private key in a relay dry-run script — removed, the script now reads it from env like every sibling relay script, and the key itself has been rotated (not just removed from source).
- Critical: Next.js bumped 14.2.5 → 14.2.35 (patched) plus a protobufs override, closing a critical transitive advisory — 0 critical vulnerabilities remaining as of this pass.
- High: `/api/upload` was an unauthenticated, unmetered proxy to Inaya's own storage backend — now requires a real session and is rate-limited.
- The remaining high/medium findings span rate limiting, security headers, desktop IPC hardening, and general key-hygiene fixes across inaya-desktop/inaya-dapp-desktop and scripts/.

Same honesty convention as the rest of this document: every finding above cites a real fix in a real commit, not a general claim of "hardened." A public developer-facing overview of the custody-sdk ecosystem, pulled from the SDK's own README/SDK_GUIDE rather than separately maintained, is also now live at inayanetwork.com/build ("Build on Inaya") for anyone wanting the install commands and quickstart directly.

SECTION 31

Sovereign Enterprise OS — The Connecting Layer

(September 2026)

Most of what this SOW asked for already existed — Business Workspace, AI Guarded Execution, the audit trail, the App Store, custody-sdk. What was genuinely missing was the layer connecting all of it into one coherent operating environment rather than a pile of separate features. Built on both surfaces as two parallel instances sharing the same underlying engines: Business Workspace (email/org identity) and the main dApp (wallet identity) are confirmed, completely separate identity systems today — no `walletAddress` field exists anywhere on an `org_members` record — so this deliberately does not build a new identity-linking layer, it builds the same connecting capability twice from shared code.

Identity Context — the one foundational gap everything else depended on

Neither surface had a client-side identity context before this pass; both prop-drilled session/wallet state through one top-level component (`BusinessPage`→`Workspace`, and `page.js`'s single ~7500-line `Home()`). New `src/contexts/OrgContext.js` and `WalletContext.js` (React Context, mirroring `ThemeProvider.js`'s shape — the only prior Context in the codebase) make identity reachable via `useOrg()/useWallet()` from any component, zero props threaded through.

`orgs.js`'s permission gates (`canManageOrg`, `canAccessDepartment`, `canManageFinance`, `canAccessFinance`, `canManageHR`, `canAccessHR`, `isDepartmentManager`) were extracted into a new client-safe module, `src/lib/orgGates.js`, so `OrgContext` could import them at all — `orgs.js` itself imports `node:crypto` and the `mongodb` driver, which can't ship to a browser bundle. `orgs.js` re-exports every one of them under its own name, so all ~60 existing server-side `import {...}` from `"./orgs.js"` call sites needed zero changes.

Cross-Module Trust & Health

Confirmed nothing anywhere combined audit-chain integrity, AI action backlog, backup health, and security status into one signal (grepped for `trustScore/systemHealth/aggregat*` — zero hits). New `src/lib/trustHealth.js`'s `computeTrustHealthSnapshot()` does this for real, per scope — org-side combines `verifyChainIntegrity()`, pending AI actions by risk tier, and overdue business items (platform-wide security stats are explicitly labeled as such, not presented as org-specific, since `security.js` has no org linkage); wallet-side combines the wallet's own recent security events with real per-asset backup health across its own files, a cleaner signal than the org side since `security/backup` data is already wallet-keyed.

PIECE	WHAT'S GENUINELY NEW	REUSED, NOT REINVENTED
Unified Notifications	New <code>notifications/notification_reads</code> collections with real persistent read-state — the only prior 'notifications' were a narrow referral/KYC read-model with no DB collection at all, unread state only in <code>localStorage</code> .	Write-hooks from <code>proposeAiAction/reviewAiAction</code> , <code>document-workflow.js</code> 's submit transition, and <code>backupEngine.js</code> 's state-change boundary crossings — additive calls into already-tested functions, not rewrites.

PIECE	WHAT'S GENUINELY NEW	REUSED, NOT REINVENTED
Unified Search	New Cmd/Ctrl+K src/components/CommandPalette.js, src/lib/orgSearch.js + walletSearch.js — the only prior search anywhere was a scoped YouTube proxy for Learn.	getAccessibleScope() as orgSearch's only data source (no-leak-by-construction); metadata_files as walletSearch's source, the same off-chain enumeration list-files/route.js already documents as the only full-list source that exists.
Activity Center	New src/lib/activityCenter.js's generateWhatChanged() — genuine period-over-period counts (AI outcomes, notification volume) from real timestamped fields.	business-brief.js's generateBusinessBrief() output composed verbatim as the org-side business section, not reimplemented.
OS-Level AI Router	New src/lib/ai-os-router.js — a thin dispatch shim merging Business+Security (org) or a new search_docs tool (wraps RAG's existing retrieveContext, domain:"docs") + Security (wallet) behind one conversation, tool-name-prefixed so Gemini sees one collision-free list.	runBusinessTool/runSecurityTool called unmodified after prefix-stripping — a router bug can't change what either tool set actually does.
OS Home	New OsHomeView.js (Business Workspace, new default view) and OsHomeSection.js (dApp, new non-default tab — that page is the public anonymous landing page too, so its default couldn't change).	No new aggregate backend route — parallel fetches against the APIs above, same pattern DashboardView already uses for /api/orgs/dashboard.

Desktop multi-window

Both desktop apps could only ever open a single window before this pass — confirmed: tauri.conf.json has "windows": [] (built programmatically) and lib.rs constructed exactly one "main" WebviewWindowBuilder. New open_module_window(label, path) Tauri command (identical implementation in both apps' src-tauri/src/lib.rs) reuses the exact same WebviewWindowBuilder::new(app, label, WebviewUrl::External(...)) call the main window is already built with, plus each file's own verify_trusted_origin guard — not a new window-creation mechanism, just parameterizing the one that already existed.

Verified for real, not just type-checked. A real compile bug was caught fixing this: naming url::ParseError explicitly in a map_err closure doesn't compile, since the url crate is only a transitive tauri dependency, not a direct one in Cargo.toml — fixed by letting type inference flow from context instead, the same thing the existing APP_URL.parse().unwrap() calls already lean on. cargo check passed cleanly on both crates; a genuine cargo build --release then succeeded for both via the existing scripts/build-portable-desktop.ps1 (unmodified — it already supports -App both/desktop/dapp), producing real standalone portable .exe files in roughly 1m35s each; both apps' existing build-desktop-linux.yml/build-dapp-desktop-linux.yml CI workflows ran green on the actual push, path-triggered automatically, not manually invoked.

What OS Home does and does not guarantee. Guarantees: every number shown is a real value from an already-shipped, already-tested API — no new aggregate route fabricating a summary. Does not guarantee: a unified identity across the dApp and Business Workspace (a deliberate, confirmed-with-the-team scope decision, not an oversight — see the opening note above); a historical trust/health trend (the aggregator computes live, nothing persists snapshots yet, so Activity Center reports current-state rather than a claimed delta it can't honestly back).

SECTION 32

Healthcare & Legal OS Expansion (September 2026)

Extends the Sovereign Enterprise OS (§31) into two vertical specializations — Health OS and Legal OS — for organizations handling patient or client/matter data, on Business Workspace's existing org/email identity side only. Reuses the shared OS foundation throughout (getAccessibleScope(), the audit chain, notifications, unified search) rather than building parallel systems — confirmed via codebase audit before writing anything: appendAuditEntry() is fully generic and reused directly for healthcare/legal audit and evidence chain-of-custody by passing new recordType values, no second audit system built.

Assignment-based access — a genuinely different model from every other module

Department membership grants nothing here. Only an explicit care-team or matter-team assignment (new health_care_team_assignments/legal_matter_team_assignments join collections, mirroring project_members' shape) — or an org-wide healthRole/legalRole — grants patient/matter visibility, wired into getAccessibleScope() itself rather than a parallel resolver. Verified by tests: a department member with no assignment sees zero patients or matters, even though they can see everything else in that same department.

A real bug this caught. Break-glass emergency access is implemented as a genuine, time-limited care-team assignment (not a separate bypass code path) — but the first version had no expiry check in getAccessibleScope()'s query, so a '4-hour' emergency grant would have stayed active forever. Caught by writing the expiry test, fixed with a notExpired filter, reverified. Every grant is still audited the instant it happens and flagged for manager review afterward.

Legal holds that actually block deletion, not just display a warning

retention.js's checkDispositionAllowed() is the guard every deletion call site checks first — verified to return allowed:false for any record tied to a matter under an ACTIVE hold (matched by direct record, matter, or custodian scope), and allowed:true again once released. Written ahead of legal-hold-workflow.js in Phase 1 specifically so every future disposition path gets this protection automatically the moment it's wired in, no second pass needed.

Trust accounting — one hard safety rule, no compliance claim

trust-accounting.js recomputes a matter's real trust balance and rejects any withdrawal that would exceed it, atomically, before the write — verified with a test attempting to overdraw a real seeded balance. Explicitly no jurisdictional (IOLTA-style) compliance validation is claimed or attempted; this is a financial-safety guard, not a regulatory one, per the SOW's own instruction not to claim compliance without jurisdiction-specific validation.

AI kept deliberately narrow — the capability isn't exposed, not just discouraged

ai-health-tools.js and ai-legal-tools.js are 100% read/summarize/draft — no propose_* mutation tool exists for either vertical, since SOW §10.28/§11.20's own tool lists are entirely read/summarize/draft to begin with. A free-text query framed as a diagnosis request, a request for final legal advice, or a request to release a hold or delete evidence is refused at the tool layer (a regex guard checked before any summarization runs), not left to a prompt instruction the model could be talked out of — verified with real refusal tests across both tool sets.

The vertical lock — real enforcement added after an explicit follow-up request

An org's configured business type (general/healthcare/legal) initially only gated which nav items business/page.js showed — a law firm could still call a Health OS API route directly and it would work. requireVertical() (industry-config.js) closes this: every one of 25 Health/Legal API routes now rejects a mismatched org with a real 403, checked immediately after authentication in every handler, fail-closed as 'general' for any org with no vertical configured at all.

A second real bug this caught. The automated multi-file edit that inserted requireVertical() into all 25 routes referenced a variable that didn't exist in scope in 14 POST handlers (they only ever destructured body.orgId, not a bare orgId) — a guaranteed 500 crash on every POST call to those routes. Caught by a full re-scan before committing, fixed, and backed by a new permanent test (vertical-lock-wiring.test.mjs) that statically confirms requireMembership() and requireVertical() are always called with the exact same expression across every one of the 25 route files — this exact bug class can't silently ship again. Beyond the test suite: live-verified against the running dev server with three real seeded orgs and real session cookies — a healthcare org's GET and POST both genuinely succeeded, a general org's identical calls were cleanly rejected with 403 (never a crash).

What's real backend but has no screen yet. Of roughly 20 domain modules across both verticals, only Patients (Health OS) and Matters (Legal OS) have an actual UI screen today — verified live in a real browser against real seeded data. Consent, ROI, break-glass, billing, scheduling, and research (Health OS) plus clients, prospects, evidence, holds, discovery, redaction, deadlines, contracts, entities, trust accounting, and time tracking (Legal OS) all have real, tested backend logic and a real, vertical-locked API route, but reaching them requires calling the API directly today. Nothing on inaya-mobile for either vertical yet. FHIR/HL7/DICOM/lab/pharmacy/claims/e-filing/legal-research/e-signature/SSO are documented adapter interfaces (adapterStub.js) with an honest configured:false stub, not live integrations — none of these can be genuine without the user's own third-party credentials. No HIPAA/ABA/eDiscovery compliance certification exists or is claimed anywhere.

SECTION 33

Financial Services & Regulated Enterprise OS — All Ten Phases (2026)

Extends the Sovereign Enterprise OS (§31) into a third and fourth vertical specialization — Financial Services OS (hedge funds/asset managers), Private Capital OS (PE/VC), and a shared Regulated Enterprise Control Plane (banks, insurers, pharma, and other cross-industry regulated organizations) — built in the same additive, reuse-first discipline as §32: `appendAuditEntry()`, `getAccessibleScope()`, and the guarded-execution shape from `ai-action-requests.js` are all reused directly rather than forked.

The Regulated Enterprise Control Plane came first, deliberately

Phase 0+4 (the compliance foundation — control library, evidence vault, findings, versioned policies, compliance exceptions, internal audit, and a Regulatory Examination Workspace with scoped one-time-use examiner links) was built before Financial Services OS or Private Capital OS's own domain modules, specifically so those two verticals build on one shared compliance layer rather than each reinventing it. `compliance-policies.js`'s `publish-immutable` lifecycle (no `updatePolicyDraft()` path reachable once `PUBLISHED` — `amendPolicy()` always inserts a new version) is the single most load-bearing property of this phase, backed by a dedicated permanent test.

Entity-scoped, not org-wide, visibility

The Financial Entity Core (funds, entities, investors, counterparties) and Private Capital's deal pipeline both use assignment-based visibility (`financial_fund_team_assignments`), the same `isFundTeamMember/isCareTeamMember/isMatterTeamMember` pattern §32 established — a user does not automatically see every fund or deal in their org just by being a member of it.

Nine role-specific AI copilots, zero mutation tools

CIO/COO/CCO/CRO/CFO/GC/analyst/deal-team/security/auditor copilots all follow `ai-compliance-tools.js`'s own precedent: 100% read/summarize/flag, with a request phrased to elicit a compliance certification or an 'are we compliant' verdict refused at the tool layer before any summarization runs, not left to a prompt instruction alone.

What's real backend but has no mobile screen yet. All ten phases (Regulated Control Plane, Financial Entity Core, Investment Management, Private Capital, Security & Resilience, AI copilots, Integration Adapter Architecture — stub-by-default, `configured:false` until real credentials exist — Executive/Board Layer, External Data Rooms, and Enterprise Hardening) are live-verified end-to-end on the web app. Nothing on `inaya-mobile` for any of these three verticals yet — that gap is explicitly called out in the roadmap rather than left ambiguous. No compliance certification of any kind exists or is claimed anywhere.

SECTION 34

Government & Public Sector Sovereign OS — Phase 1 Foundation (2026)

A fifth vertical specialization, for government departments and agencies handling citizen, legal, financial, procurement, health, and operational data. Built the same way every prior vertical was: confirm what's already reusable first, build only the genuinely new part second. Most of §D's required scope (Procurement, Contracts, Finance, HR, Tasks, Approvals) needed zero new engineering — those modules were already vertical-agnostic.

Citizen Records reuse Health OS's exact access model

citizen-records.js's `isCitizenRecordAssignee()` is the same shape as `isCareTeamMember()` from §32 — a citizen record is visible only to someone actually assigned to it, never to anyone merely holding `governmentRole:'staff'` or department membership. Verified by a test proving a staff member with no assignment is denied even though they hold general Government OS access.

Need-to-know enforced twice — API layer and AI tool layer

ai-government-tools.js's `search_citizen_records` doesn't just trust that the API layer already checked access — it re-runs the same `requireCitizenRecordAccess()` check per record before returning anything, so an AI assistant can never surface more than the human it's acting for could see. Verified live: a search for a name that matches both an assigned and an unassigned record returns only the assigned one.

A stricter chain-of-custody rule, gated to one vertical only

Government-vertical orgs get every document READ logged to the audit chain, not just every write — a genuinely stricter bar than the general Documents module. Implemented as an additive, vertical-gated branch inside the existing retrieve route rather than changing that route's behavior for every other org.

What's real backend but has no mobile screen yet. Citizen Records, Case Management, the Policy Knowledge Base (reusing `compliance-policies.js`'s `publish-immutable` lifecycle), the operations/security dashboard, and the AI assistant are all live-verified on the web app — 51 new automated tests, including the two load-bearing properties (assignment-required access; publish-immutability) each written before the implementation they verify. Break-glass access needed zero new code: `privileged-access.js` was already built vertical-agnostic during §33. Nothing on inaya-mobile yet. No government certification, accreditation, FedRAMP authorization, or jurisdiction-specific compliance claim exists or is claimed anywhere — that requires separate authorities entirely outside this codebase.