

# Cucumber Report

Dec 17, 2022 3:00:07 PM

**Start : Dec 17, 2:58:43.184 PM**

**End : Dec 17, 3:00:06.385 PM**

**Duration : 1 m 23.201 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 3**

**SKIPPED - 0**

**PASSED - 2**



**FAILED - 5**

**SKIPPED - 0**

**PASSED - 15**


**FAILED - 5**

**SKIPPED - 27**




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Login Functionality</u>	42.760 s	1	0	1	0	3	2	1	0
<u>Login Functionality</u>	47.084 s	1	0	1	0	3	2	1	0
<u>Citizenship with scenario Outline</u>	40.410 s	5	2	3	0	41	11	3	27

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@SmokeTest	2	0	2	0	2	0	2	0
@Regression	7	2	5	0	3	0	3	0





#	Feature Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	1	0	1	0	42.760 s
2	<u>Login Functionality</u>	1	0	1	0	47.084 s
3	<u>Citizenship with scenario Outline</u>	5	2	3	0	40.410 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>Login with valid username and password</u>	3	2	1	0	42.754 s
2	<u>Login Functionality</u>	<u>Login with valid username and password</u>	3	2	1	0	47.078 s
3	<u>Citizenship with scenario Outline</u>	<u>CitizenShip Create</u>	10	10	0	0	30.828 s
4	<u>Citizenship with scenario Outline</u>	<u>CitizenShip Create</u>	1	1	0	0	0.007 s
5	<u>Citizenship with scenario Outline</u>	<u>CitizenShip Create</u>	10	0	1	9	9.435 s
6	<u>Citizenship with scenario Outline</u>	<u>CitizenShip Create</u>	10	0	1	9	0.052 s
7	<u>Citizenship with scenario Outline</u>	<u>CitizenShip Create</u>	10	0	1	9	0.047 s


## Login Functionality

<b>FAILED</b>	<b>DURATION - 42.760 s</b>	Scenarios		Steps	
/ 2:58:43.184 PM // 2:59:25.944 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



## Login with valid username and password

<div>FAILED</div> <div>DURATION - 42.754 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:58:43.190 PM // 2:59:25.944 PM /</div>				
<div>Login Functionality</div>				
<div>@SmokeTest @Regression</div>				



#	Step / Hook Details	Status	Duration
1	Given Naviagate to Campus	PASSED	27.441 s
2	When Enter username and password and click Login button	PASSED	3.185 s
3	Then User should login successfuly org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('Techno Study') to be present in element [[ChromeDriver: chrome on WINDOWS (38b689210f635a8ab12ab18242814054)] -> css selector: span[class='mat-tooltip-trigger logo-text']] (tried for 3 second(s) with 500 milliseconds interval) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\talip\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55257}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55257/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 38b689210f635a8ab12ab18242814054 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.verifyContainsTextFunction(Parent.java:52) at Pages.DialogContent.findAndContainsText(DialogContent.java:161) at StepDefinitions._01_LoginSteps.userShouldLoginSuccessfully(_01_LoginSteps.java:40)	FAILED	3.206 s

#	Step / Hook Details	Status	Duration
	at ?.User should login successfully(file:///C:/Users/talip/IdeaProjects/Cucumber_FrameWork/src/test/java/FeatureFiles/_01_Login.feature:13) * Not displayable characters are replaced by '?'. AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)		
	screenshot name 	PASSED	8.894 s


## Login Functionality

FAILED	DURATION - 47.084 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:58:43.184 PM // 2:59:30.268 PM /					



## Login with valid username and password

FAILED	DURATION - 47.078 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:58:43.190 PM // 2:59:30.268 PM /				
Login Functionality				
@SmokeTest @Regression				

#	Step / Hook Details	Status	Duration
1	Given Naviagate to Campus	PASSED	29.022 s
2	When Enter username and password and click Login button	PASSED	4.085 s
3	Then User should login successfully org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('Techno Study') to be present in element [[FirefoxDriver: firefox on WINDOWS (f3f89e87-7b40-4eb1-a054-170dd4b621d2)] -> css selector: span[class='mat-tooltip-trigger logo-text']] (tried for 3 second(s) with 500 milliseconds interval) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os.arch:	FAILED	4.463 s



#	Step / Hook Details	Status	Duration
	<p>'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 108.0, moz:accessibilityChecks: false, moz:buildID: 20221208122842, moz:debuggerAddress: 127.0.0.1:52635, moz:geckodriverVersion: 0.32.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 15884, moz:profile: C:\Users\talip\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:52635/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: f3f89e87-7b40-4eb1-a054-170dd4b621d2</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at Pages.Parent.verifyContainsTextFunction(Parent.java:52)  at Pages.DialogContent.findAndContainsText(DialogContent.java:161)  at StepDefinitions._01_LoginSteps.userShouldLoginSuccessfully(_01_LoginSteps.java:40)  at ?.User should login successfully(file:///C:/Users/talip/IdeaProjects/Cucumber_FrameWork/src/test/java/FeatureFiles/_01_Login.feature:13)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>screenshot name</p> 	PASSED	9.486 s

## Citizenship with scenario Outline

FAILED	DURATION - 40.410 s	Scenarios		Steps	
/ 2:59:25.975 PM // 3:00:06.385 PM /		Total - 5		Total - 41	
		Pass - 2		Pass - 11	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 27	



## CitizenShip Create



<div>PASSED</div>	<div>DURATION - 30.828 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:59:25.978 PM // 2:59:56.806 PM /</div>				
<div>Citizenship with scenario Outline</div>				
<div>@Regression</div>				



#	Step / Hook Details	Status	Duration
1	Given Naviagate to Campus	PASSED	11.255 s
2	When Enter username and password and click Login button	PASSED	1.726 s
3	Then User should login successfuly	PASSED	4.021 s
4	And Navigate to CitizenShip page	PASSED	1.615 s
5	When User a CitizenShip name as "vatls11" short name as "isVat11"	PASSED	1.830 s
6	Then Success message should be displayed	PASSED	0.709 s
7	When User a CitizenShip name as "vatls11" short name as "isVat11"	PASSED	1.248 s
8	Then Already exist message should be displayed	PASSED	0.615 s
9	When User delete the "vatls11"	PASSED	1.501 s
10	Then Success message should be displayed	PASSED	0.554 s

### CitizenShip Create

<b>PASSED</b>	DURATION - 0.007 s		<b>Steps</b> Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 2:59:30.288 PM // 2:59:30.295 PM /				
Citizenship with scenario Outline				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Naviagate to Campus	PASSED	0.000 s



### CitizenShip Create

<div>FAILED</div> <div>DURATION - 9.435 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div> <div></div>
<div>/ 2:59:56.829 PM // 3:00:06.264 PM /</div>			
<div>Citizenship with scenario Outline</div>			
<div>@Regression</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given Naviagate to Campus</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8959c143569aca5d88f7f78ca3a336b, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\talip\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:55406}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55406/devtoo..., se.cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b8959c143569aca5d88f7f78ca3a336b     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)     at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:958)     at StepDefinitions._01_LoginSteps.naviagateToCampus(_01_LoginSteps.java:21)     at ?.Naviagate to Campus(file:///C:/Users/talip/IdeaProjects/Cucumber_FrameWork/src/test/java/FeatureFiles/ _04_SenaryoOutlineCitizenShip.feature:11)     * Not displayable characters are replaced by '?'. </pre>	FAILED	9.338 s
2	When Enter username and password and click Login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And Navigate to CitizenShip page	SKIPPED	0.000 s
5	When User a CitizenShip name as "vatls21" short name as "isVat12"	SKIPPED	0.000 s
6	Then Success message should be displayed	SKIPPED	0.000 s
7	When User a CitizenShip name as "vatls21" short name as "isVat12"	SKIPPED	0.000 s
8	Then Already exist message should be displayed	SKIPPED	0.000 s
9	When User delete the "vatls21"	SKIPPED	0.000 s
10	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.094 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8959c143569aca5d88f7f78ca3a336b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\italip\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55406}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55406/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b8959c143569aca5d88f7f78ca3a336b</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331)  at StepDefinitions.Hooks.after(Hooks.java:38)</p>		



## CitizenShip Create

<div>FAILED</div> <div>DURATION - 0.052 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 3:00:06.276 PM // 3:00:06.328 PM /</div>				
<div>Citizenship with scenario Outline</div>				
<div>@Regression</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Naviagate to Campus</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8959c143569aca5d88f7f78ca3a336b, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\talip\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:55406}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55406/devtoo..., se.cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b8959c143569aca5d88f7f78ca3a336b</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310)  at StepDefinitions._01_LoginSteps.naviagateToCampus(_01_LoginSteps.java:20)  at ?.Naviagate to Campus(file:///C:/Users/talip/IdeaProjects/Cucumber_FrameWork/src/test/java/FeatureFiles/_04_SenaryoOutlineCitizenShip.feature:11)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.008 s
2	When Enter username and password and click Login button	SKIPPED	0.001 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to CitizenShip page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	When User a CitizenShip name as "vatIs31" short name as "isVat13"	SKIPPED	0.000 s
6	Then Success message should be displayed	SKIPPED	0.000 s
7	When User a CitizenShip name as "vatIs31" short name as "isVat13"	SKIPPED	0.000 s
8	Then Already exist message should be displayed	SKIPPED	0.000 s
9	When User delete the "vatIs31"	SKIPPED	0.001 s
10	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.039 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8959c143569aca5d88f7f78ca3a336b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\italip\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55406}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55406/devtoo..., se.cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b8959c143569aca5d88f7f78ca3a336b</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331)  at StepDefinitions.Hooks.after(Hooks.java:38)</p>		

## CitizenShip Create

<div>FAILED</div> <div>DURATION - 0.047 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
<div>/ 3:00:06.338 PM // 3:00:06.385 PM /</div>				
<div>Citizenship with scenario Outline</div>				
<div>@Regression</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Naviagate to Campus</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8959c143569aca5d88f7f78ca3a336b, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\talip\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:55406}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55406/devtoo..., se.cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b8959c143569aca5d88f7f78ca3a336b     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310)     at StepDefinitions._01_LoginSteps.navigateToCampus(_01_LoginSteps.java:20)     at ?.Naviagate to Campus(file:///C:/Users/talip/IdeaProjects/Cucumber_FrameWork/src/test/java/FeatureFiles/ _04_SenaryoOutlineCitizenShip.feature:11)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.008 s
2	When Enter username and password and click Login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to CitizenShip page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	When User a CitizenShip name as "vatIs41" short name as "isVat14"	SKIPPED	0.000 s
6	Then Success message should be displayed	SKIPPED	0.000 s
7	When User a CitizenShip name as "vatIs41" short name as "isVat14"	SKIPPED	0.000 s
8	Then Already exist message should be displayed	SKIPPED	0.000 s
9	When User delete the "vatIs41"	SKIPPED	0.000 s
10	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.038 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8959c143569aca5d88f7f78ca3a336b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\talip\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55406}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55406/devtoo..., se.cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b8959c143569aca5d88f7f78ca3a336b</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331)  at StepDefinitions.Hooks.after(Hooks.java:38)</p>		