

ADR-0010: PEEL Wiring and Core Document Ingestion

Status: Accepted

Layer: Core (Platform)

Context

Two Core invariants were specified but not yet enforced end-to-end:

1. **PEEL must intercept every request and authorize it.** The `PEEL`, `PolicyEngine`, and a `peel` hook on the `Dispatcher` existed, but no PEEL instance was ever constructed or wired. Authorization was effectively a no-op: any authenticated principal could perform any action, and cross-tenant access was not blocked.
2. **A Document is a Resource, and uploading one must emit a ResourceCreated event.** No document subsystem existed in Core; the prototype's Docling normalization lived in the Application/daemon layer.

Decision

PEEL enforcement (defense in depth)

- `PEEL.authorize` now applies three ordered, fail-secure checks:
 1. **Multi-tenant isolation** — the resource GRN's `org_id` must match the execution context's organization. Structural; never overridable.
 2. **Policy evaluation** — when explicit policies are configured they are authoritative (explicit DENY wins; explicit ALLOW grants access).
 3. **Identity-based capability check** — when no policies are configured, the principal must hold the capability the action requires (`policy/capabilities.py` maps action verbs → `Capability`).
- A `PEEL` instance is constructed in `initialize_gateway_state` and wired into the `Dispatcher`, so **every state-changing command** is authorized before any event is recorded.
- The API middleware performs a **coarse PEEL pre-check** mapping HTTP method + path → action. This is the primary enforcement point for read (GET) requests, which do not dispatch commands.
- `UnauthorizedError` is mapped to HTTP **403**.

Document ingestion (Core)

- New `gabriel.document` package: `Document` (a `Resource` subclass), `DocumentNormalizer` (migrated/cleaned from the prototype Docling pipeline, with a dependency-free plain-text/CSV/HTML fallback), and `DocumentIngestionService`.
- Ingestion dispatches a `create_resource` command (action `document:create`), so PEEL authorizes it and the Event Store records a `resource_created` (`ResourceCreated`) event transactionally.

- `docling` / `PyMuPDF` / `python-docx` / `beautifulsoup4` are **optional** extras; the Core path works without them.

Layer assignment

- **Core:** PEEL wiring, capability map, `gabriel.document.*`, `/documents` gateway router (no chat/LLM/UI).
- **SDK:** would expose a thin `documents.upload(...)` client over `/documents`.
- **Desktop:** chat/RAG workflows consume ingested documents via the SDK.

Consequences

- Cross-tenant access and missing-capability requests are now denied (403).
- Existing `test_peel.py` fixtures were updated to same-tenant GRNs to reflect the now-enforced structural isolation invariant.
- The Document resource is event-sourced like every other resource; no bespoke table is required for the ResourceCreated guarantee.