MODI DIAGNOSTIC LABORATORY

ADJ. VP COMPLEX, OPP. SPORTS COLLEGE, KAPURTHALA ROAD, JALANDHAR
PH- 01812250601, 9217643274

NAME	KOMAL	**PATIENT ID**	
AGE/SEX	45/FEMALE	**REFERED BY**	DR. DEEPAK MODI
DATE	12-09-2026	**REMARK**	

BLOOD TEST REPORTS (LIVER FUNCTION TEST)

	NORMAL VALUE	**PATIENT VALUE**	**RESULT**
SGOT	8-42 IU/L	35	
SGPT	6-40 IU/L	30	

The most widely used liver enzymes that are sensitive to abnormalities in liver are alanine aminotransferase (ALT or SGPT) and aspartate aminotransferase (AST or SGOT).

LAB TECHNICIAN.....

MODI DIAGNOSTIC LABORATORY

ADJ. VP COMPLEX, OPP. SPORTS COLLEGE, KAPURTHALA ROAD, JALANDHAR
PH- 01812250601, 9217643274

NAME	KOMAL	**PATIENT ID**	
AGE/SEX	45/FEMALE	**REFERED BY**	DR. DEEPAK MODI
DATE	29-08-2026	**REMARK**	

BLOOD TEST REPORTS (LIVER FUNCTION TEST)

	NORMAL VALUE	PATIENT VALUE	RESULT
SERUM BILIRUBIN	0.2-0.8 mg/dl	0.8	
SGOT	8-42 IU/L	49	
SGPT	6-40 IU/L	89	

Bilirubin is an orange-yellow pigment, a waste product primarily produced by the normal breakdown of heme.Two forms of bilirubin can be measured or estimated by laboratory tests:Unconjugated bilirubin and Conjugated bilirubin. The most widely used liver enzymes that are sensitive to abnormalities in liver are alanine aminotransferase (ALT or SGPT) and aspartate aminotransferase (AST or SGOT). **Alkaline phosphatase (ALP)** is present in a number of tissues including liver, bone, intestine, and placenta. A rise in ALP activity occurs with all forms of cholestasis, particularly with obstructive jaundice.A **total serum protein test** measures the total amount of protein in theblood. It also measures the amounts of two major groups of proteins in the blood: albumin and globulin.

LAB TECHNICIAN.....

.MODI DIAGNOSTIC LABORATORY

ADJ. VP COMPLEX, OPP. SPORTS COLLEGE, KAPURTHALA ROAD, JALANDHAR

PH- 01812250601, 9217643274

NAME	KOMAL	**PATIENT ID**	
AGE/SEX	45/FEMALE	**REFERED BY**	DR DEEPAK MODI
DATE	05-08-2026	**REMARK**	

HAEMATOLOGICAL (CBC)

TEST	RESULT	UNITS	NORMAL
HB	10.2	*Gm/dl*	11.5-15.5
TLC	7,200	*Thou/cumm*	4000-11000
DLC			
NEUTROPHILS	58	*%*	40-75
LYMPHOCYTES	34	*%*	20-45
MONOCYTES	05	*%*	00-08
EOSINOPHILS	03	*%*	01-06
BASOPHILS	00	*%*	0-1
TOTAL PLT COUNT	127	*Thous/cumm*	150-450
RBC COUNT	4.17	*Million/cumm*	4.5-5.9
PCV/HCT	33.7	*%*	35-45
MCV	80.8	*FL*	80-100

MODI DIAGNOSTIC LABORATORY

ADJ. VP COMPLEX, OPP. SPORTS COLLEGE, KAPURTHALA ROAD, JALANDHAR
PH- 01812250601, 9217643274

NAME	KOMAL	**PATIENT ID**	
AGE/SEX	45/FEMALE	**REFER BY**	DR. DEEPAK MODI
DATE	05-08-2026	**REMARK**	

BLOOD TEST REPORTS (SERUM CHOLESTEROL)

TEST	NORMAL VALUE	PATIENT VALUE	RESULT
SERUM CHOLESTEROL	Desirable: <200 Borderline high: 200- 239 High risk: >240	150	

Cholesterol is a fat-like substance that circulates in your blood. Your body needs some cholesterol, but keeping your cholesterol within certain ranges is important for good health. High serum cholesterol raises the risk of heart disease.

BLOOD TEST REPORTS (SERUM URIC ACID)

	NORMAL VALUE	PATIENT VALUE	RESULT
SERUM URIC ACID	2.5 -7.0 mg/dl	3.7	

MODI DIAGNOSTIC LABORATORY

ADJ. VP COMPLEX, OPP. SPORTS COLLEGE, KAPURTHALA ROAD, JALANDHAR
PH- 01812250601, 9217643274

NAME	KOMAL	PATIENT ID	
AGE/SEX	45/FEMALE	REFER BY	DR. DEEPAK MODI
DATE	05-08-2026	REMARK	

BLOOD TEST REPORTS (RENAL FUNCTION TEST)

TEST	NORMAL VALUE	PATIENT VALUE	RESULT
BLOOD UREA	20-40	24	
SERUM CREATININE	0.8-1.4	0.9	

A **blood urea** nitrogen (BUN) test checks kidney function by measuring how much **urea** nitrogen is in your **blood**. **Urea** nitrogen is a waste product from the breakdown of protein in the body. Normally, this waste is filtered by the kidneys and leaves the body through urine.

Serum creatinine (a blood measurement) is an important indicator of renal health because it is an easily measured byproduct of muscle metabolism that is excreted unchanged by the kidneys.

BLOOD TEST REPORT (RBS)

TEST	NORMAL VALUE	PATIENT VALUE	RESULT
RBS	70-140 mg/dl	129	

MODI DIAGNOSTIC LABORATORY

ADJ. VP COMPLEX, OPP. SPORTS COLLEGE, KAPURTHALA ROAD, JALANDHAR
PH- 01812250601, 9217643274

NAME	KOMAL	PATIENT ID	
AGE/SEX	45/FEMALE	REFER BY	DR. DEEPAK MODI
DATE	05-08-2026	REMARK	

RAPID CARD TEST

TEST	NORMAL VALUE	PATIENT	RESULT
HBsAg	NEGATIVE	NEGATIVE	

Hepatitis B surface antigen (HBsAg) is the earliest sign of an active hepatitis B infection. This antigen may be present before symptoms of an HBV infection are present. If this antigen is present for more than 6 months, then you probably have a chronic (long-term) HBV infection. This means you can spread HBV to others throughout your life.

TEST	NORMAL VALUE	PATIENT	RESULT
HCV	NEGATIVE	NEGATIVE	

One step, rapid, immune chromatographic test for the detection of antibody against hepatitis c virus in human serum, plasma or whole blood. An HCV antibody test is used to screen for infection. It detects the presence of antibodies to the virus, indicating exposure to HCV. This test cannot distinguish between someone with an active or a previous HCV infection. There is some evidence that if the test is "weakly positive," it may be a false positive. The Centers for Disease Control and Prevention (CDC) recommends that all positive antibody tests be followed by an HCV RNA test that detects viral RNA in the blood to determine whether or not the person has an active infection.

TEST	NORMAL VALUE	PATIENT	RESULT
HIV	NEGATIVE	NEGATIVE	

Its one step rapid, immune chromatographic test for the detection of ANTI HIV ½ in human serum, plasma or whole blood. Regardless of the type of screening test used, a positive result requires follow up with a second test to establish a diagnosis of HIV.If positive, the HIV antibody immunoassay test is repeated. It is a very sensitive type of test but currently requires a second test method, usually a Western blot, to confirm the results because false positives can occur.

MODI DIAGNOSTIC LABORATORY

ADJ. VP COMPLEX, OPP. SPORTS COLLEGE, KAPURTHALA ROAD, JALANDHAR
PH- 01812250601, 9217643274

NAME	KOMAL	PATIENT ID	
AGE/SEX	45/FEMALE	REFERED BY	DR. DEEPAK MODI
DATE	05-08-2026	REMARK	

BLOOD TEST REPORTS (LIVER FUNCTION TEST)

	NORMAL VALUE	PATIENT VALUE	RESULT
SERUM BILIRUBIN	0.2-0.8 mg/dl	0.8	
CONJUGATED	0.1-0.3 mg/dl	0.3	
UNCONJUGATED	0.2-0.7 mg/dl	0.5	
SGOT	8-42 IU/L	42	
SGPT	6-40 IU/L	39	
ALKALINE PHOSPHATASE	60-170 ul	111	
SERUM PROTEIN	5.7-8.2 gm/dl	7.8	
SERUM ALBUMIN	3.5-5.0 gm	3.6	

Bilirubin is an orange-yellow pigment, a waste product primarily produced by the normal breakdown of heme.Two forms of bilirubin can be measured or estimated by laboratory tests:Unconjugated bilirubin and Conjugated bilirubin. The most widely used liver enzymes that are sensitive to abnormalities in liver are alanine aminotransferase (ALT or SGPT) and aspartate aminotransferase (AST or SGOT). **Alkaline phosphatase (ALP)** is present in a number of tissues including liver, bone, intestine, and placenta. A rise in ALP activity occurs with all forms of cholestasis, particularly with obstructive jaundice.A **total serum protein test** measures the total amount of protein in theblood. It also measures the amounts of two major groups of proteins in the blood: albumin and globulin.

LAB TECHNICIAN.....

MODI DIAGNOSTIC LABORATORY

ADJ. VP COMPLEX, OPP. SPORTS COLLEGE, KAPURTHALA ROAD, JALANDHAR

PH- 01812250601, 9217643274

NAME	KOMAL	PATIENT ID	
AGE/SEX	45/FEMALE	REFERED BY	DR. DEEPAK MODI
DATE	05-08-2026	REMARK	

BLOOD TEST REPORT (CRP)

TEST	NORMAL VALUE	PATIENT VALUE	RESULT
CRP	0-6 mg/dl	8.5	

MODI DIAGNOSTIC LABORATORY

ADJ. VP COMPLEX, OPP. SPORTS COLLEGE, KAPURTHALA ROAD, JALANDHAR
PH- 01812250601, 9217643274

NAME	KOMAL	PATIENT ID	
AGE/SEX	45/FEMALE	REFERED BY	DR. DEEPAK MODI
DATE	05-08-2026	REMARK	

WIDAL TEST

	1/20	1/40	1/80	1/160	1/320	1/640	RESULT
S TYPHI O	+	+	+	-	-	-	-
S TYPHI H	+	+	+	+	-	-	-
S PARATYPHI A	+	+	+	-	-	-	-
S PARATYPHI B	+	+	+	-	-	-	-

The Widal test is one method that may be used to help make a presumptive diagnosis of enteric fever, also known as typhoid fever. Although the test is no longer commonly performed in the United States or other developed countries, it is still in use in many developing countries where enteric fever is endemic and limited resources require the use of rapid, affordable testing alternatives. Enteric fever is a life-threatening illness caused by infection with the bacterium *Salmonella enterica* serotype Typhi (*S. typhi*), usually transmitted through food and drinks contaminated with fecal matter. It is associated with symptoms that include high fever, fatigue, headache, abdominal pain, diarrhea or constipation, weight loss, and a rash known as "rose spots." Early diagnosis and treatment are important because serious complications, including severe intestinal bleeding or perforation, can develop within a few weeks.

TECHNICIAN.....