


INFANT FEVER/ HYPOTHERMIA PROTOCOL (0-28 DAYS OLD)


This clinical pathway outlines an evidence-based approach to the work-up and treatment of infants aged 0–28 days with fever or hypothermia, and includes neonatal HSV management recommendations. These best practice guidelines are based on current literature and consensus of University of Kentucky pediatric hospitalists, pediatric emergency medicine, pediatric pharmacy, and emergency medicine pharmacy.

Please refer to the references at the end of the pathway for in-depth information.



INFANT FEVER/HYPOTHERMIA PROTOCOL (0-28 DAYS OLD)

PEDIATRIC ASSESSMENT TRIANGLE*:



* Dieckmann R, Brownstein D, Gausche-Hill M. The Pediatric Assessment Triangle: A Novel Approach for the Rapid Evaluation of Children, *Pediatr Emerg Care*. 2010 Apr;26(4):312-5.

REFERENCES:

Dieckmann R, Brownstein D, Gausche-Hill M. The Pediatric Assessment Triangle: A Novel Approach for the Rapid Evaluation of Children, *Pediatr Emerg Care*. 2010 Apr;26(4):312-5.

American College of Emergency Physicians Clinical Policies Committee, American College of Emergency Physicians Clinical Policies Subcommittee on Pediatric Fever. Clinical Policy for Children Younger Than Three Years Presenting to the Emergency Department With Fever. *Ann Emerg med*. 2003;42(4):530-545

Claudius I, Baraff LJ. Pediatric Emergencies Associated With Fever. *Emerg Med Clin North Am*. 2010;28(1):67-84, vii-viii

Cioffredi LA, Jhaveri R. Evaluation and Management of Febrile Children A Review. *JAMA Pediatr*. 2016 Aug 1;170(8):794-800.

Schwartz S, Raveh D, Tokor O, Segal G, Godovitch N, Schlesinger Y. A week-by-week analysis of the low-risk criteria for serious bacterial infection in febrile neonates. *Arch Dis Child*. 2009 Apr;94(4):287-92.

Wing R, Dor MR, McQuilkin A. Fever in the pediatric patient. *Emerg Med Clin North Am*. 2013 Nov;31(4):1073-96

David W. Kimberlin MD, FAAP, ed. 2018. Red Book®: Report of the Committee on Infectious Diseases -31st Ed. Printed in the United States of America. American Academy of Pediatrics.

Kimberlin DW, Bale J. Guidance on Management of Asymptomatic Neonates Born to Women with Active Genital Herpes lesions. *Pediatrics*. 2013;131(2):e635-646

Long, SS. et al. Herpes Simplex Virus Infection in Young Infants During 2 decades of Empiric Acyclovir Therapy. *The Pediatric Infectious Disease Journal* 2011;30(7): 556-561

Cruz A, Freedman S, Kulik D, Okada P, Fleming A, Mistry R, Thomson J, Schnadower D, Arms J, Mahajan P, Garro A, Pruitt C, Balamuth F, Uspal N, Aronson P, Lyons T, Thompson A, Curtis S, Ishimine P, Schmidt S, Bradin S, Grether-Jones K, Miller A, Louie J, Shah S, Nigrovic L, and the HSV Study Group of the Pediatric Emergency Medicine Collaborative Research Committee. Herpes Simplex Virus Infection in Infants Undergoing Meningitis Evaluation. *Pediatrics*. Feb 2018; 141(2):e20171688.

Ramgopal S, Walker L, Vitale M, Nowalk A. Factors Associated with Serious Bacterial Infection in Infants ≤ 60 Days with Hypothermia in the Emergency Department. *American Journal of Emergency Medicine*. 2019; 37:1139-43.