

## EM - Peds - Trauma Red (v1.2)

### Labs

- ☒ Hemogram With Diff; **Requesting Date** : T; **Priority** : STAT
- ☒ Prothrombin Time; **Requesting Date** : T; **Priority** : STAT
- ☒ APTT (PTT); **Requesting Date** : T; **Priority** : STAT
- ☒ Clottable Fibrinogen; **Requesting Date** : T; **Priority** : STAT
- ☐ Basic Metabolic Panel; **Requesting Date** : T; **Priority** : STAT
- ☒ Comprehensive Metabolic Panel; **Requesting Date** : T; **Priority** : STAT
- ☒ Lipase; **Requesting Date** : T; **Priority** : STAT
- ☐ Lactic Acid, Arterial; **Requesting Date** : T; **Priority** : STAT
- ☐ Lactic Acid, Venous; **Requesting Date** : T; **Priority** : STAT
- ☐ Blood Gas, Arterial; **Requesting Date** : T; **Priority** : STAT
- ☐ Blood Gas, Venous; **Requesting Date** : T; **Priority** : STAT
- ☐ Alcohols Level, Plasma (Chandler Only); **Requesting Date** : T; **Priority** : STAT
- ☐ Transfuse Blood Product Orders
- ☒ Type and Screen; **Performance Date** : T; **Priority** : STAT
- ☒ Crossmatch Red Blood Cells; **Performance Date** : T; **Priority** : STAT; **Indication** : Trauma Red; **Product** : Leukocytes Reduced Red Blood Cells; **Number of Units** : 2
- ☐ Influenza A,B and Respiratory Syncytial Virus (RSV) by PCR; **Requesting Date** : T; **Priority** : STAT; **Specimen Source** : Naso Pharynx (NP); **Special Request** : None
- ☒ UA with Microscopic Reflex; **Requesting Date** : T; **Priority** : STAT
- ☐ Urine Culture (Catheter Urine); **Requesting Date** : T; **Priority** : STAT; **Specimen Source** : Catheterized Urine (CATH); **Special Request** : None
- ☐ Urine Culture (Clean Catch); **Requesting Date** : T; **Priority** : STAT; **Specimen Source** : Urine (URINE); **Special Request** : None
- ☐ Drug Abuse Screen, Urine; **Requesting Date** : T; **Priority** : STAT
- ☐ Pregnancy Test Plasma Qualitative; **Requesting Date** : T; **Priority** : STAT
- ☐ Pregnancy Test (Urine); **Requesting Date** : T; **Priority** : STAT

### Radiology

- ☒ Chest 1 View Pa/Ap Portable - AED; **Performance Date** : T; **Order Priority** : STAT; **Allow Radiology order discretion** : true; **Method of Transport** : Bedside
- ☒ Pelvis 1 View Ap Portable - AED; **Performance Date** : T; **Order Priority** : STAT; **Allow Radiology order discretion** : true; **Method of Transport** : Bedside
- ☐ C-Spine 2 Or 3 Views - AED; **Performance Date** : T; **Order Priority** : STAT; **Reason Clinically Indicated** : Trauma; **Allow Radiology order discretion** : true; **Special Instructions** : 3 views to include odontoid.

Ordering Provider: \_\_\_\_\_ Date/Time: \_\_\_\_\_

## EM - Peds - Trauma Red (v1.2)

- ☐ CT Abdomen and Pelvis with IV Contrast; **Order Date** : T; **Priority** : STAT; **Text - 2 lines** : The field below indicates approval for Radiology techs to use department protocols. Any changes will be communicated directly to the Ordering Service.; **Allow Radiology order discretion** : true
- ☐ CT C-Spine without IV Contrast; **Order Date** : T; **Priority** : STAT; **Text - 2 lines** : The field below indicates approval for Radiology techs to use department protocols. Any changes will be communicated directly to the Ordering Service.; **Allow Radiology order discretion** : true
- ☐ CT Head without IV Contrast; **Order Date** : T; **Priority** : STAT; **Text - 2 lines** : The field below indicates approval for Radiology techs to use department protocols. Any changes will be communicated directly to the Ordering Service.; **Allow Radiology order discretion** : true
- ☐ CT L-Spine Limited; **Order Date** : T; **Priority** : Routine; **Text - 2 lines** : The field below indicates approval for Radiology techs to use department protocols. Any changes will be communicated directly to the Ordering Service.; **Allow Radiology order discretion** : true
- ☐ CT L-Spine without IV Contrast; **Order Date** : T; **Priority** : STAT; **Text - 2 lines** : The field below indicates approval for Radiology techs to use department protocols. Any changes will be communicated directly to the Ordering Service.; **Allow Radiology order discretion** : true
- ☐ CT T-Spine Limited; **Order Date** : T; **Priority** : Routine; **Text - 2 lines** : The field below indicates approval for Radiology techs to use department protocols. Any changes will be communicated directly to the Ordering Service.; **Allow Radiology order discretion** : true
- ☐ CT T-Spine without IV Contrast; **Order Date** : T; **Priority** : STAT; **Text - 2 lines** : The field below indicates approval for Radiology techs to use department protocols. Any changes will be communicated directly to the Ordering Service.; **Allow Radiology order discretion** : true
- ☐ L-Spine 2 Views Ap/Lat - AED; **Performance Date** : T; **Order Priority** : STAT; **Allow Radiology order discretion** : true
- ☐ T-Spine 2 Views Ap/Lat - AED; **Performance Date** : T; **Order Priority** : STAT; **Allow Radiology order discretion** : true
- ☒ US Abdomen Ltd Other Quad - AED; **Performance Date** : T; **Order Priority** : STAT; **Allow Radiology order discretion** : true
- ☐ US Abdomen Port - AED; **Performance Date** : T; **Order Priority** : STAT; **Allow Radiology order discretion** : true; **Method of Transport** : Bedside; **Special Instructions** : FAST U/S

## Point of Care

 EM - Pediatric POC Resuscitation Panel

## Respiratory

- ☐ Ventilator -- Pediatric; **FrequencyCode** : daily; **RequestedDate** : T; **RequestedTime** : Routine 
- ☐ Sputum Induction - RT; **FrequencyCode** : once; **RequestedDate** : T; **RequestedTime** : Routine; **SpecialInstructions** : STAT 

Ordering Provider: \_\_\_\_\_ Date/Time: \_\_\_\_\_

## EM - Peds - Trauma Red (v1.2)

☐ ECG - RT; **Performance Date** : T; **Performance Time** : STAT; **Reason Clinically Indicated** : Trauma

## Consults

☒ ED Consult Request - Surgery Pediatrics; **Order Date** : T; **Consulting Service** : PDS - Surgery / Pediatrics Surgery (SURG); **Individual Contacted** : on call; **Ordering Privileges** : Consult with Order Entry

## NPO

☒ NPO for Procedure; **Performance Date** : T; **Time to Start** : Now; **Except Medications** : true

## Nursing

- ☒ IV Peripheral Access; **Performance Date** : T; **Priority** : STAT; **Frequency** : <Continuous>
- ☐ IV Fluid Bolus; **Performance Date** : T; **Priority** : STAT; **IV Fluid** : Lactated Ringers; **Special Instructions** : 20 mL/kg; Repeat x 1 PRN at MD request
- ☐ IV Fluid Bolus; **Performance Date** : T; **Priority** : STAT; **IV Fluid** : Normal Saline; **Special Instructions** : 20 mL/kg; Repeat x 1 PRN at MD request
- ☐ O2 prn per Nursing; **Performance Date** : T; **Priority** : STAT
- ☒ Cardiac Monitor; **FrequencyCode** : <Continuous>; **RequestedDate** : T; **RequestedTime** : STAT ⚠
- ☒ Pulse Oximetry - Nsg; **Performance Date** : T; **Priority** : STAT; **Frequency** : <Continuous>
- ☐ Request Chart; **MR Form C1** : \*\*Attention: Medical Records; **RequestedDate** : T; **SpecialInstructions** : Send to ED ⚠

## Room Set Up

- ☐ Tray at Bedside; **Performance Date** : T; **Priority** : STAT; **Special Instructions** : Laceration Tray to bedside to include: betadine and saline.
- ☐ Tray at Bedside; **Performance Date** : T; **Priority** : STAT; **Special Instructions** : Laceration Tray to bedside to include: Dermabond, saline and 4X4s.
- ☐ Tray at Bedside; **Performance Date** : T; **Priority** : STAT; **Special Instructions** : Laceration Tray to bedside to include: 1% Lidocaine Plain, syringe, and needles.
- ☐ Tray at Bedside; **Performance Date** : T; **Priority** : STAT; **Special Instructions** : Laceration Tray to bedside to include: 1% Lidocaine with Epi, syringe, and needles.

## IV Meds

Ordering Provider: \_\_\_\_\_ Date/Time: \_\_\_\_\_

## EM - Peds - Trauma Red (v1.2)

- ☐ FentaNYL Inj. (PEDIATRIC) -; **Start Date** : T; **Priority** : STAT Med; **Unit of Measure** : mcg; **Dosage Form** : Solution; **Route** : IntraVenously; **Frequency** : every 30 minutes; **PRN** : true; **PRN Reason** : pain; **Stop After (Duration)** : 2 Times; **Special Instructions** : 1 mcg/kg
- ☐ Morphine Inj. (PEDIATRIC) -; **Start Date** : T; **Priority** : STAT Med; **Unit of Measure** : MG; **Dosage Form** : Solution; **Route** : IntraVenously; **Frequency** : every hour; **PRN** : true; **PRN Reason** : pain; **Stop After (Duration)** : 2 Times; **Special Instructions** : 0.1 mg/kg every 1-4 hours
- ☐ Ondansetron Inj. -; **Start Date** : T; **Priority** : STAT Med; **Unit of Measure** : MG; **Dosage Form** : Solution; **Route** : IntraVenously; **Frequency** : every 6 hours; **Stop After (Duration)** : 3 Times

## CHARGES

- ☒ Trauma Alert Red (CHG); **CHGQTY000** : 1; **RequestedDate** : T; **RequestedTime** : Routine ⚠

Ordering Provider: \_\_\_\_\_ Date/Time: \_\_\_\_\_