



HealthCare

CHANDLER HOSPITAL
800 Rose St
Lexington KY 40536-
0536
Notes Report

MRN: 110834266, DO [REDACTED] Legal
Sex: M
Adm: 3/18/2025, D/C: 4/21/2025

MRN: 110834266



Chidiac, Neejad T, MD
Resident
Internal Medicine

Discharge Summary  
Attested

Date of Service: 4/21/2025 11:55 AM

Attestation signed by Tahir, Muhammad W, MD at 4/21/2025 7:58 PM

I saw and evaluated the patient with the resident/fellow. I discussed the case with the resident/fellow and agree with the findings and plan as documented.

Hospitalization

Admit Date/Time: 3/18/2025 12:38 AM
Admitting Attending: Daniel T Weaver
Discharge Date: 04/21/25
Discharge Attending Physician: Tahir, Muhammad W, MD
PCP name and Address: Pcp, No 800 Rose St / LEXINGTON KY 40536
Referring provider name and address:
Patel, Reema A, MD
800 Rose St Whitney Hendrickson Bldg
Ste 134
Lexington, KY 40536-0098

Chief Concern, Brief History of Present Illness, and Hospital Course

66 yo M with HTN, HLD, COPD, transfer from OSH on 3/18/2025 12:38 AM for new lung mass with brain mets. S/p craniotomy 3/19, c/b post-op hemiplegia and asphasia. Completed dex taper. Path with NSCLC with choriocarcinomatous differentiation and staging scans concerning for metastasis to brain, bilateral adrenals, descending colon and lymph nodes. Initially interested in chemo and radiation. S/p carboplatin + etoposide cycle 1 (4/13-4/15). Ultimately, patient expressed desire to stop all cancer treatment on 4/18 on his own voluntary will with full decision making capacity. Patient and sister would like to pursue home with hospice, which was arranged to patient's sister's home on day of discharge.

Surgeries and Procedures

Procedures performed in this encounter

Procedures

- Case Request Operating Room: CRANIOTOMY, FOR INTRACRANIAL NEOPLASM EXCISION

CRANIOTOMY, FOR INTRACRANIAL NEOPLASM EXCISION (Bilateral), INSERTION, DRAIN, SPINE, LUMBAR (N/A)

Medication List

..

acetaminophen 500 MG tablet

Commonly known as: Tylenol

Take 2 tablets by mouth 3 (three) times a day.

bisacodyl 5 MG EC tablet

Commonly known as: Bisacodyl EC

Take 2 tablets by mouth daily as needed for constipation. Do not crush, chew, or split.

DULoxetine 30 MG DR capsule

Commonly known as: Cymbalta

Take 1 capsule by mouth nightly. Do not crush or chew.

gabapentin 400 MG capsule

Commonly known as: Neurontin

Take 1 capsule by mouth 3 (three) times a day.

ipratropium-albuterol 0.5-2.5 mg/3 mL nebulizer solution

Commonly known as: Duo-Neb

Take 3 mL by nebulization every 6 (six) hours.

levocetirizine 5 MG tablet

Commonly known as: Xyzal

Take 1 tablet by mouth every evening.

lidocaine 5 % patch

Commonly known as: Lidoderm

Apply 1 patch topically 1 (one) time each day at the same time over 12 hours. Remove & discard patch within 12 hours or as directed by MD.

melatonin 1 MG chewable tablet

Chew 1 Chewable tablet nightly.

metoprolol succinate XL 25 MG 24 hr tablet

Commonly known as: Toprol-XL

Take 1 tablet by mouth daily for 5 days. Do not crush or chew.

Movantik 25 MG tablet

Generic drug: naloxegol oxalate

Take 25 mg by mouth every morning.

naloxone 4 mg/0.1 mL nasal spray

Commonly known as: Narcan

1. Give 1 spray in nostril for no/slow breathing or cannot wake after opioid use 2. Call 911 3. Repeat in other nostril if symptoms continue

nicotine 21 MG/24HR patch

Commonly known as: Nicoderm CQ

Place 1 patch on the skin daily.

* **oxyCODONE** 10 MG immediate release tablet

Commonly known as: Roxicodone

Take 1 tablet by mouth every 4 (four) hours for 5 days.

* **oxyCODONE** 5 MG immediate release tablet

Commonly known as: Roxicodone

Take 1 tablet by mouth every 4 (four) hours as needed for severe pain (breakthrough pain).

polyethylene glycol 17 g packet

Commonly known as: Miralax

Take 17 g by mouth every morning.

senna 8.6 MG tablet

Commonly known as: Senokot

Take 2 tablets by mouth 2 (two) times a day.

tamsulosin 0.4 MG 24 hr capsule

Commonly known as: Flomax

Take 2 capsules by mouth 1 (one) time each day with dinner.

 * This list has 2 medication(s) that are the same as other medications prescribed for you. Read the directions carefully, and ask your doctor or other care provider to review them with you.

Where to Get Your Medications

These medications were sent to **UK - CHANDLER**
RETAIL PHARMACY - LEXINGTON, KY - 1000 SO
LIMESTONE AVE A.01.114

1000 SO LIMESTONE AVE A.01.114,
LEXINGTON KY 40536

Phone: 859-218-3340

- acetaminophen 500 MG tablet
- bisacodyl 5 MG EC tablet
- DULoxetine 30 MG DR capsule
- gabapentin 400 MG capsule
- ipratropium-albuterol 0.5-2.5 mg/3 mL nebulizer solution
- levocetirizine 5 MG tablet
- lidocaine 5 % patch
- melatonin 1 MG chewable tablet
- metoprolol succinate XL 25 MG 24 hr tablet
- Movantik 25 MG tablet
- naloxone 4 mg/0.1 mL nasal spray
- nicotine 21 MG/24HR patch
- oxyCODONE 10 MG immediate release tablet
- oxyCODONE 5 MG immediate release tablet
- polyethylene glycol 17 g packet
- senna 8.6 MG tablet
- tamsulosin 0.4 MG 24 hr capsule

Discharge Diagnosis

Medical Problems

Active and Resolved Hospital Problems

Hospital

RESOLVED: Disorientation

Moderate protein-calorie malnutrition (CMS/HCC)

*** (Principal) Non-small cell cancer of right lung (CMS/HCC) (Chronic)**

Urinary retention (Chronic)

COPD (chronic obstructive pulmonary disease) (CMS/HCC)

Outpatient Follow-Up

No future appointments.

Test Results Pending At Discharge

N/A

Pertinent Physical Exam At Time of Discharge

Vitals reviewed.

Constitutional:

General: He is not in acute distress.

Appearance: He is **ill-appearing**.

HENT:

Head: Normocephalic and atraumatic.

Mouth/Throat:

Pharynx: Oropharynx is clear.

Eyes:

General: No scleral icterus.

Conjunctiva/sclera: Conjunctivae normal.

Cardiovascular:

Rate and Rhythm: Normal rate and regular rhythm.

Pulmonary:

Effort: Pulmonary effort is normal. No tachypnea, accessory muscle usage or respiratory distress.

Comments: **On NC 4L**

Abdominal:

General: There is no distension.

Palpations: Abdomen is soft.

Tenderness: There is no abdominal tenderness. There is no guarding or rebound.

Genitourinary:

Penis: No discharge.

Comments: **Indwelling foley catheter in place**

Musculoskeletal:

Right lower leg: **Edema** present.

Comments: **Non-pitting edema of RLE**

Skin:

General: Skin is dry.

Coloration: Skin is **pale**.

Findings: **Rash** present.

Comments: **Mild erythema of anterior chest wall**

Neurological:

Mental Status: He is alert.

Comments: **Alert. Answering all questions appropriately**

Psychiatric:

Mood and Affect: Mood blunted, affect consistent with mood.

Behavior: Behavior appropriate in context.

Discharge Disposition/Condition

Disposition: Home with Home Hospice

Condition: Stable (s/sx potential problems absent or manageable)

I spent >30 minutes of patient care and instruction time in preparation for this discharge.

Neejad T. Chidiac MD MBA

Internal Medicine/Psychiatry PGY1

Cell: 614-570-5497

Cosigned by: Tahir, Muhammad W, MD at 4/21/2025 7:58 PM

Electronically signed by Chidiac, Neejad T, MD at 4/21/2025 11:55 AM

Electronically signed by Tahir, Muhammad W, MD at 4/21/2025 7:58 PM

ED to Hosp-Admission (Discharged) on 3/18/2025 *Note shared with patient*



Linked Episodes

Oncology Treatment Noted 4/12/2025
3D CRT: Bilateral Brain Noted 4/17/2025

Hospital Problem List

Principal: Non-small cell cancer of right lung (CMS/HCC)
Urinary retention
Disorientation Resolved
Moderate protein-calorie malnutrition (CMS/HCC)
COPD (chronic obstructive pulmonary disease) (CMS/HCC)

Care Timeline

03/20 1813 Admitted from ED 1813
04/21 1715 Discharged 1715

Discharge

Hospice/Home
Admitting/Attending Physician: WEAVER, DANIEL T [3326]
Provider Care Team: HM CHANDLER 4 [187]
Are they the primary team?: Yes [1]
AVS
Patient Signature (English Snapshot) - Printed 4/21/2025
AVS - Discharge to Home (English Snapshot) - Printed 4/21/2025
Follow-Ups
• Follow up with =
• Follow up with =
• Follow up with KY Clinic Urology (Urology)
• Follow up with Patel, Reema A, MD (Medical Oncology)
• Follow up with Pcp, No (Family Medicine)

Medication List at Discharge

As of 4/21/2025 5:15 PM

	Refills	Start Date	End Date
acetaminophen (Tylenol) 500 MG tablet Take 2 tablets by mouth 3 (three) times a day. - Oral	0	4/21/2025	—
bisacodyl (Bisacodyl EC) 5 MG EC tablet Take 2 tablets by mouth daily as needed for constipation. Do not crush, chew, or split. - Oral	0	4/21/2025	—
DULoxetine (Cymbalta) 30 MG DR capsule Take 1 capsule by mouth nightly. Do not crush or chew. - Oral	0	4/21/2025	—
gabapentin (Neurontin) 400 MG capsule Take 1 capsule by mouth 3 (three) times a day. - Oral	0	4/21/2025	—
ipratropium-albuterol (Duo-Neb) 0.5-2.5 mg/3 mL nebulizer solution Take 3 mL by nebulization every 6 (six) hours. - Nebulization	0	4/21/2025	—
levocetirizine (Xyzal) 5 MG tablet Take 1 tablet by mouth every evening. - Oral	0	4/21/2025	—
lidocaine (Lidoderm) 5 % patch Apply 1 patch topically 1 (one) time each day at the same time over 12 hours. Remove & discard patch within 12 hours or as directed by MD. - Apply externally	0	4/21/2025	—
melatonin 1 MG chewable tablet Chew 1 Chewable tablet nightly. - Oral	0	4/21/2025	—

	Refills	Start Date	End Date
metoprolol succinate XL (Toprol-XL) 25 MG 24 hr tablet 0 Take 1 tablet by mouth daily for 5 days. Do not crush or chew. - Oral		4/21/2025	4/26/2025
Movantik 25 MG tablet 0 Take 25 mg by mouth every morning. - Oral		4/21/2025	—
naloxone (Narcan) 4 mg/0.1 mL nasal spray 0 1. Give 1 spray in nostril for no/slow breathing or cannot wake after opioid use 2. Call 911 3. Repeat in other nostril if symptoms continue - Nasal		4/21/2025	—
nicotine (Nicoderm CQ) 21 MG/24HR patch 0 Place 1 patch on the skin daily. - Transdermal		4/21/2025	—
oxyCODONE HCl			
oxyCODONE (Roxicodone) 10 MG immediate release tablet 0 Take 1 tablet by mouth every 4 (four) hours for 5 days. - Oral		4/21/2025	4/26/2025
oxyCODONE (Roxicodone) 5 MG immediate release tablet 0 Take 1 tablet by mouth every 4 (four) hours as needed for severe pain (breakthrough pain). - Oral		4/21/2025	—
polyethylene glycol (Miralax) 17 g packet 0 Take 17 g by mouth every morning. - Oral		4/21/2025	—
senna (Senokot) 8.6 MG tablet 0 Take 2 tablets by mouth 2 (two) times a day. - Oral		4/21/2025	—
tamsulosin (Flomax) 0.4 MG 24 hr capsule 0 Take 2 capsules by mouth 1 (one) time each day with dinner. - Oral		4/21/2025	—