ENVIRONET-DIGITAL PLATFORM FOR ENVIRONMENTAL COMPLAINTS

Project Submitted to the

BHARATHIDASAN UNIVERSITY, TIRUCHIRAPALLI-24.

in partial fulfilment of the requirements for the award of

BACHELOR DEGREE IN COMPUTER APPLICATIONS

Submitted by

NAME	REGISTER NUMBER
SHINI EVANJALIN A	23050410500112089
SHARMILA K	23053410500112072
SUVATHI T	23050410500112079

Under the guidance

Ms.V.Manibabu M.Sc.,M.phil.,P.G.D.C.A.,M.C.A.,M.Phil.,(Ph.D).,

DEPARTMENT OF COMPUTER APPLICATIONS

SHRIMATI INDIRA GANDHI COLLEGE

(Affiliated to Bharathidasan University)

Nationally Accredited at "A" Grade (4th Cycle) by NAAC

An ISO 9001:2015 Certified Institution

TIRUCHIRAPPALLI – 620 002.

APRIL 2026

CERTIFICATE

Ms.V.ManibabuM.Sc.,M.phil.,P.G.D.C.A.,M.C.A.,M.Phil.,(Ph.D).

Assistant Professor,

Department of Computer Applications

Shrimati Indira Gandhi College

Tiruchirappalli-620002

CERTIFICATE

This is to certify that the project work entitled

"EnviroNet - Digital Platform for Environmental Complaints"

Submitted by

NAME	REGISTER NUMBER
SHINI EVANJALIN A	23050410500112089
SHARMILA K	23050410500112072
SUVATHI T	23050410500112079

is a bonafide record of the work done by the above mentioned candidates in partial fulfilment of the requirements for the award of the degree of **"BACHELOR OF COMPUTER APPLICATIONS "** and has been carried out under my guidance during the Sixth semester of the academic year (2025-2026).

Signature of the Guide **Signature of the Academic Director**

ACKNOWLEDGEMENT

ACKNOWLEDGEMENT

First and foremost, we express our praise and thanks to Lord Almighty for his manifold blessing showered on right from admission and till the completion of the project work successfully in the temple of learning.

We endow our grateful thanks and deep sense of gratitude to our respected **PRINCIPAL Dr. P. GAJALAKSHMI, M.Sc., M.Phil. Ph.D.,** Shrimati Indira Gandhi College, Tiruchirappalli and the management for providing us all the Support to carry out the project.

We express our thanks and deep sense of gratitude to our ACADEMIC DIRECTOR **Dr. S. RETHINAVALLI, MCA., M.Phil., Ph.D.,** of Computer Applications, Shrimati Indira Gandhi College, Tiruchirappalli for sustained Encouragement shown towards the successful completion of this work.

We express our thanks and deep sense of gratitude to our guide **Ms. V.Manibabu M.Sc.,M.phil.,P.G.D.C.A.,M.C.A.,M.Phil.,(Ph.D).,,** Department of Computer Applications, for her guidance and encouragement during the course of our study and in successfully accomplishing this project.

We also submitted our heartfelt thanks to Our Tutor **Ms. J. Rathna B.E.,M.Tech.,** Assistant Professor, Department of Computer Applications, Shrimati Indira Gandhi College Tiruchirappalli for their motivation and support rendered during the tenure of our course.

Viva – Voce Examination

The Project Viva Voce Examination was held on ----------

Signature Of Internal Examination Signature Of External Examination

CONTENT

S.NO	TITLE	PAGE NO
1	**INTRODUCTION**	2
2	**SYSTEM ANALYSIS** 2.1 Existing System 2.2 Proposed System	3
3	**SYSTEM CONFIGURATION** 3.1 Hardware Specification 3.2 Software Specification	4
4	**PROJECT DESCRIPTION** 4.1 Software Description 4.2 Modules Description	5
5	**SYSTEM DESIGN** 5.1 Use Case Diagram 5.2 Data Flow Diagram 5.3 Sequence Diagram	8
6	**TESTING** 6.1 Unit Testing 6.2 Integration Testing	12
7	**SOFTWARE IMPLEMENTATION** 7.1 Source Code 7.2 Screen Layouts	15
	CONCLUSION	46
	FUTURE ENHANCEMENTS	47
	BIBLIOGRAPHY	48

ABSTRACT

Environmental degradation has become a major concern due to increasing pollution, improper waste disposal, and damage to natural resources. Many environmental issues go unreported or unresolved because of the lack of a centralized and transparent complaint management system. To address this problem, the **Eco Action Website** is developed as a web-based platform that enables citizens to report environmental issues and connect directly with non-governmental organizations (NGOs) and volunteers.

The system provides a role-based login for **users, volunteers, and administrators**. Users can register and submit environmental complaints, while volunteers are assigned to take action and update the status of complaints. Administrators manage users, assign complaints, and monitor overall system performance. The application is developed using **HTML and CSS** for the user interface, **React JS** for dynamic frontend functionality, and an **SQL database** for secure and structured data storage.

The Eco Action Website ensures transparency, efficient complaint handling, and real-time status tracking. By digitizing the environmental complaint process, the system promotes public participation, supports NGOs in environmental protection activities, and contributes to building a cleaner and more sustainable environment.

1. INTRODUCTION

Environmental degradation has become one of the most critical challenges faced by society today. Issues such as illegal dumping of waste, water pollution, deforestation, air pollution, and damage to public natural resources are increasing rapidly due to urbanization and lack of public awareness. Many people are willing to report such environmental issues, but there is no proper digital platform that connects citizens directly with Non-Governmental Organizations (NGOs) working for environmental protection.

The **EnviroNet - Digital Platform for Environmental Complaints** is developed to act as a bridge between the public, volunteers, and NGOs to address environmental complaints efficiently. This platform allows users to register and submit complaints related to environmental damage in their locality. Volunteers can view assigned complaints and take necessary action, while administrators manage the entire system and monitor complaint resolution. The system ensures transparency, accountability, and faster response to environmental issues.

The proposed system uses modern web technologies such as **HTML and CSS** for structuring and styling the user interface, **React JS** for building dynamic and interactive web components, and **SQLDB** for secure and scalable data storage. The website follows a role-based login mechanism with three types of users: **User, Volunteer, and Admin**, ensuring controlled access and proper management of responsibilities.

2. SYSTEM ANALYSIS

2.1 EXISTING SYSTEM

- Manual complaint registration process
- No centralized complaint management platform
- Delay in NGO response and action
- Lack of transparency and tracking system
- Poor data management and security
- No proper coordination between users, volunteers, and NGOs

2.2 PROPOSED SYSTEM

- The proposed system is a **web-based Eco Action platform** for reporting environmental complaints.
- It provides a **centralized digital system** connecting users, volunteers, and administrators.
- Users can **register, log in, and submit environmental complaints** through the website.
- All complaints are **stored securely in the SQLDB database**.
- Users can **track the status** of their submitted complaints in real time.
- Volunteers have a **separate login** to view assigned complaints and update action status.
- Administrators can **manage users, volunteers, and complaints** efficiently.
- Admins are responsible for **assigning complaints to volunteers** and monitoring progress.
- The system uses **HTML and CSS** for designing the user interface.
- **React JS** is used to create dynamic and interactive web pages.
- **SQLDB** is used for scalable and secure data management.
- Role-based authentication ensures **secure access and proper responsibility management**.
- The system reduces **manual work and response time**.

3. SYSTEM CONFIGURATION

3.1 HARDWARE SPECIFICATION

- **Processor:** Intel Core i3 or higher (Quad-core recommended)
- **RAM:** Minimum 8 GB (16 GB recommended for faster development and testing)
- **Storage:** At least 256 GB HDD/SSD (SSD preferred for faster read/write)
- **Graphics Card:** Integrated graphics sufficient (for web-based UI development)
- **Operating System:** Windows 10 / Windows 11 / Linux / macOS

3.2 SOFTWARE SPECIFICATION

- HTML5: For creating the structure of web pages
- CSS3: For styling, layout, and responsive design
- React JS: For building dynamic and interactive user interfaces
- Node.js / React JS (as backend logic): Handles user requests and server-side operations
- Server / Development Machine: Windows 10/11, Linux, or macOSSQL Database (SQLite): Relational database used for storing user data, complaints, volunteer details, and admin records in structured tables

4. PROJECT DESCRIPTION

4.1 SOFTWARE DESCRIPTION

The Eco Action Website is developed using **modern web technologies** that allow the system to be **dynamic, interactive, and scalable**. The software components are carefully chosen to support the **role-based complaint management system** efficiently.

1. Frontend Software

- **HTML5:** Used to create the **structure of all web pages** including forms, tables, buttons, and content sections.
- **CSS3:** Used to style the website, making it **responsive, user-friendly, and visually appealing**.
- **React JS:** Enables the creation of **dynamic and interactive UI components**. React allows for **single-page application (SPA) functionality**, making the website faster and smoother for users.

2. Backend Software

- **React JS / Node.js:** Handles **logic and data processing** on the server side.
- **Express.js (if used):** Simplifies API creation and routing between frontend and backend.
- Backend software ensures **secure handling of user data**, complaint submission, and volunteer assignments.

3. Database Software

- **SQL Database (SQLite):** A relational database that stores all application data, including user profiles, complaints, volunteer details, and admin records in structured tables.
- Supports data integrity, efficient querying, and relationship management using primary and foreign keys for the system.

Dynamic Content: Updates data dynamically without reloading the page.

Event Handling: Manages user interactions such as clicks and form submissions.

4.2 MODULES DESCRIPTION

1. User Module

- Allows users to **register and log in** to the system.
- Users can **submit environmental complaints** by filling out forms with necessary details.
- Users can **attach images or documents** (if applicable) to support complaints.
- Provides a **dashboard to view the status of complaints** in real-time.
- Users can **edit their profile information**.
- Sends **notifications or updates** to users regarding complaint progress.

2. Volunteer Module

- Volunteers can **register and log in** with a separate account.
- Able to **view assigned complaints** from the admin.
- Can **update the action status** of complaints after resolving or taking necessary steps.
- Volunteers can **communicate with users** if additional information is required.
- Maintains a **record of actions performed** for accountability.
- Supports **tracking multiple complaints simultaneously**.

3. Admin Module

- Admin has **full control over the system**.
- Can **manage users and volunteers** (add, edit, delete accounts).
- Assigns **complaints to volunteers** based on availability or area.
- Monitors **complaint resolution progress** through dashboards and reports.
- Can generate **statistical reports** for analysis.
- Ensures **data security and proper system functioning**.

Key Features Across Modules

- **Role-based access:** Each module has restricted access according to user type.
- **Real-time updates:** All modules support live complaint tracking.
- **User-friendly interface:** Easy navigation for users, volunteers, and admin.
- **Secure data management:** All modules interact securely with SQLDB.

4.3 WORKFLOW OF THE SYSTEM

- **User Registration & Login:** Users register and log in to the website using secure credentials.
- **Complaint Submission:** Users submit environmental complaints with details and optional attachments.
- **Database Storage:** All complaints are securely stored in the **SQL database**.
- **Admin Review & Assignment:** Admin reviews complaints and assigns them to appropriate volunteers based on availability or area.
- **Volunteer Action:** Volunteers log in, view assigned complaints, and take necessary action to resolve them.
- **Status Update:** Volunteers update the complaint status (In Progress / Resolved) in the system.
- **Real-time Tracking:** Users can track the status of their complaints and receive notifications about updates.
- **Admin Monitoring:** Admin monitors overall complaint progress, manages users and volunteers, and generates reports.
- **Key Features:** Role-based access ensures security, transparency, and accountability for all users.

5. SYSTEM DESIGN

5.1 USE CASE DIAGRAM

A use case diagram is a graph of actors, a set of use cases enclosed by a system boundary, communication associates between the actors and the use cases and generalization among the use case as shown below in figure.



Figure 5.1 Use case diagram for overall system

5.2 DATA FLOW DIAGRAM



Figure 5.3 Data Flow diagram for overall system.

Figure 5.2 illustrates the Data Flow Diagram (DFD) for the Eco Action Website. Users submit complaints, admins assign them to volunteers, and the system tracks updates in the database for monitoring and reporting..

5.3 SEQUENCE DIAGRAM

- User Registration/Login → **User enters details → System validates and logs in the user.**
- Submit Complaint → **User fills complaint form → System stores complaint in** Complaint Database**.**
- Admin Assignment → **Admin views new complaints → Assigns complaint to a volunteer → System updates assignment.**
- Volunteer Action → **Volunteer logs in → Views assigned complaints → Takes action → Updates status in the system.**
- Status Update → **System notifies User of progress → Updates admin dashboard.**
- Reporting → **Admin generates reports → System retrieves data from database and displays analytics.**



Figure 5.4 Sequence diagram for overall system

6. TESTING

Software testing plays an important role in modifying the errors and refining the quality of the system software. Initially the program should be written and documented and also associated data structures should be designed. After all these processes are coded, software testing is started. In system testing the products functionality is checked once it is finished.

6.1 UNIT TESTING

1. User Module

- Test **registration and login functionality**.
- Test **complaint submission form**, including input validation.
- Test **tracking complaint status** and receiving notifications.
- Test **profile updates**.

2. Volunteer Module

- Test **login and access to assigned complaints**.
- Test **updating complaint status** after action is taken.
- Test **communication with users** (if applicable).

3. Admin Module

- Test **login and secure access**.
- Test **adding, editing, and deleting users/volunteers**.
- Test **assignment of complaints** to volunteers.
- Test **monitoring progress and generating reports**.

Testing Tools and Techniques

- **Manual Testing:** For forms, buttons, and UI interactions.
- **Automated Testing (optional):** Using frameworks like **Jest** for React JS components.
- **Database Testing:** Check correct storage and retrieval of complaints, users, and volunteer data in SQL.

Expected Outcome

- Each module performs its functionality **accurately and reliably**.
- Errors or bugs are **identified and corrected early**.
- The system maintains **data integrity, security, and smooth workflow**.

Sl. No. Test case	1
Name of the test	Submit Complaint
Sample input	Complaint title, description, optional image attachment
Expected output	Complaint stored in database and visible in user dashboard
Actual output	Same as expected output
Remark	Successful

Table 6.1 illustrates the testing of the complaint submission form input validation.

Properly formatted data is stored in the database. The test has been conducted for a successful case.

Sl. No. Test case	2
Name of the test	Track Complaint Status
Sample input	Complaint ID
Expected output	Show status as Pending/In Progress/Resolved
Actual output	Same as expected output
Remark	Successful

Table 6.2 illustrates the testing of complaint status tracking functionality.

The system should display the current status of user complaints accurately.

Sl. No. Test case	3
Name of the test	Profile Update
Sample input	Name, Email, Phone
Expected output	Update user profile successfully
Actual output	Same as expected output
Remark	Successful

Table 6.3 illustrates the testing of volunteer action update functionality. **Volunteers can update the complaint status after taking necessary action.**

Integration Testing

Integration testing is performed to verify the **interaction between different modules** of the Eco Action Website and to ensure that data flows correctly among them. This testing checks whether the **User, Volunteer, and Admin modules** work together as expected after individual unit testing.

Sl. No.	Test case	Name of the test	Sample input	Expected output	Actual output	Remark
1	1	User–Admin Integration	Complaint details submitted by user	Complaint visible in admin dashboard	Same as expected output	Successful
2	2	Admin–Volunteer Integration	Complaint ID and Volunteer ID	Complaint assigned and visible to volunteer	Same as expected output	Successful

7. SOFTWARE IMPLEMENTATION

7.1 SOURCE CODE

App.js

```
import React from 'react';
import { BrowserRouter as Router, Routes, Route } from 'react-router-dom';
import { ThemeProvider } from './context/ThemeContext';
import Layout from './components/Layout';
import Splash from './pages/Splash';
import Home from './pages/Home';
import Login from './pages/Login';
import Signup from './pages/Signup';

import UserDashboard from './pages/UserDashboard';
import VolunteerDashboard from './pages/VolunteerDashboard';
import AdminLayout from './components/AdminLayout';
import AdminOverview from './pages/admin/AdminOverview';
import AdminComplaints from './pages/admin/AdminComplaints';
import AdminUsers from './pages/admin/AdminUsers';
import AdminGeo from './pages/admin/AdminGeo';
import AdminReports from './pages/admin/AdminReports';
import VolunteerSignup from './pages/VolunteerSignup';
import AdminLogin from './pages/AdminLogin';

import { AuthProvider } from './context/AuthContext';
import ProtectedRoute from './components/ProtectedRoute';

function App() {
  return (
    <ThemeProvider>
      <AuthProvider>
        <Router>
          <Routes>
            <Route path="/" element={<Splash />} />
            <Route element={<Layout />}>
              <Route path="/home" element={<Home />} />
              <Route path="/login" element={<Login />} />
              <Route path="/signup" element={<Signup />} />
              <Route path="/signup/volunteer" element={<VolunteerSignup />} />
```

```
            <Route path="/admin/login" element={<AdminLogin />} />
            <Route
              path="/dashboard/user/*"
              element={
                <ProtectedRoute allowedRoles={['user']}>
                  <UserDashboard />
                </ProtectedRoute>
              }
            />
            <Route
              path="/dashboard/volunteer/*"
              element={
                <ProtectedRoute allowedRoles={['volunteer']}>
                  <VolunteerDashboard />
                </ProtectedRoute>
              }
            />
          </Route>

          {/* Admin Routes - Wrapped in AdminLayout */}
          <Route
            path="/dashboard/admin"
            element={
              <ProtectedRoute allowedRoles={['admin']}>
                <AdminLayout />
              </ProtectedRoute>
            }
          >
            <Route index element={<AdminOverview />} />
            <Route path="complaints" element={<AdminComplaints />} />
            <Route path="users" element={<AdminUsers />} />
            <Route path="geo" element={<AdminGeo />} />
            <Route path="reports" element={<AdminReports />} />
          </Route>

        </Routes>
      </Router>
    </AuthProvider>
  </ThemeProvider>
);
}

export default App;
```

Index.css

```
@tailwind base;
@tailwind components;
@tailwind utilities;

@layer base {
  body {
    @apply bg-gray-50 text-gray-900 dark:bg-gray-900 dark:text-gray-100 transition-colors duration-200;
  }
}

@layer utilities {
  .animate-fade-in-up {
    animation: fadeInUp 0.8s ease-out forwards;
  }

  .animate-fade-in {
    animation: fadeIn 0.5s ease-out forwards;
  }

  @keyframes fadeInUp {
    from {
      opacity: 0;
      transform: translateY(20px);
    }

    to {
      opacity: 1;
      transform: translateY(0);
    }
  }

  @keyframes fadeIn {
    from {
      opacity: 0;
    }

    to {
      opacity: 1;
    }
```

```
  }
}

/* Custom Scrollbar for Webkit browsers */
::-webkit-scrollbar {
  width: 8px;
}

::-webkit-scrollbar-track {
  @apply bg-gray-100 dark:bg-gray-800;
}

::-webkit-scrollbar-thumb {
  @apply bg-primary-500 rounded-full hover:bg-primary-600;
}
```

Main.jsx

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import './index.css'
import App from './App.jsx'

createRoot(document.getElementById('root')).render(
  <StrictMode>
    <App />
  </StrictMode>,
)
```

Index.html

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <link rel="icon" type="image/svg+xml" href="/logo.svg" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>eco-action</title>
</head>

<body>
  <div id="root"></div>
  <script type="module" src="/src/main.jsx"></script>
</body>
```

```
</html>
```

Mockdata.js

```
import reportImg1 from '../assets/images/images (1).jpg';
import reportImg2 from '../assets/images/images (2).jpg';
import reportImg3 from '../assets/images/images (3).jpg';
import reportImg4 from '../assets/images/images.jpg';
import event1 from '../assets/images/event-1.jpg';
import event2 from '../assets/images/event-2.jpg';
import event3 from '../assets/images/event-3.jpg';
import event4 from '../assets/images/event-4.jpg';
import event5 from '../assets/images/event-5.jpg';
import sewageIcon from '../assets/images/report-sewage.svg';
import industrialIcon from '../assets/images/report-industrial.svg';
import garbageIcon from '../assets/images/report-garbage.svg';
import deforestationIcon from '../assets/images/report-deforestation.svg';

export const MOCK_DATA_VERSION = '2.1';

export const mockReports = [
  {
    id: 1,
    title: "Illegal Dumping near Highway",
    description: "Large pile of construction debris dumped on the side of the road.",
    location: "45.123, -93.456",
    status: "Open",
    date: "2024-03-10",
    image: reportImg1,
    category: "Garbage",
    reporter: "user1"
  },
  {
    id: 2,
    title: "Sewage Leak in Park",
    description: "Foul smell and visible leakage near the playground area.",
    location: "45.124, -93.457",
    status: "In Progress",
    date: "2024-03-09",
    image: sewageIcon,
    category: "Sewage",
    reporter: "user2"
  },
  {
```

id: 3,
title: "Tree Cutting in Protected Zone",
description: "Several large trees cut down illegally in the conservation area.",
location: "45.125, -93.458",
status: "Solved",
date: "2024-03-08",
image: reportImg3,
category: "Deforestation",
reporter: "user1"
},
{
id: 4,
title: "Plastic Waste on Beach",
description: "Hundreds of plastic bottles washed up on the shore.",
location: "45.126, -93.459",
status: "Open",
date: "2024-03-07",
image: event1,
category: "Garbage",
reporter: "user2"
},
{
id: 5,
title: "Industrial Smoke",
description: "Black smoke rising from factory chimney during night time.",
location: "45.127, -93.460",
status: "Open",
date: "2024-03-06",
image: industrialIcon,
category: "Air Pollution",
reporter: "user1"
},
{
id: 6,
title: "Oil Spill in River",
description: "Oil slick observed floating downstream near the bridge.",
location: "45.128, -93.461",
status: "In Progress",
date: "2024-03-05",
image: sewageIcon,
category: "Water Pollution",
reporter: "user2"
},
{
id: 7,

title: "Noise Pollution from Club",
description: "Loud music playing past midnight disturbing the neighborhood.",
location: "45.129, -93.462",
status: "Solved",
date: "2024-03-04",
image: event3,
category: "Noise Pollution",
reporter: "user1"
},
{
id: 8,
title: "Overflowing Dumpster",
description: "Apartment complex dumpster overflowing with trash bags.",
location: "45.130, -93.463",
status: "Open",
date: "2024-03-03",
image: reportImg1,
category: "Garbage",
reporter: "user2"
},
{
id: 9,
title: "Dead Fish in Lake",
description: "Multiple dead fish spotted near the boat ramp.",
location: "45.131, -93.464",
status: "Open",
date: "2024-03-02",
image: sewageIcon,
category: "Water Pollution",
reporter: "user1"
},
{
id: 10,
title: "Unattended Campfire",
description: "Smoldering campfire left near dry brush.",
location: "45.132, -93.465",
status: "Solved",
date: "2024-03-01",
image: event4,
category: "Fire Hazard",
reporter: "user2"
},
{
id: 11,
title: "Chemical Barrels Dumped",

```
        description: "Rusted barrels leaking unknown substance in vacant lot.",
        location: "45.133, -93.466",
        status: "Open",
        date: "2024-02-28",
        image: industrialIcon,
        category: "Chemical Waste",
        reporter: "user1"
    },
    {
        id: 12,
        title: "Soil Erosion",
        description: "Construction site runoff causing severe soil erosion.",
        location: "45.134, -93.467",
        status: "In Progress",
        date: "2024-02-27",
        image: event1,
        category: "Land Degradation",
        reporter: "user2"
    }
];

export const usersArray = [
    { id: 1, name: "John Doe", email: "john@example.com", role: "user" },
    { id: 2, name: "Admin User", email: "admin@example.com", role: "admin" }
];
```

Home.jsx

```
import React from 'react';
import { Link } from 'react-router-dom';
import { Camera, MapPin, CheckCircle, ArrowRight } from 'lucide-react';
import Button from '../components/Button';
import About from './About';
import Service from './Service';
import homeHero from '../assets/images/home-hero.jpg';
import homeFeature from '../assets/images/home-feature.jpg';
import eventImage from '../assets/images/event-1.jpg';
import profile1 from '../assets/images/profile1.jpg';
import profile2 from '../assets/images/profile2.jpg';
import profile3 from '../assets/images/profile3.jpg';
import { mockReports } from '../data/mockData';

const Home = () => {
    return (
        <div className="animate-fade-in">
```

```
{/* Hero Section */}
<section className="relative overflow-hidden bg-primary-50 dark:bg-gray-900 pt-16 pb-32 space-y-24">
  <div className="container mx-auto px-4 sm:px-6 lg:px-8">
    <div className="lg:grid lg:grid-cols-12 lg:gap-8">
      <div className="sm:text-center md:max-w-2xl md:mx-auto lg:col-span-6 lg:text-left">
        <h1>
          <span className="block text-base text-primary-600 font-semibold tracking-wide uppercase">
            EcoAction
          </span>
          <span className="mt-1 block text-4xl tracking-tight font-extrabold sm:text-5xl xl:text-6xl text-
gray-900 dark:text-white">
            <span className="block">Report Local</span>
            <span className="block text-primary-600">Environmental Issues</span>
          </span>
        </h1>
        <p className="mt-3 text-base text-gray-500 sm:mt-5 sm:text-xl lg:text-lg xl:text-xl dark:text-gray-
300">
          Empowering citizens to report illegal dumping, pollution, and other environmental concerns
directly to local authorities. Track progress and assist in resolving issues for a cleaner community.
        </p>
        <div className="mt-8 sm:max-w-lg sm:mx-auto sm:text-center lg:text-left lg:mx-0">
          <div className="space-y-4 sm:space-y-0 sm:flex sm:space-x-4">
            <Link to="/signup">
              <Button size="lg" className="w-full sm:w-auto">
                Get Started
                <ArrowRight className="ml-2 w-5 h-5" />
              </Button>
            </Link>
            <a href="#about">
              <Button variant="outline" size="lg" className="w-full sm:w-auto">
                Learn More
              </Button>
            </a>
          </div>
        </div>
      </div>
      <div className="mt-12 relative sm:max-w-lg sm:mx-auto lg:mt-0 lg:max-w-none lg:mx-0 lg:col-
span-6 lg:flex lg:items-center">
        <div className="relative mx-auto w-full rounded-lg shadow-lg lg:max-w-md">
          <div className="relative block w-full bg-white rounded-lg overflow-hidden group">
            <div className="absolute inset-0 bg-primary-500/10 group-hover:bg-primary-500/0
transition-colors duration-300"></div>
            <img
              src={homeHero}
              alt="Eco-friendly city"
```

```
                    className="w-full h-full object-cover transform group-hover:scale-105 transition-transform duration-700"
                  />
                </div>
              </div>
            </div>
          </div>
        </section>

        {/* Features Section */}
        <section className="py-20 bg-white dark:bg-gray-800">
          <div className="container mx-auto px-4 sm:px-6 lg:px-8">
            <div className="text-center">
              <h2 className="text-3xl font-extrabold text-gray-900 dark:text-white sm:text-4xl">
                How It Works
              </h2>
              <p className="mt-4 text-lg text-gray-500 dark:text-gray-300">
                Three simple steps to make a difference in your community.
              </p>
            </div>
            <div className="mt-16 grid grid-cols-1 gap-8 md:grid-cols-3">
              {[
                {
                  icon: <Camera className="h-10 w-10 text-primary-600" />,
                  title: 'Snap a Photo',
                  description: 'Capture evidence of the environmental issue using your smartphone.',
                },
                {
                  icon: <MapPin className="h-10 w-10 text-primary-600" />,
                  title: 'Report Location',
                  description: 'Geo-tag the incident so authorities know exactly where to go.',
                },
                {
                  icon: <CheckCircle className="h-10 w-10 text-primary-600" />,
                  title: 'Track Resolution',
                  description: 'Follow the status of your report from submission to solution.',
                },
              ].map((feature, index) => (
                <div key={index} className="flex flex-col items-center text-center p-6 bg-gray-50 dark:bg-gray-700 rounded-xl shadow-sm hover:shadow-md transition-shadow">
                  <div className="flex items-center justify-center h-16 w-16 rounded-full bg-primary-100 dark:bg-primary-900 mb-6">
                    {feature.icon}
                  </div>
```

```
                <h3 className="text-xl font-medium text-gray-900 dark:text-white">{feature.title}</h3>
                <p className="mt-4 text-base text-gray-500 dark:text-gray-300">{feature.description}</p>
              </div>
            ))}
          </div>
        </div>
      </section>

      {/* Upcoming Events Section */}
      <section className="py-20 bg-primary-50 dark:bg-gray-900 overflow-hidden">
        <div className="container mx-auto px-4 sm:px-6 lg:px-8">
          <div className="flex flex-col md:flex-row items-center gap-12">
            <div className="md:w-1/2">
              <img
                src={homeFeature}
                alt="Community Cleanup"
                className="rounded-2xl shadow-xl w-full h-80 object-cover"
              />
            </div>
            <div className="md:w-1/2 space-y-6">
              <h2 className="text-3xl font-bold text-gray-900 dark:text-white">Upcoming Community
Event</h2>
              <h3 className="text-xl text-primary-600 font-semibold">City-Wide River Cleanup Drive</h3>
              <p className="text-gray-600 dark:text-gray-300">
                Join us this weekend for our biggest cleanup event of the year! We're targeting the city riverbanks
to remove plastic waste and restore the natural habitat. Gloves and bags provided.
              </p>
              <div className="flex flex-col space-y-2">
                <div className="flex items-center text-gray-700 dark:text-gray-300">
                  <MapPin className="w-5 h-5 mr-3 text-primary-500" />
                  <span>Central City Park, Riverside Entrance</span>
                </div>
                <div className="flex items-center text-gray-700 dark:text-gray-300">
                  <CheckCircle className="w-5 h-5 mr-3 text-primary-500" />
                  <span>Saturday, October 15th @ 9:00 AM</span>
                </div>
              </div>
              <Button size="lg">Join the Event</Button>
            </div>
          </div>
        </div>
      </section>

      {/* Recent Activity Section (Scrollable) */}
      <section className="py-20 bg-gray-50 dark:bg-gray-900">
```

```
        <div className="container mx-auto px-4 sm:px-6 lg:px-8">
          <h2 className="text-3xl font-bold text-gray-900 dark:text-white mb-8 text-center">Recent Community
Reports</h2>
          <div className="grid gap-6 md:grid-cols-2 lg:grid-cols-3">
            {mockReports.slice(0, 6).map((report) => (
              <div key={report.id} className="bg-white dark:bg-gray-800 p-6 rounded-lg shadow-sm flex flex-
col h-full hover:shadow-md transition-shadow">
                <div className="h-48 bg-gray-200 dark:bg-gray-700 rounded-md mb-4 overflow-hidden
relative group">
                  <div className="absolute inset-0 bg-black/10 group-hover:bg-black/0 transition-
colors"></div>
                  <img
                    src={report.image}
                    alt={report.title}
                    className="w-full h-full object-cover transform group-hover:scale-105 transition-transform
duration-500"
                  />
                  <div className="absolute top-2 right-2">
                    <span className={`px-2 py-1 rounded-full text-xs font-medium ${report.status ===
'Solved' ? 'bg-green-100 text-green-800 border border-green-200' :
                        report.status === 'In Progress' ? 'bg-yellow-100 text-yellow-800 border border-yellow-
200' :
                          'bg-red-100 text-red-800 border border-red-200'
                      }`}>
                      {report.status}
                    </span>
                  </div>
                </div>
                <div className="flex-1">
                  <h3 className="font-semibold text-lg text-gray-900 dark:text-white mb-2 line-clamp-
1">{report.title}</h3>
                  <p className="text-gray-500 dark:text-gray-400 text-sm line-clamp-2">
                    {report.description}
                  </p>
                </div>
                <div className="mt-4 flex items-center justify-between text-xs text-gray-400 pt-4 border-t
border-gray-100 dark:border-gray-700">
                  <div className="flex items-center">
                    <MapPin className="w-3 h-3 mr-1" />
                    <span>{report.location}</span>
                  </div>
                  <span>{report.date}</span>
                </div>
              </div>
            ))}
```

```
            </div>
        </div>
    </section>

    {/* Impact Stats Section */}
    <section className="py-20 bg-primary-600">
        <div className="container mx-auto px-4 sm:px-6 lg:px-8">
            <div className="grid grid-cols-2 md:grid-cols-4 gap-8 text-center">
                {[
                    { label: 'Reports Solved', value: '1,200+' },
                    { label: 'Active Volunteers', value: '450+' },
                    { label: 'Partner NGOs', value: '25' },
                    { label: 'Cities Covered', value: '12' },
                ].map((stat, i) => (
                    <div key={i} className="text-white">
                        <div className="text-4xl font-bold mb-2">{stat.value}</div>
                        <div className="text-primary-100">{stat.label}</div>
                    </div>
                ))}
            </div>
        </div>
    </section>

    {/* Testimonials Section */}
    <section className="py-20 bg-white dark:bg-gray-800">
        <div className="container mx-auto px-4 sm:px-6 lg:px-8">
            <h2 className="text-3xl font-bold text-gray-900 dark:text-white mb-12 text-center">What People
Say</h2>
            <div className="grid gap-8 md:grid-cols-3">
                {[
                    {
                        quote: "EcoAction has completely transformed how our neighborhood deals with waste. It's so
easy to use and the response time is incredible.",
                        name: "Sarah Johnson",
                        role: "Community Leader",
                        image: profile1
                    },
                    {
                        quote: "I reported an illegal dump site on Monday, and by Wednesday it was cleared! Seeing the
impact of my report was so satisfying.",
                        name: "Michael Chen",
                        role: "Local Resident",
                        image: profile2
                    },
                    {
```

```
                    quote: "As a volunteer, I've met amazing people through the cleanup events. This platform makes
it easy to find where help is needed most.",
                    name: "Emily Rodriguez",
                    role: "Environmental Activist",
                    image: profile3
                  }
                ].map((testimonial, i) => (
                  <div key={i} className="bg-gray-50 dark:bg-gray-700 p-8 rounded-xl relative hover:-translate-y-
1 transition-transform duration-300">
                    <div className="absolute top-0 left-0 transform -translate-x-2 -translate-y-4 text-6xl text-
primary-200 dark:text-gray-600 opacity-50 font-serif">"</div>
                    <p className="text-gray-600 dark:text-gray-300 italic mb-6 relative z-10">
                      "{testimonial.quote}"
                    </p>
                    <div className="flex items-center">
                      <img
                        src={testimonial.image}
                        alt={testimonial.name}
                        className="w-12 h-12 rounded-full object-cover mr-4 border-2 border-primary-100
dark:border-gray-600"
                      />
                      <div>
                        <div className="font-semibold text-gray-900 dark:text-white">{testimonial.name}</div>
                        <div className="text-sm text-gray-500 dark:text-gray-400">{testimonial.role}</div>
                      </div>
                    </div>
                  </div>
                ))}
              </div>
            </div>
          </section>
          {/* About Section */}
          <section id="about">
            <About />
          </section>

          {/* Service Section */}
          <section id="service">
            <Service />
          </section>
        </div>
    );
};

export default Home;
```

admin-dashboard.jsx

```
import React, { useState } from 'react';
import { StorageService } from '../services/storage';
import { Filter, Search, MoreVertical, BarChart, AlertCircle, CheckSquare, Clock } from 'lucide-react';

const AdminDashboard = () => {
  const [reports, setReports] = useState(StorageService.getReports());
  const [filter, setFilter] = useState('All');

  const handleStatusChange = (id, newStatus) => {
    const updatedReports = StorageService.updateReport(id, { status: newStatus });
    setReports(updatedReports);
  };

  const filteredReports = filter === 'All' ? reports : reports.filter(r => r.status === filter);

  return (
    <div className="container mx-auto px-4 py-8">
      {/* Admin Stats */}
      <div className="grid grid-cols-1 md:grid-cols-4 gap-6 mb-10">
        <div className="bg-white dark:bg-gray-800 p-6 rounded-xl shadow-sm">
          <div className="flex items-center gap-4">
            <div className="p-3 bg-blue-100 dark:bg-blue-900/30 rounded-lg">
              <BarChart className="w-6 h-6 text-blue-600 dark:text-blue-400" />
            </div>
            <div>
              <p className="text-sm text-gray-500 dark:text-gray-400">Total Reports</p>
              <h3 className="text-2xl font-bold text-gray-900 dark:text-white">{reports.length}</h3>
            </div>
          </div>
        </div>
        <div className="bg-white dark:bg-gray-800 p-6 rounded-xl shadow-sm">
          <div className="flex items-center gap-4">
            <div className="p-3 bg-red-100 dark:bg-red-900/30 rounded-lg">
              <AlertCircle className="w-6 h-6 text-red-600 dark:text-red-400" />
            </div>
            <div>
              <p className="text-sm text-gray-500 dark:text-gray-400">Open Issues</p>
              <h3 className="text-2xl font-bold text-gray-900 dark:text-white">{reports.filter(r => r.status ===
'Open').length}</h3>
            </div>
          </div>
        </div>
```

```
            <div className="bg-white dark:bg-gray-800 p-6 rounded-xl shadow-sm">
              <div className="flex items-center gap-4">
                <div className="p-3 bg-yellow-100 dark:bg-yellow-900/30 rounded-lg">
                  <Clock className="w-6 h-6 text-yellow-600 dark:text-yellow-400" />
                </div>
                <div>
                  <p className="text-sm text-gray-500 dark:text-gray-400">In Progress</p>
                  <h3 className="text-2xl font-bold text-gray-900 dark:text-white">{reports.filter(r => r.status ===
'In Progress').length}</h3>
                </div>
              </div>
            </div>
            <div className="bg-white dark:bg-gray-800 p-6 rounded-xl shadow-sm">
              <div className="flex items-center gap-4">
                <div className="p-3 bg-green-100 dark:bg-green-900/30 rounded-lg">
                  <CheckSquare className="w-6 h-6 text-green-600 dark:text-green-400" />
                </div>
                <div>
                  <p className="text-sm text-gray-500 dark:text-gray-400">Resolved</p>
                  <h3 className="text-2xl font-bold text-gray-900 dark:text-white">{reports.filter(r => r.status ===
'Solved').length}</h3>
                </div>
              </div>
            </div>
          </div>

          <div className="flex flex-col sm:flex-row justify-between items-center mb-8 gap-4">
            <h1 className="text-2xl font-bold text-gray-900 dark:text-white">Report Management</h1>
            <div className="flex items-center gap-4">
              <div className="relative">
                <Search className="absolute left-3 top-1/2 transform -translate-y-1/2 text-gray-400 w-4 h-4" />
                <input
                  type="text"
                  placeholder="Search reports..."
                  className="pl-10 pr-4 py-2 border rounded-lg text-sm focus:outline-none focus:ring-2 focus:ring-
primary-500 dark:bg-gray-800 dark:border-gray-700 dark:text-white"
                />
              </div>
              <div className="flex items-center gap-2">
                <Filter className="w-4 h-4 text-gray-500" />
                <select
                  value={filter}
                  onChange={(e) => setFilter(e.target.value)}
                  className="border-none bg-transparent text-sm font-medium text-gray-700 dark:text-gray-300
focus:ring-0 cursor-pointer"
```

```
                >
                    <option value="All">All Status</option>
                    <option value="Open">Open</option>
                    <option value="In Progress">In Progress</option>
                    <option value="Solved">Solved</option>
                </select>
            </div>
        </div>
    </div>

    <div className="bg-white dark:bg-gray-800 shadow-sm rounded-lg overflow-hidden border border-gray-
200 dark:border-gray-700">
        <div className="overflow-x-auto">
            <table className="min-w-full divide-y divide-gray-200 dark:divide-gray-700">
                <thead className="bg-gray-50 dark:bg-gray-700/50">
                    <tr>
                        <th scope="col" className="px-6 py-3 text-left text-xs font-medium text-gray-500 dark:text-
gray-400 uppercase tracking-wider">Report</th>
                        <th scope="col" className="px-6 py-3 text-left text-xs font-medium text-gray-500 dark:text-
gray-400 uppercase tracking-wider">Location</th>
                        <th scope="col" className="px-6 py-3 text-left text-xs font-medium text-gray-500 dark:text-
gray-400 uppercase tracking-wider">Category</th>
                        <th scope="col" className="px-6 py-3 text-left text-xs font-medium text-gray-500 dark:text-
gray-400 uppercase tracking-wider">Date</th>
                        <th scope="col" className="px-6 py-3 text-left text-xs font-medium text-gray-500 dark:text-
gray-400 uppercase tracking-wider">Status</th>
                        <th scope="col" className="px-6 py-3 text-right text-xs font-medium text-gray-500 dark:text-
gray-400 uppercase tracking-wider">Actions</th>
                    </tr>
                </thead>
                <tbody className="bg-white dark:bg-gray-800 divide-y divide-gray-200 dark:divide-gray-700">
                    {filteredReports.map((report) => (
                        <tr key={report.id} className="hover:bg-gray-50 dark:hover:bg-gray-700/50 transition-
colors">
                            <td className="px-6 py-4 whitespace-nowrap">
                                <div className="flex items-center">
                                    <div className="h-10 w-10 flex-shrink-0">
                                        <img className="h-10 w-10 rounded-full object-cover" src={report.image} alt="" />
                                    </div>
                                    <div className="ml-4">
                                        <div className="text-sm font-medium text-gray-900 dark:text-
white">{report.title}</div>
                                        <div className="text-xs text-gray-500 dark:text-gray-400 truncate max-w-
[150px]">{report.description}</div>
                                    </div>
```

```
                    </div>
                  </td>
                  <td className="px-6 py-4 whitespace-nowrap">
                    <div className="text-sm text-gray-900 dark:text-gray-300">{report.location}</div>
                  </td>
                  <td className="px-6 py-4 whitespace-nowrap">
                    <span className="px-2 inline-flex text-xs leading-5 font-semibold rounded-full bg-blue-
100 text-blue-800 dark:bg-blue-900 dark:text-blue-200">
                      {report.category}
                    </span>
                  </td>
                  <td className="px-6 py-4 whitespace-nowrap text-sm text-gray-500 dark:text-gray-400">
                    {report.date}
                  </td>
                  <td className="px-6 py-4 whitespace-nowrap">
                    <select
                      value={report.status}
                      onChange={(e) => handleStatusChange(report.id, e.target.value)}
                      className={`text-xs font-semibold rounded-full px-2 py-1 border-0 ring-1 ring-inset
focus:ring-2 focus:ring-primary-500 cursor-pointer ${report.status === 'Solved' ? 'bg-green-50 text-green-700 ring-
green-600/20 dark:bg-green-900/30 dark:text-green-400' :
                        report.status === 'In Progress' ? 'bg-yellow-50 text-yellow-800 ring-yellow-600/20
dark:bg-yellow-900/30 dark:text-yellow-500' :
                          'bg-red-50 text-red-700 ring-red-600/10 dark:bg-red-900/30 dark:text-red-400'
                        }`}
                    >
                      <option value="Open">Open</option>
                      <option value="In Progress">In Progress</option>
                      <option value="Solved">Solved</option>
                    </select>
                  </td>
                  <td className="px-6 py-4 whitespace-nowrap text-right text-sm font-medium">
                    <button className="text-gray-400 hover:text-gray-500 dark:hover:text-gray-300">
                      <MoreVertical className="w-5 h-5" />
                    </button>
                  </td>
                </tr>
              ))}
            </tbody>
          </table>
        </div>
      </div>
    </div>
  );
};
```

```
export default AdminDashboard;
```

user-dashboard.jsx

```
import React, { useState, useEffect } from 'react';
import { useLocation } from 'react-router-dom';
import { MapContainer, TileLayer, Marker, Popup } from 'react-leaflet';
import 'leaflet/dist/leaflet.css';
import { useAuth } from '../context/AuthContext';
import { StorageService } from '../services/storage';
import Button from '../components/Button';
import DashboardLayout from '../components/DashboardLayout';
import {
  Upload,
  MapPin,
  Camera,
  CheckCircle,
  Clock,
  Trophy,
  PlusCircle,
  AlertTriangle,
  Leaf,
  Users,
  Calendar,
  ArrowRight,
  User,
  Mail,
  Phone,
  Award
} from 'lucide-react';
import dashboardBg from '../assets/images/dashboard-bg.jpg';
import dashboardCard from '../assets/images/dashboard-card.jpg';

const UserDashboard = () => {
  const { user } = useAuth();
  const [reports, setReports] = useState([]);
  const [activeTab, setActiveTab] = useState('overview'); // overview, new-report, map, community
  const location = useLocation();

  useEffect(() => {
    const allReports = StorageService.getReports();
    setReports(allReports.filter(r => r.reporter === 'user1'));
  }, []);
```

```
  // Sync route with active tab (simple implementation for now)
  useEffect(() => {
    const path = location.pathname;
    if (path.includes('new-report')) setActiveTab('new-report');
    else if (path.includes('map')) setActiveTab('map');
    else if (path.includes('community')) setActiveTab('community');
    else if (path.includes('profile')) setActiveTab('profile');
    else if (path.includes('my-reports')) setActiveTab('my-reports');
    else setActiveTab('overview');
  }, [location]);

  const handleSubmit = (e) => {
    e.preventDefault();
    const newReport = {
      id: reports.length + 10,
      title: e.target.title.value,
      description: e.target.description.value,
      location: e.target.location.value,
      status: 'Open',
      date: new Date().toISOString().split('T')[0],
      image: dashboardCard,
      category: e.target.category.value,
      reporter: 'user1'
    };

    // Save to local storage
    StorageService.saveReport(newReport);

    // Update local state
    setReports([newReport, ...reports]);
    setActiveTab('overview');
  };

  const renderOverview = () => (
    <div className="space-y-8 animate-fade-in p-6">
      {/* Welcome Banner */}
      <div className="relative bg-gradient-to-r from-emerald-600 to-teal-600 rounded-3xl overflow-hidden
shadow-lg">
        <div className="absolute inset-0">
          <img
            src={dashboardBg}
            alt="Nature pattern"
            className="w-full h-full object-cover opacity-10 mix-blend-overlay"
          />
        </div>
```

```
        <div className="relative p-8 md:p-10 text-white">
          <h1 className="text-3xl font-bold mb-2">Welcome back, EcoWarrior!</h1>
          <p className="text-emerald-50 text-lg max-w-xl">
            Your contributions are making a real difference. You've helped save 12 trees this month!
          </p>
        </div>
      </div>

      {/* Impact Stats */}
      <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
        {[
          { label: 'Issues Solved', value: '12', icon: CheckCircle, color: 'text-emerald-500', bg: 'bg-emerald-50 dark:bg-emerald-900/20', border: 'border-emerald-200 dark:border-emerald-800' },
          { label: 'Pending Review', value: '3', icon: Clock, color: 'text-amber-500', bg: 'bg-amber-50 dark:bg-amber-900/20', border: 'border-amber-200 dark:border-amber-800' },
          { label: 'Eco Points', value: '450', icon: Trophy, color: 'text-purple-500', bg: 'bg-purple-50 dark:bg-purple-900/20', border: 'border-purple-200 dark:border-purple-800' },
          { label: 'Community Rank', value: '#5', icon: Users, color: 'text-blue-500', bg: 'bg-blue-50 dark:bg-blue-900/20', border: 'border-blue-200 dark:border-blue-800' },
        ].map((stat, index) => (
          <div key={index} className={`p-6 rounded-xl border ${stat.border} ${stat.bg} transition-transform hover:scale-105`}>
            <div className="flex items-center justify-between mb-4">
              <h3 className="text-gray-600 dark:text-gray-300 font-medium">{stat.label}</h3>
              <stat.icon className={`${stat.color} w-6 h-6`} />
            </div>
            <div className="text-3xl font-bold text-gray-900 dark:text-white">{stat.value}</div>
          </div>
        ))}
      </div>

      {/* Recent Activity & Eco Tips */}
      <div className="grid grid-cols-1 lg:grid-cols-3 gap-8">
        {/* Recent Reports List */}
        <div className="lg:col-span-2 space-y-6">
          <div className="flex items-center justify-between">
            <h2 className="text-xl font-bold text-gray-900 dark:text-white">Recent Activity</h2>
            <button className="text-emerald-600 dark:text-emerald-400 text-sm font-medium hover:underline">View All</button>
          </div>
          <div className="bg-white dark:bg-gray-800 rounded-xl shadow-sm border border-gray-100 dark:border-gray-700 overflow-hidden">
            {reports.slice(0, 3).map((report) => (
              <div key={report.id} className="p-4 border-b border-gray-100 dark:border-gray-700 last:border-0 hover:bg-gray-50 dark:hover:bg-gray-700/50 transition-colors flex gap-4">
```

```
                    <img src={report.image} alt={report.title} className="w-16 h-16 rounded-lg object-cover" />
                    <div className="flex-1">
                      <div className="flex justify-between items-start">
                        <h3 className="font-semibold text-gray-900 dark:text-white">{report.title}</h3>
                        <span className={`px-2 py-0.5 text-xs rounded-full ${report.status === 'Solved' ? 'bg-
emerald-100 text-emerald-700' :
                          report.status === 'In Progress' ? 'bg-amber-100 text-amber-700' : 'bg-red-100 text-red-700'
                          }`}>
                          {report.status}
                        </span>
                      </div>
                      <p className="text-sm text-gray-500 dark:text-gray-400 line-clamp-1 mt-
1">{report.description}</p>
                      <div className="flex items-center gap-2 mt-2 text-xs text-gray-400">
                        <MapPin size={12} />
                        <span>{report.location}</span>
                        <span>•</span>
                        <span>{report.date}</span>
                      </div>
                    </div>
                  </div>
                ))}
              </div>
            </div>

            {/* Did You Know Widget */}
            <div className="space-y-6">
              <h2 className="text-xl font-bold text-gray-900 dark:text-white">Eco Awareness</h2>
              <div className="bg-emerald-50 dark:bg-emerald-900/20 rounded-xl p-6 border border-emerald-100
dark:border-emerald-800">
                <div className="flex items-start gap-4">
                  <Leaf className="w-8 h-8 text-emerald-600 flex-shrink-0" />
                  <div>
                    <h3 className="font-semibold text-emerald-900 dark:text-emerald-100 mb-2">Did You
Know?</h3>
                    <p className="text-sm text-emerald-800 dark:text-emerald-200 leading-relaxed">
                      Recycling one aluminum can saves enough energy to run a TV for three hours. Small actions
create big impact!
                    </p>
                  </div>
                </div>
              </div>

              <div className="bg-white dark:bg-gray-800 rounded-xl p-6 shadow-sm border border-gray-100
dark:border-gray-700">
```

```
                <h3 className="font-semibold text-gray-900 dark:text-white mb-4">Upcoming Events</h3>
                <div className="space-y-4">
                  <div className="flex gap-3">
                    <div className="w-12 h-12 rounded-lg bg-blue-100 dark:bg-blue-900/30 flex flex-col items-
center justify-center text-blue-600 dark:text-blue-400">
                      <span className="text-xs font-bold">FEB</span>
                      <span className="text-lg font-bold">24</span>
                    </div>
                    <div>
                      <h4 className="font-medium text-gray-900 dark:text-white">City Park Cleanup</h4>
                      <p className="text-xs text-gray-500">10:00 AM - Central Park</p>
                    </div>
                  </div>
                </div>
                <button className="w-full mt-4 py-2 text-sm text-emerald-600 font-medium hover:bg-emerald-50
rounded-lg transition-colors">
                  View All Events
                </button>
              </div>
            </div>
          </div>
        </div>
      );

      const renderNewReport = () => (
        <div className="max-w-3xl mx-auto p-6 animate-fade-in">
          <h1 className="text-2xl font-bold text-gray-900 dark:text-white mb-6">Submit New Report</h1>
          <div className="bg-white dark:bg-gray-800 rounded-2xl shadow-sm border border-gray-200 dark:border-
gray-700 p-8">
            <form onSubmit={handleSubmit} className="space-y-6">
              <div className="grid grid-cols-1 md:grid-cols-2 gap-6">
                <div className="space-y-4">
                  <div>
                    <label className="block text-sm font-medium text-gray-700 dark:text-gray-300 mb-1">Issue
Category</label>
                    <select name="category" className="w-full rounded-xl border-gray-300 shadow-sm
focus:border-emerald-500 focus:ring-emerald-500 dark:bg-gray-700 dark:border-gray-600 dark:text-white p-3
border">
                      <option>Garbage Dump</option>
                      <option>Sewage Leak</option>
                      <option>Air Pollution</option>
                      <option>Noise Pollution</option>
                      <option>Illegal Logging</option>
                      <option>Other</option>
                    </select>
```

```
                </div>
                <div>
                  <label className="block text-sm font-medium text-gray-700 dark:text-gray-300 mb-
1">Title</label>
                  <input name="title" required placeholder="Brief summary of the issue" className="w-full
rounded-xl border-gray-300 shadow-sm focus:border-emerald-500 focus:ring-emerald-500 dark:bg-gray-700
dark:border-gray-600 dark:text-white p-3 border" />
                </div>
                <div>
                  <label className="block text-sm font-medium text-gray-700 dark:text-gray-300 mb-
1">Location</label>
                  <div className="flex gap-2">
                    <div className="relative flex-1">
                      <MapPin className="absolute left-3 top-3.5 h-5 w-5 text-gray-400" />
                      <input name="location" required placeholder="Address or coordinates" className="w-full
rounded-xl border-gray-300 shadow-sm focus:border-emerald-500 focus:ring-emerald-500 pl-10 p-3 border dark:bg-
gray-700 dark:border-gray-600 dark:text-white" />
                    </div>
                    <button type="button" className="px-4 py-2 bg-gray-100 hover:bg-gray-200 dark:bg-gray-
700 dark:hover:bg-gray-600 rounded-xl text-gray-700 dark:text-gray-300 transition-colors">
                      <MapPin size={20} />
                    </button>
                  </div>
                </div>
              </div>

              <div>
                <label className="block text-sm font-medium text-gray-700 dark:text-gray-300 mb-1">Photo
Evidence</label>
                  <label className="flex flex-col items-center justify-center w-full h-full min-h-[200px] border-2
border-gray-300 border-dashed rounded-xl cursor-pointer bg-gray-50 dark:hover:bg-gray-800 dark:bg-gray-700
hover:bg-gray-100 dark:border-gray-600 dark:hover:border-gray-500 transition-colors group">
                    <div className="flex flex-col items-center justify-center pt-5 pb-6">
                      <div className="p-4 bg-white dark:bg-gray-800 rounded-full shadow-sm mb-3 group-
hover:scale-110 transition-transform">
                        <Upload className="w-8 h-8 text-emerald-500" />
                      </div>
                      <p className="mb-2 text-sm text-gray-500 dark:text-gray-400"><span className="font-
semibold text-emerald-600">Click to upload</span> or drag and drop</p>
                      <p className="text-xs text-gray-500 dark:text-gray-400">SVG, PNG, JPG or GIF (MAX.
10MB)</p>
                    </div>
                    <input type="file" className="hidden" />
                  </label>
              </div>
```

```
            </div>

            <div>
              <label className="block text-sm font-medium text-gray-700 dark:text-gray-300 mb-
1">Description</label>
              <textarea name="description" rows={4} required placeholder="Describe the issue in detail..."
className="w-full rounded-xl border-gray-300 shadow-sm focus:border-emerald-500 focus:ring-emerald-500
dark:bg-gray-700 dark:border-gray-600 dark:text-white p-3 border" />
            </div>

            <div className="flex justify-end pt-4">
              <Button type="submit" className="px-8 py-3 bg-emerald-600 hover:bg-emerald-700 text-white
rounded-xl shadow-lg hover:shadow-xl transform hover:-translate-y-1 transition-all">
                Submit Report
              </Button>
            </div>
          </form>
        </div>
      </div>
    );

    const renderMapView = () => {
      const center = [45.128, -93.461];

      return (
        <div className="h-full relative p-6 animate-fade-in flex flex-col">
          <h1 className="text-2xl font-bold text-gray-900 dark:text-white mb-6">Community Map</h1>
          <div className="flex-1 bg-white dark:bg-gray-800 rounded-2xl overflow-hidden relative border border-
gray-300 dark:border-gray-700 z-0">
            <MapContainer center={center} zoom={13} style={{ height: '100%', width: '100%' }}>
              <TileLayer
                attribution='&copy; <a href="https://www.openstreetmap.org/copyright">OpenStreetMap</a>
contributors'
                url="https://{s}.tile.openstreetmap.org/{z}/{x}/{y}.png"
              />
              {reports.map((report) => {
                const [lat, lng] = report.location.split(',').map(coord => parseFloat(coord.trim()));
                if (isNaN(lat) || isNaN(lng)) return null;

                return (
                  <Marker key={report.id} position={[lat, lng]}>
                    <Popup>
                      <div className="p-1">
                        <strong className="block text-sm font-bold">{report.title}</strong>
                        <span className="text-xs text-gray-500">{report.category} - {report.status}</span>
```

```
                    </div>
                  </Popup>
                </Marker>
              );
            })}
          </MapContainer>
        </div>
      </div>
    );
  };

  const renderCommunity = () => (
    <div className="p-6 animate-fade-in max-w-6xl mx-auto">
      <h1 className="text-2xl font-bold text-gray-900 dark:text-white mb-6">Community Hub</h1>
      <div className="grid grid-cols-1 lg:grid-cols-2 gap-8">
        <div className="space-y-6">
          <div className="bg-white dark:bg-gray-800 p-6 rounded-2xl border border-gray-200 dark:border-gray-
700 shadow-sm">
            <h2 className="text-lg font-bold text-gray-900 dark:text-white mb-4">Leaderboard</h2>
            <div className="space-y-4">
              {[1, 2, 3, 4, 5].map((i) => {
                const userName = `EcoWarrior_${100 + i}`;
                const initials = "EW";
                const colors = ['bg-emerald-500', 'bg-blue-500', 'bg-amber-500', 'bg-purple-500', 'bg-red-500'];
                return (
                  <div key={i} className="flex items-center justify-between p-3 bg-gray-50 dark:bg-gray-
700/30 rounded-xl">
                    <div className="flex items-center gap-3">
                      <span className={`w-6 text-center font-bold ${i === 1 ? 'text-yellow-500' : 'text-gray-
500'}`}>{i}</span>
                      <div className={`w-10 h-10 rounded-full ${colors[i - 1]} flex items-center justify-
center text-white font-bold text-xs`}>
                        {initials}
                      </div>
                      <span className="font-medium text-gray-700 dark:text-gray-200">{userName}</span>
                    </div>
                    <span className="font-bold text-emerald-600">{1000 - (i * 50)} pts</span>
                  </div>
                );
              })}
            </div>
          </div>
        </div>

        <div className="space-y-6">
```

```
            <div className="bg-gradient-to-br from-indigo-500 to-purple-600 p-6 rounded-2xl text-white shadow-
lg">
              <div className="flex items-start justify-between">
                <div>
                  <h2 className="text-xl font-bold mb-2">Weekend Beach Cleanup</h2>
                  <p className="text-indigo-100 mb-4">Join 50+ volunteers this Saturday at Sunny Beach.</p>
                  <div className="flex gap-4 text-sm font-medium mb-6">
                    <span className="flex items-center gap-1"><Calendar size={16} /> Sat, Aug 24</span>
                    <span className="flex items-center gap-1"><Clock size={16} /> 09:00 AM</span>
                  </div>
                  <button className="px-4 py-2 bg-white text-indigo-600 rounded-lg font-bold text-sm hover:bg-
gray-100 transition-colors">
                    RSVP Now
                  </button>
                </div>
                <div className="p-3 bg-white/20 rounded-xl backdrop-blur-sm">
                  <Users size={32} />
                </div>
              </div>
            </div>

            <div className="bg-white dark:bg-gray-800 p-6 rounded-2xl border border-gray-200 dark:border-gray-
700 shadow-sm">
              <h2 className="text-lg font-bold text-gray-900 dark:text-white mb-4">Discussion Forum</h2>
              <p className="text-gray-500 dark:text-gray-400 text-center py-8">
                Join the conversation about local environmental issues.
                <br />
                <button className="mt-4 text-emerald-600 font-medium hover:underline flex items-center justify-
center gap-2 mx-auto">
                  Go to Forums <ArrowRight size={16} />
                </button>
              </p>
            </div>
          </div>
        </div>
      );

      const renderProfile = () => (
        <div className="p-6 animate-fade-in max-w-4xl mx-auto">
          <h1 className="text-2xl font-bold text-gray-900 dark:text-white mb-6">Eco-Warrior Profile</h1>
          <div className="bg-white dark:bg-gray-800 rounded-2xl shadow-sm border border-gray-200 dark:border-
gray-700 overflow-hidden">
            <div className="h-32 bg-gradient-to-r from-emerald-500 to-teal-600"></div>
            <div className="px-8 pb-8">
```

```
            <div className="relative flex justify-between items-end -mt-12 mb-6">
              <div className="flex items-end gap-4">
                <div className="w-24 h-24 bg-white dark:bg-gray-800 rounded-full p-1 shadow-lg">
                  <div className="w-full h-full bg-gray-200 dark:bg-gray-700 rounded-full flex items-center
justify-center text-gray-400">
                    <User size={40} />
                  </div>
                </div>
                <div className="mb-1">
                  <h2 className="text-2xl font-bold text-gray-900 dark:text-white">{user?.name || 'Eco
Warrior'}</h2>
                  <p className="text-gray-500 dark:text-gray-400">Citizen Contributor • Joined Jan 2024</p>
                </div>
              </div>
              <Button>Edit Profile</Button>
            </div>

            <div className="grid md:grid-cols-3 gap-8">
              <div className="md:col-span-2 space-y-8">
                <div>
                  <h3 className="text-lg font-semibold text-gray-900 dark:text-white mb-4">Account
Information</h3>
                  <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
                    <div className="p-4 bg-gray-50 dark:bg-gray-700/50 rounded-xl">
                      <div className="flex items-center gap-3 text-gray-500 dark:text-gray-400 mb-1">
                        <Mail size={16} />
                        <span className="text-sm">Email</span>
                      </div>
                      <p className="font-medium text-gray-900 dark:text-white">{user?.email || 'not-
available@eco.com'}</p>
                    </div>
                    <div className="p-4 bg-gray-50 dark:bg-gray-700/50 rounded-xl">
                      <div className="flex items-center gap-3 text-gray-500 dark:text-gray-400 mb-1">
                        <Phone size={16} />
                        <span className="text-sm">Phone</span>
                      </div>
                      <p className="font-medium text-gray-900 dark:text-white">+1 (555) 987-6543</p>
                    </div>
                  </div>
                </div>

                <div>
                  <h3 className="text-lg font-semibold text-gray-900 dark:text-white mb-4">Achievements</h3>
                  <div className="flex flex-wrap gap-4">
                    {[
```

```
                    { name: 'First Report', color: 'bg-emerald-100 text-emerald-700' },
                    { name: 'Clean Streets', color: 'bg-blue-100 text-blue-700' },
                    { name: 'Active Citizen', color: 'bg-amber-100 text-amber-700' }
                  ].map((badge, i) => (
                    <div key={i} className={`flex items-center gap-2 px-4 py-2 rounded-full
${badge.color}`}>
                      <Award size={16} />
                      <span className="font-medium text-sm">{badge.name}</span>
                    </div>
                  ))}
                </div>
              </div>
            </div>

            <div className="space-y-6">
              <div className="bg-gray-50 dark:bg-gray-700/30 p-6 rounded-xl border border-gray-100
dark:border-gray-700">
                <h3 className="font-semibold text-gray-900 dark:text-white mb-4">Impact Summary</h3>
                <div className="space-y-3">
                  <div className="flex justify-between items-center">
                    <span className="text-gray-500 text-sm">Reports Submitted</span>
                    <span className="font-bold text-emerald-600">{reports.length}</span>
                  </div>
                  <div className="flex justify-between items-center">
                    <span className="text-gray-500 text-sm">Resolved Issues</span>
                    <span className="font-bold text-emerald-600">8</span>
                  </div>
                  <div className="flex justify-between items-center">
                    <span className="text-gray-500 text-sm">Eco Points</span>
                    <span className="font-bold text-purple-600">450</span>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    );

    const renderMyReports = () => (
      <div className="p-6 animate-fade-in max-w-6xl mx-auto">
        <div className="flex justify-between items-center mb-6">
          <h1 className="text-2xl font-bold text-gray-900 dark:text-white">My Submitted Reports</h1>
          <Button onClick={() => setActiveTab('new-report')} className="flex items-center gap-2">
```

```
            <PlusCircle size={18} />
            New Report
          </Button>
        </div>

        <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
          {reports.length > 0 ? (
            reports.map((report) => (
              <div key={report.id} className="bg-white dark:bg-gray-800 rounded-2xl shadow-sm border border-
gray-100 dark:border-gray-700 overflow-hidden hover:shadow-md transition-shadow">
                <div className="relative h-48">
                  <img src={report.image} alt={report.title} className="w-full h-full object-cover" />
                  <div className="absolute top-4 right-4">
                    <span className={`px-3 py-1 text-xs font-bold rounded-full shadow-sm ${report.status ===
'Solved' ? 'bg-emerald-500 text-white' :
                      report.status === 'In Progress' ? 'bg-amber-500 text-white' : 'bg-red-500 text-white'
                      }`}>
                      {report.status}
                    </span>
                  </div>
                </div>
                <div className="p-5">
                  <div className="flex items-center gap-2 text-xs text-emerald-600 dark:text-emerald-400 font-
bold uppercase mb-2">
                    <Leaf size={14} />
                    {report.category}
                  </div>
                  <h3 className="text-lg font-bold text-gray-900 dark:text-white mb-2">{report.title}</h3>
                  <p className="text-sm text-gray-500 dark:text-gray-400 line-clamp-2 mb-
4">{report.description}</p>
                  <div className="flex items-center justify-between pt-4 border-t border-gray-50 dark:border-
gray-700">
                    <div className="flex items-center gap-2 text-xs text-gray-400">
                      <MapPin size={14} />
                      <span>{report.location}</span>
                    </div>
                    <span className="text-xs text-gray-400">{report.date}</span>
                  </div>
                </div>
              </div>
            ))
          ) : (
            <div className="col-span-full py-20 text-center bg-gray-50 dark:bg-gray-800/50 rounded-2xl border-2
border-dashed border-gray-200 dark:border-gray-700">
              <AlertTriangle className="w-12 h-12 text-gray-300 mx-auto mb-4" />
```

```
            <h3 className="text-lg font-medium text-gray-900 dark:text-white mb-1">No reports found</h3>
            <p className="text-gray-500">You haven't submitted any environmental reports yet.</p>
            <Button onClick={() => setActiveTab('new-report')} variant="outline" className="mt-6">
              Submit Your First Report
            </Button>
          </div>
        )}
      </div>
    </div>
);
```

7.2 SCREEN LAYOUTS






EcoAction
Home
About
Service
Login
Citizen Login
Volunteer Login
Admin Login
Our Mission
EcoAction is a community-driven platform designed to bridge the gap between citizens and environmental management organizations. Our mission is to empower individuals to take action against environmental issues in their local area, fostering a cleaner and healthier community for everyone.
Our Vision
We envision a world where every citizen feels empowered to protect their environment. A world where transparency and accountability lead to rapid resolution of ecological problems. Through technology and community engagement, we aim to create sustainable cities and preserve nature for future generations.
Olympic Games
Search
17:23


Back to Home
Citizen Sign In
Or create a new account
Email or Username
tamilselvi.raj06@gmail.com
Password
Remember me
Forgot your password?
Sign in
Safety Tip: Report emergencies to local authorities immediately (911).
SWITCH LOGIN PORTAL
Volunteer
Admin


"The platform is incredibly easy to use. I was able to report an illegal dump site near my home, and it was cleared within a week!"
Sarah Jenkins
Community Activist


EcoAction
Overview
New Report
My Reports
Map View
Community
Profile
John Doe
User
Sign Out
Welcome back, EcoWarrior!
Your contributions are making a real difference. You've helped save 12 trees this month!
Issues Solved
12
Pending Review
3
Eco Points
450
Community Rank
#5
Recent Activity
View All
Illegal Dumping near Highway
Open
Large pile of construction debris dumped on the side of the road.
45.123, -93.456
2024-03-10
Tree Cutting in Protected Zone
Solved
Several large trees cut down illegally in the conservation area.
45.125, -93.458
2024-03-08
Eco Awareness
Did You Know?
Recycling one aluminum can saves enough energy to run a TV for three hours. Small actions create big impact!
Upcoming Events


EcoAction
Overview
Task Board
My Shifts
Profile
Welcome, Volunteer Name!
Thank you for your dedication. You have 3 upcoming shifts this week.
Hours Volunteer
24
Tasks Completed
8
Upcoming Shifts
3
Impact Points
350
Upcoming Shifts
View All
Beach Cleanup
Sat, Aug 24 • 09:00 AM - 12:00 PM
Sunny Beach
Team Lead
Food Drive
Sun, Aug 25 • 10:00 AM - 02:00 PM
Community Center
Distributor
Tree Planting
Planter
VO
Volunteer Name
Volunteer
Sign Out


EcoAction
Overview
New Report
My Reports
Map View
Community
Profile
Submit New Report
ISSUE CATEGORY
Garbage Dump
TITLE
Brief summary of the issue
LOCATION
Address or coordinates
PHOTO EVIDENCE
Click to upload or drag and drop
SVG, PNG, JPG or GIF (MAX. 10MB)
DESCRIPTION
Describe the issue in detail...
Submit Report
JO
John Doe
User
Sign Out



CONCLUSION

The Eco Action – Nature Protection Complaint Management System is a web-based platform developed to create a direct connection between citizens and NGOs for reporting environmental issues. The system simplifies the process of submitting, tracking, and resolving complaints related to pollution, deforestation, waste dumping, and other environmental concerns.By implementing a role-based login system for Users, Volunteers, and Admin, the platform ensures organized complaint management and proper verification. The use of modern technologies such as HTML, CSS, React JS, and SQL makes the application scalable, responsive, and efficient.

FUTURE ENHANCEMENTS

1. **Mobile Application Development**
   Developing an Android and iOS mobile app will allow users to report environmental complaints instantly with real-time photo capture and easier accessibility.
2. **GPS-Based Location Tracking**
   Integrating automatic GPS detection will help capture accurate complaint locations and improve response efficiency.
3. **Real-Time Notifications**
   Adding email and SMS notifications will keep users updated about complaint status, volunteer assignments, and resolution progress.
4. **AI-Based Complaint Categorization**
   Implementing Artificial Intelligence can automatically categorize complaints and prioritize urgent environmental issues.
5. **Analytics and Reporting Dashboard**
   An advanced dashboard for admin can provide insights such as complaint trends, resolution rates, and volunteer performance for better decision-making.

BIBLIOGRAPHY

BOOK REFERENCES

- **Learning React** – Alex Banks & Eve PorcelloO'Reilly Media, 2017.
  (Used for understanding React fundamentals, components, hooks, and state management.)
- **Web Design** with HTML, CSS, JavaScript and jQuery Set – Jon Duckett
  John Wiley & Sons, 2014.
  (Used for frontend development concepts and UI design principles.)
- **Software Engineering** – Ian Sommerville
  Pearson Education, 7th Edition.
  (Used for understanding software development life cycle and system design.)
- **Michael J. Hernandez**, *Database Design for Mere Mortals*, Addison-Wesley, 2013.

WEB REFERENCES

1. https://developer.mozilla.org/en-US/
2. https://reactjs.org/Node.js
3. https://www.w3schools.com/
4. https://www.sqlite.org/docs.html