## Sign Up Page

```
week works > 1st semester webpage > ♦ signup.html > ♦ html > ♦ head > ♦ style > ♦ .container
      <!DOCTYPE html>
      <html lang="en">
          <meta charset="UTF-8">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>Sign Up - ComfortCove</title>
           <style>
               body 4
                   font-family: Arial, sans-serif;
                   background-color: ■#f0f0f0;
                   color: □#333;
               .container {
 15
                   width: 50%;
                   margin: auto;
                   overflow: hidden;
               header {
                   background: ■#50b3a2;
                   color: ■#fff;
                   padding-top: 30px;
                   min-height: 70px;
                   border-bottom: ■#e8491d 3px solid;
               header h1 {
                   color: ■#fff;
                   text-decoration: none;
               .form-container {
                   background: □#fff;
                   padding: 20px;
                   border: 1px solid ■#ddd;
                   margin-top: 20px;
               .form-container input[type="email"],
               .form-container input[type="text"],
```

```
.form-container input[type="email"],
        .form-container input[type="text"],
        .form-container input[type="password"] {
            width: 100%;
            padding: 10px;
            margin: 10px 0;
            border: 1px solid ■#ddd;
        .form-container button {
            background: ■#50b3a2;
            color: #fff;
            padding: 10px;
            border: none;
            cursor: pointer;
            width: 100%;
        .form-container button:hover {
            background: ■#e8491d;
    </style>
</head>
    <header>
        <div class="container">
            <h1>ComfortCove \( \frac{1}{0} < /h1 > \)
        </div>
    </header>
    <div class="container">
        <section id="signup" class="form-container">
            <h2>Sign Up</h2>
            <form>
                <label for="email">Email</label>
                <input type="email" id="email" name="email" required>
```

```
</style>
</head>
    <header>
        <div class="container">
            <h1>ComfortCove (h1>)
       </div>
    </header>
    <div class="container">
        <section id="signup" class="form-container">
            <h2>Sign Up</h2>
            <form>
                <label for="email">Email</label>
                <input type="email" id="email" name="email" required>
                <label for="new-username">Username</label>
                <input type="text" id="new-username" name="new-username" required>
                <label for="new-password">Password</label>
                <input type="password" id="new-password" name="new-password" required>
                <label for="confirm-password">Confirm Password</label>
                <input type="password" id="confirm-password" name="confirm-password" required>
                <button type="submit">Sign Up</button>
            </form>
        </section>
    </div>
</body>
</html>
```



### ComfortCove 🏠

Sign Up	
mail	
Jsername	
Password	
Confirm Password	
Sign Up	

### Login Page

```
week works > 1st semester webpage > ♦ login.html > ♦ html > ♦ head > ♦ style
      <!DOCTYPE html>
      <html lang="en">
          <meta charset="UTF-8">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>Login - ComfortCove</title>
  8
              body {
                  font-family: Arial, sans-serif;
                  background-color: #f@f@f@;
                  color: #333;
              .container {
                  width: 50%;
                  margin: auto;
                  overflow: hidden;
              header (
                  background: #50b3a2;
                  color: #fff;
                  padding-top: 30px;
                  min-height: 70px;
                  border-bottom: ■#e8491d 3px solid;
              header h1 {
                  color: #fff;
                  text-decoration: none;
              .form-container {
                  background: #fff;
                  padding: 20px;
                  border: 1px solid ■#ddd;
                  margin-top: 20px;
               .form-container input[type="text"],
               .form-container input[type="password"]
```

```
.form-container input[type="text"],
         .form-container input[type="password"] {
            width: 100%;
            padding: 10px;
            margin: 10px 0;
            border: 1px solid #ddd;
        .form-container button {
            background: #50b3a2;
            color: #fff;
            padding: 10px;
            border: none;
            cursor: pointer;
            width: 100%;
        .form-container button:hover {
            background: #e8491d;
        <div class="container">
            <hi><hi>ComfortCove  <hi></hi></ri>
    <div class="container">
        <section id="login" class="form-container">
            <h2>Login (/h2>
            <form>
                 <label for="username">Username</label>
                 <input type="text" id="username" name="username" required>
                <label for="password">Password</label>
                                                                                                           Ln 8, Col 9 Spaces: 4 UTF-8 CRLF HTML Ø Port: 5500 €
    <div class="container">
        <section id="login" class="form-container">
            <h2>Login</h2>
            <form>
                <label for="username">Username</label>
                <input type="text" id="username" name="username" required>
                <label for="password">Password</label>
                <input type="password" id="password" name="password" required>
                <button type="submit">Login</button>
            </form>
        </section>
    </div>
</body>
</html>
```

### ComfortCove

Login	
Username	
Password	
	Login

# Main Page

```
week works > 1st semester webpage > ♦ my1stwebsite.html > ...
      <!DOCTYPE html>
      <html lang="en">
          <meta charset="UTF-8">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>ComfortCove E-Commerce</title>
              body {
                   font-family: Arial, sans-serif;
                   background-color: ■#f0f0f0;
                   color: □#333;
              .container {
                   width: 80%;
                   margin: auto;
                   overflow: hidden;
              header {
                   background: ■#50b3a2;
                   color: □#fff;
                   padding-top: 30px;
                   min-height: 70px;
                   border-bottom: ■#e8491d 3px solid;
              header a, header h1 {
                   color: □#fff;
                   text-decoration: none;
               nav {
                   float: right;
                   margin-top: 10px;
              nav ul {
                   margin: 0;
                   padding: 0;
                   list-style: none;
```

```
nav ul li {
    display: inline;
    margin-left: 5px;
nav ul li a {
    color: □#fff;
    text-decoration: none;
    padding: 5px;
    transition: all 0.3s;
nav ul li a:hover {
    background: ■#e8491d;
    color: □#fff;
.products {
    margin-top: 20px;
.product {
    background: ■#fff;
    padding: 20px;
    border: 1px solid ■#ddd;
    width: 30%;
    float: left;
    box-sizing: border-box;
    margin-right: 3.333%;
    text-align: center;
    margin-bottom: 20px;
.product:nth-child(3n) {
    margin-right: 0;
.product img {
    max-width: 100%;
    to a 2 miles of market and
                                                                                                 Ln 132, Col 1 Spaces: 4 UTF-8 CRLF HTML Ø Port: 5500 ♀
```

```
.product img {
           max-width: 100%;
           height: auto;
       .buy-now {
           background: ■#50b3a2;
           color: □#fff;
           padding: 10px;
           text-decoration: none;
           border: none;
           cursor: pointer;
           transition: background 0.3s;
       .buy-now:hover {
           background: ■#e8491d;
   </style>
</head>
   <header>
       <div class="container">
           <h1>ComfortCove (h1>
                   <a href="login.html">Login</a>
                   <a href="signup.html">Sign Up</a>
               </nav>
       </div>
   </header>
   <div class="container">
       <section id="products">
           <h2>Our Products</h2>
           div clace-"producte"
                                                                                                  Ln 132, Col 1 Spaces: 4 UTF-8 CRLF HTML Ø Port: 5500 ♀
```

```
</header>
          <div class="container">
              <section id="products">
                 <h2>Our Products</h2>
                 <div class="products">
                     <div class="product">
                         <img src="sofa.jpeg" alt="Comfortable Sofa">
                         <h3>Comfortable Sofa</h3>
                         ₹25,000
                         <a href="payment.html" class="buy-now">Buy Now</a>
                     </div>
                     <div class="product">
                         <img src="lamp.jpg" alt="Modern Lamp">
                         <h3>Modern Lamp</h3>
                         ₹4,000
                         <a href="payment.html" class="buy-now">Buy Now</a>
                     </div>
                     <div class="product">
                         <img src="stylishchair.png" alt="Stylish Chair">
                         <h3>Stylish Chair</h3>
                         ₹8,000
                         <a href="payment.html" class="buy-now">Buy Now</a>
                     </div>
120
                     <div class="product">
                         <img src="R.jpg" alt="Dining Table Set">
                         <h3>Dining Table Set</h3>
124
                         ₹40,000
                         <a href="payment.html" class="buy-now">Buy Now</a>
                     </div>
126
                 </div>
              </section>
128
         </div>
      </body>
```

### ComfortCove 🏠

### **Our Products**



Comfortable Sofa

₹25,000

Buy Now



Modern Lamp

₹4,000

**Buy Now** 



Comfortable Sofa

₹25,000

Buy Now



#### Modern Lamp

₹4,000

Buy Now



#### Stylish Chair

₹8,000

Buy Now



#### **Dining Table Set**

₹40,000

Buy Now

## Payment Page

```
week works > 1st semester webpage > 49 payment.html > .
  1 (DOCTYPE html>
      chtml lang="en">
          (meta_charset="UTF-8")
          cmeta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>ComfortCove - Payment</title>
              body (
                  font-family: Arial, sans-serif;
                 background-color: | afefefe;
                 color: []#333;
                  margin: 0;
                  padding: 0;
              header E
                 background: ##50b3a2;
                 color: Dimite;
                 padding: 20px;
                  text-align: center;
              .modal-content (
                 background-color: | white;
                 margin: 5% auto;
                 padding: 20px;
                 width: 88%;
                  max-width: 400px;
              form (
                  display: block;
                  margin-top: 20px;
             form input[type="radio"] [
                  margin-right: 10px;
                                                                                                             Ln 1, Col 1 Spaces 4 UTF-II CRLF HTML Ø Port: 5500 Q
```

```
form button {
                background-color: #50b3a2;
                color: □white;
                padding: 10px 20px;
                border: none;
                cursor: pointer;
                width: 100%;
                margin-top: 20px;
            form button:hover {
                background-color: #e8491d;
        </style>
     </head>
        <header>
            <h1>ComfortCove (h1>
         </header>
            <div class="modal-content">
                 <h2>Select Payment Method</h2>
                <form action="delivery.html" method="get">
                    <input type="radio" id="cod" name="payment-method" value="cod">
                    <label for="cod">Cash on Delivery (COD)</label><br>
                    <input type="radio" id="net-banking" name="payment-method" value="net-banking">
                    <label for="net-banking">Net Banking</label><br>
                    <input type="radio" id="upi" name="payment-method" value="upi">
                    <label for="upi">UPI</label><br>
                    <input type="radio" id="emi" name="payment-method" value="emi">
                    <label for="emi">EMI</label><br>>
                    <button type="submit">Proceed to Delivery</button>
                                                                                                             Ln 1, Col 1 Spaces: 4 UTF-8 CRLF HTML Ø Port: 5500 □
                     <putton type= submit >Proceed to Delivery</putton>
Click to add a breakpoint orm>
             </section>
     </body>
     </html>
```



### **Select Payment Method**

- O Cash on Delivery (COD)
- Net Banking
- O UPI
- O EMI

Proceed to Delivery

## Delivery Page

```
week works 2 1st semester webpage 2 and delivery html 2 and html 2 and body 2 and discontainer
     (LOOCTYPE html)
     chtml. lang= in >
          cmeta charset="UTF-8">
          ometa name="viewport" content="width-device-width, initial-scale=1.0">
          <title>ComfortCove Delivery</title>
              body (
                  font-family: Arial, sans-serif;
                  background-color: ##5f5f5;
                  margin: 0;
                  padding: 0;
                  display: flex;
                  justify-content: center;
                  align-items: center;
                  height: 100vh;
              container
                  background-color: ##ffffff;
                  padding: 20px;
                  box shadow: 0 0 10px | Grgba(0, 0, 0, 0.1);
                  border-radius: 8px;
                  color: #8888880; /* Teal color */
              label (
                  display: block;
                  margin-top: 10px;
              input[type="text"] {
                  width: 100%;
                  padding: 8px;
                  margin-top: 5px;
                  border: 1px solid ■#ccc;
                  border-radius: 4px;
                                                                                                              Ln 74, Col 10 Spaces: 4 LITE-8 CRLF HTML @ Port: 5500 Q
```

```
background-color: #008080; /* Teal color */
               color: □#ffffff;
               padding: 10px 15px;
               border: none;
              border-radius: 4px;
              cursor: pointer;
               margin-top: 20px;
               width: 100%;
        <div class="container">
           <h1>ComfortCove Delivery Information</h1>
               <label for="building-no">Building No.:</label>
               <input type="text" id="building-no" name="building-no">
               <label for="area">Area:
               <input type="text" id="area" name="area">
               <label for="landmark">Landmark:</label>
               <input type="text" id="landmark" name="landmark">
               <label for="city">City:</label>
               <input type="text" id="city" name="city">
               <label for="state">State:</label>
               <input type="text" id="state" name="state">
               <label for="pincode">Pincode:</label>
               <input type="text" id="pincode" name="pincode">
                                                                                                  <button type="submit" class="submit-btn">Submit</button>
           </form>
74
```

# **ComfortCove Delivery Information** Building No.: Area: Landmark: City: State: Pincode: Submit