Status	Finished
Started	Tuesday, 20 October 2026, 8:41 PM
Completed	Tuesday, 20 October 2026, 8:43 PM
Duration	2 mins 12 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

- a. Error ✓
- b. 1
- c. 2
- d. 5

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

- a. (30, 40, 50) (10, 20, 30, 40)
- b. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓
- c. (10, 20, 30, 40) (40, 50, 60, 70, 80)
- d. (30, 40, 50)(40, 50, 60, 70, 80)

Question **3**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- a. True ✓
- b. False

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

- a. Error
- b. () ✓
- c. (Computer)
- d. Computer

Question **5**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

- a. <class 'int'>
- b. str
- c. <class 'tuple'>
- d. <class 'str'> ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
True

b. True ✓
True

c. False
False

d. True
False

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3,4,5,6) ✓

b. (1,2,3)(4,5,6)

c. Error

d. (1,2,3,3,2,1)

Question **8**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. None of these

b. A tuple maintains the order of items ✓

c. A tuple is unordered

d. We can change the tuple once created

Question **9**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['30', '8', '3', '2']

b. ['2', '3', '8', '30']

c. ['8', '30', '3', '2'] ✓

d. ['2', '3', '30', '8']

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece'),True}

b. Error

c. {'rec', True, ('cse', 'ece')}

d. {'rec', 1, ('cse', 'ece')} ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. Yes, No ✓

b. Yes, Yes

c. "==" is not supported for set in Python

d. No, No

Question **12**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. [55, 33, 11] ✓

b. ([55,33,11])

c. (55,33,11)

d. [(55,33,11)]

Question **13**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. remove.sampleSet("ECE")

b. sampleSet.delete("ECE")

c. sampleSet.discard("ECE") ✓

d. del.sampleSet("ECE")

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t = (58, 47, 36, 25, 14, 3)
x = t[2:-1]
print(x)
```

a. Error

b. (58,47,36,25)

c. (3,14,25)

d. (36, 25, 14) ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
True

b. False
False

c. True
False

d. True ✓
True