

Task 30 - Mongo DB Practice Questions

1. Find all students.

```
db.students.find()
{
  _id: ObjectId('6ac780d55c958f0d9e7030aa'),
  name: 'Rahul',
  age: 20,
  course: 'MERN Stack',
  city: 'Chennai'
}
{
  _id: ObjectId('6ac780d55c958f0d9e7030ab'),
  name: 'Priya',
  age: 21,
  course: 'Java Full Stack',
  city: 'Coimbatore'
}
```

2. Find the student whose name is "Rahul".

```
db.students.find({name: 'Rahul'})
```

```
{
  _id: ObjectId('6ac780d55c958f0d9e7030aa'),
  name: 'Rahul',
  age: 20,
  course: 'MERN Stack',
  city: 'Chennai'
}
```

3. Find all students who belong to the "MERN Stack" course.

```
db.students.find({course: "MERN Stack"})
```

4. Find all students whose age is 20.

```
db.students.find({}, {age:20})
```

5. Display only the names of all students.

```
db.students.find({}, {name:1})
```

6. Display only the name and course of all students.

```
db.students.find({}, {name:1, course:1, _id:0})
```

7. Find the student whose city is "Chennai".

```
db.students.find({city:'Chennai'})
```

8. Find all students from "Coimbatore" and display only their names.

```
db.students.find({ city: "Coimbatore" }, { name: 1, _id: 0 })
```

9. Find one student from the "Java Full Stack" course and display only their name and city.

```
db.students.findOne({course:'Java Full Stack'}, {name:1, city:1})
```

10. Find all students and hide the _id field.

```
db.students.find({}, {_id:0})
```

11. Find all students from Chennai and display only their name and course.

```
db.students.find({city:'Chennai'}, {name:1, course:1})
```

12. Find one student whose age is 21.

```
db.students.findOne({age:21})
```

13. Display only the name and age of all students.

```
db.students.find({}, {name:1, age:1, _id:0})
```

14. Find all students enrolled in the Python course.

```
db.students.find({}, {course:'Python'})
```

15. Display only the course names of all students.

```
db.students.find({}, {course:1, _id:0})
```

