

1. How will you ensure my baby's safety in the ICU?

Our ICU-trained pediatric nurses follow strict hospital protocols, sterile handling, and constant monitoring to ensure your baby is safe and stable.

2. What is the role of a home ICU nurse after discharge?

After ICU discharge, our specialized pediatric home nurses help in:

- Continuing medical care at home
- Managing oxygen or feeding tubes
- Monitoring vital signs
- Administering medications as per doctor's instructions
- Ensuring hygiene and infection prevention

3. How do you prevent infections for ICU babies?

- Strict hand hygiene
- Use of sterile medical equipment
- Limiting unnecessary visitors
- Daily cleaning and disinfection of surroundings

4. Can a baby go home directly after ICU care?

In many cases, yes — but some babies need **step-down care at home** with trained ICU nurses to ensure safe recovery. This reduces the risk of readmission and supports faster healing.

5. What special equipment might my baby need at home after ICU?

Depending on the condition, your baby may need:

- Oxygen concentrator or cylinder
- Suction machine
- Feeding pump or NG tube
- Pulse oximeter for monitoring oxygen levels

6. How do I prepare my home for an ICU baby's return?

- Create a clean, quiet, and warm environment
- Keep medical equipment in working order
- Arrange for a trained home nurse if needed
- Follow your doctor's care plan

7. Why is burping important for my baby?

Babies swallow air while feeding, which can cause discomfort, fussiness, or spitting up. Burping helps release trapped air and keeps your baby comfortable.

8. When should I burp my baby?

- **Breastfeeding:** Burp when switching from one breast to the other, and after feeding.
- **Bottle-feeding:** Burp every **2–3 ounces** and after feeding.

9. How long should I try burping my baby?

Usually **2–5 minutes** is enough. If your baby hasn't burped after 5 minutes and seems comfortable, you can stop.

10. What are the best burping positions?

- **Over the shoulder:** Hold baby upright with chin resting on your shoulder, support the head, and gently pat the back.
- **Sitting on your lap:** Support baby's chest and head, lean slightly forward, and pat gently.
- **Lying across your lap:** Lay baby tummy-down across your lap, support the head, and rub or pat gently.

11. What if my baby doesn't burp every time?

That's normal. Some babies swallow less air and may not need to burp after every feed. As long as they're comfortable, it's fine.

12. Can improper burping cause problems?

Yes, it can lead to discomfort, fussiness, excessive crying, and spit-ups. Proper burping can help prevent colic symptoms.

13. How can a caregiver help with burping?

Our trained baby care nurses know safe and effective burping techniques, even for premature or delicate babies, ensuring comfort and preventing reflux.

14. Is burping different for premature babies?

Yes. Preterm babies may need **slower, gentler burping** because of their fragile neck and respiratory system. Special positioning is used to avoid strain.

Here's a **parent-education-friendly FAQ list on Baby Swaddling** for **Narpavi Baby Care**. I've kept it **clear, safe, and supportive** so parents understand **why, when, and how** to swaddle their babies properly.

15. What is swaddling?

Swaddling is wrapping your baby snugly in a light blanket to help them feel secure, warm, and comforted — similar to the feeling inside the womb.

16. Why is swaddling important?

- Helps your baby sleep better
- Reduces the startle reflex that can wake them up
- Keeps them warm without loose blankets
- Soothes fussiness

17. When should I swaddle my baby?

Swaddle your newborn for sleep or when they are fussy. Avoid swaddling when the baby is awake and active, so they can move and explore freely.

18. How do I swaddle my baby safely?

- Use a light, breathable cotton or muslin blanket
- Wrap snugly but not too tight around the hips and chest
- Leave enough room for hip and leg movement
- Always place swaddled babies on their **back to sleep**

19. Can swaddling be dangerous?

Yes, if done incorrectly. Risks include overheating, hip problems, and suffocation if the blanket comes loose. That's why safe technique is important.

20. When should I stop swaddling?

Stop swaddling when your baby shows signs of **rolling over** — usually around **2–4 months** — to reduce the risk of suffocation.

21. What materials are best for swaddling?

Soft, breathable fabrics like **cotton muslin** are ideal. Avoid thick or heavy blankets to prevent overheating.

22. Can caregivers swaddle as well as parents?

Yes. Our trained baby care nurses are skilled in safe swaddling techniques that follow pediatric safety guidelines and ensure the baby's comfort.

23. How often should I feed my newborn?

- **Breastfed babies:** Every **2–3 hours** (8–12 times in 24 hours)
- **Formula-fed babies:** Every **3–4 hours**
Newborns have small stomachs and need frequent feeds for healthy growth.

24. How much milk does my baby need?

- First few days: **5–15 ml** per feed
- End of first week: **30–60 ml** per feed
- By 1 month: **60–120 ml** per feed
Feeding needs vary — watch for hunger and fullness cues.

25. How do I know if my baby is hungry?

Early hunger signs include:

- Rooting (turning head towards touch)
- Sucking on hands/fingers
- Restlessness or fussiness
Crying is a late sign of hunger.

26. How do I know if my baby is full?

- Turns head away from breast or bottle
- Slows down sucking
- Appears calm and content
- Room temperature: Up to **4 hours**
- Refrigerator: Up to **4 days**
- Freezer: Up to **6 months**
Always label milk with date and time of expression.

27. How can a caregiver help with baby feeding?

Our baby care nurses assist with:

- Proper latching for breastfeeding
- Preparing and sterilizing bottles
- Following feeding schedules
- Monitoring intake and baby's growth
- Falls asleep during feeding

28. Should I wake my baby for feeding?

Yes — in the first **2–3 weeks**, wake your baby if they sleep longer than **3–4 hours** between feeds to ensure proper weight gain.

29. Is it okay to mix breastfeeding and formula feeding?

Yes, but it's best to consult your pediatrician first. Mixed feeding can be helpful for working mothers or if breast milk supply is low.

30. How do I burp my baby after feeding?

Hold your baby upright and gently pat the back for **2–5 minutes** to release air swallowed during feeding.

31. What's the difference between demand feeding and scheduled feeding?

- **Demand feeding:** Feeding whenever your baby shows hunger cues
 - **Scheduled feeding:** Feeding at fixed times
- Most newborns do well with demand feeding in the first few months.