

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

airport_db/postgres@PostgreSQL 18

Query Query History

```
1 --select upper(airline_name) from airline;
2
3 --select replace(airline_name,'air','aero') from airline;
4
5 --SELECT flight_no
6 --FROM flights
7 --GROUP BY flight_no
8 --HAVING COUNT(DISTINCT airline_id) >= 2;
9
10 select airport_name from airport
11 where airport_name like '%Reginal' and airport_name like 'Air';
12
13 --SELECT first_name,last_name,
14 --      TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS formatted_birth_date
15 --FROM passengers;
16
17 --select flight_no
18 --from flights
19 --where actual_arrival>scheduled_arrival;
20
21
```

Data Output Messages Notifications

Showing rows: 1 to 164 Page No: 1 of 1

flight_no	character varying (50)
1	AE-AZ
2	AO-MOX
3	AR-Q
4	AR-R

Total rows: 164 Query complete 00:00:00.115

CRLF Ln 11, Col 1

17:25 06.10.2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

airport_db/postgres@PostgreSQL 18

Query Query History

```
1 --select upper(airline_name) from airline;
2
3 --select replace(airline_name,'air','aero') from airline;
4
5 --SELECT flight_no
6 --FROM flights
7 --GROUP BY flight_no
8 --HAVING COUNT(DISTINCT airline_id) >= 2;
9
10 --select airport_name from airport
11 --where airport_name like '%Reginal' and airport_name like 'Air';
12
13 SELECT first_name,last_name,
14       TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS formatted_birth_date
15 FROM passengers;
16
17 --select flight_no
18 --from flights
19 --where actual_arrival>scheduled_arrival;
20
21
```

Data Output Messages Notifications

Showing rows: 1 to 164 Page No: 1 of 1

flight_no	character varying (50)
1	AE-AZ
2	AO-MOX
3	AR-Q
4	AR-R

Total rows: 164 Query complete 00:00:00.115

CRLF Ln 11, Col 3

17:26 06.10.2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

airpot_db/postgres@PostgreSQL 18

Query Query History Execute script F5

```

2
3 --select replace(airline_name,'air','AIR') from airline;
4
5 --SELECT flight_no
6 --FROM flights
7 --GROUP BY flight_no
8 --HAVING COUNT(DISTINCT airline_id) >= 2;
9
10 --select airport_name from airport
11 --where airport_name like '%Reginal' and airport_name like 'Air';
12
13 --SELECT first_name,last_name,
14 -- TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS formatted_birth_date
15 --FROM passengers;
16
17
18 select flight_no
19 from flights
20 where actual_arrival>scheduled_arrival;
21
22

```

Data Output Messages Notifications

Showing rows: 1 to 509 Page No: 1 of 1

flight_no	character varying (50)
1	US-CT
2	US-NM
3	RU-KR
4	US-AZ

Total rows: 509 Query complete 00:00:00.089

Successfully run. Total query runtime: 89 msec. 509 rows affected.

CRLF Ln 20, Col 1

17:26 06.10.2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

airpot_db/postgres@PostgreSQL 18

Query Query History

```

5 --SELECT flight_no
6 --FROM flights
7 --GROUP BY flight_no
8 --HAVING COUNT(DISTINCT airline_id) >= 2;
9
10 --select airport_name from airport
11 --where airport_name like '%Reginal' and airport_name like 'Air';
12
13 --SELECT first_name,last_name,
14 -- TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS formatted_birth_date
15 --FROM passengers;
16
17
18 --select flight_no
19 --from flights
20 --where actual_arrival>scheduled_arrival;
21
22 select airline_name from airline
23 where airline_country in('France','Poland','Portugal') and created_at between '2023-11-01' and '2024-01-01';
24

```

Data Output Messages Notifications

Showing rows: 1 to 7 Page No: 1 of 1

airline_name	character varying (50)
1	KHS
2	IFH
3	KKG
4	RUG

Total rows: 7 Query complete 00:00:00.127

CRLF Ln 23, Col 10

17:33 06.10.2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

airport_db/postgres@PostgreSQL 18

Query Query History Scratch Pad X

```
1 select upper(airline_name) from airline;
```

Data Output Messages Notifications

Showing rows: 1 to 50 Page No: 1 of 1

upper text
1 IPC
2 PDN
3 KLE
4 KHS

Total rows: 50 Query complete 00:00:00.074 CRLF Ln 1, Col 42

16:10 06.10.2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

airport_db/postgres@PostgreSQL 18

Query Query History Scratch Pad X

```
1 --select upper(airline_name) from airline;
2
3 select replace(airline_name,'air','aero') from airline;
4
5 --SELECT flight_no
6 --FROM flights
7 --GROUP BY flight_no
8 --HAVING COUNT(DISTINCT airline_id) >= 2;
9
10 --select airport_name from airport
11 --where airport_name like '%Reginal' and airport_name like 'Air';
12
13 --SELECT first_name,last_name,
14 -- TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS formatted_birth_date
15 --FROM passengers;
16
17
18 --select flight_no
19 --from flights
20 --where actual_arrival>scheduled_arrival;
21
```

Data Output Messages Notifications

Showing rows: 1 to 50 Page No: 1 of 1

replace text
1 IPC
2 PDN
3 KLE
4 KHS

Total rows: 50 Query complete 00:00:00.098 CRLF Ln 3, Col 1

Successfully run. Total query runtime: 98 msec. 50 rows affected.

17:25 06.10.2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

airport_db/postgres@PostgreSQL 18

Query Query History Execute script F5 Scratch Pad X

```
1 --select upper(airline_name) from
2
3 --select replace(airline_name,'air','aero') from airline;
4
5 SELECT flight_no
6 FROM flights
7 GROUP BY flight_no
8 HAVING COUNT(DISTINCT airline_id) >= 2;
9
10 --select airport_name from airport
11 --where airport_name like '%Reginal' and airport_name like 'Air';
12
13 --SELECT first_name,last_name,
14 --      TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS formatted_birth_date
15 --FROM passengers;
16
17
18 --select flight_no
19 --from flights
20 --where actual_arrival>scheduled_arrival;
21
```

Data Output Messages Notifications

Showing rows: 1 to 164 Page No: 1 of 1

flight_no	character varying (50)
1	AE-AZ
2	AO-MOX
3	AR-Q
4	AR-R

Total rows: 164 Query complete 00:00:00.115

Successfully run. Total query runtime: 115 msec. 164 rows affected.

CRLF Ln 8, Col 1

17:25 06.10.2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

airpot_db/postgres@PostgreSQL 18

Query Query History Scratch Pad X

```
--select *
--from airline
--where airline_code ~'[0-9]';

--select airline_name from airline
--order by created_at desc
--limit 5;

--select * from baggage_check
--where baggage_check_id between 200 and 300
--and check_result = 'Checked';

select *
from baggage
where date_trunc('month',created_date)=date_trunc('month',update_date)
and update_date<created_date;
```

Data Output Messages Notifications

Showing rows: 1 to 16 Page No: 1 of 1

baggage_id [PK] integer	weight_in_kg numeric (4,2)	created_date date	update_date date	booking_id integer	
1	4	2023-07-20	2023-07-09	255	
2	72	2.15	2023-11-30	2023-11-10	60
3	181	43.59	2023-10-27	2023-10-19	428
4	235	36.69	2023-06-28	2023-06-23	144

Total rows: 16 Query complete 00:00:00.088

Successfully run. Total query runtime: 88 msec. 16 rows CRLF Ln 56, Col 29

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

airpot_db/postgres@PostgreSQL 18

Query Query History Scratch Pad X

```
--SELECT booking_platform, MIN(price) AS min_price
--FROM booking
--GROUP BY booking_platform;

--select *
--from airline
--where airline_code ~'[0-9]';

--select airline_name from airline
--order by created_at desc
--limit 5;

select * from baggage_check
where baggage_check_id between 200 and 300
and check_result = 'Checked';
```

Data Output Messages Notifications

Showing rows: 1 to 43 Page No: 1 of 1

baggage_check_id [PK] integer	check_result character varying (50)	created_at date	update_at date	booking_id integer	passenger_id integer	
1	204	Checked	2023-09-13	2023-09-27	271	132
2	206	Checked	2023-12-29	2024-03-02	370	176
3	208	Checked	2023-03-30	2023-06-04	157	197
4	215	Checked	2023-12-15	2023-07-17	468	55

Total rows: 43 Query complete 00:00:00.185

CRLF Ln 51, Col 19

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18*

Materialized Views Operators Procedures Sequences Tables (10)

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking

Columns (7)

- booking_id integer
- passenger_id integer
- booking_platform chara
- created_at date
- update_at date
- status character varying(
- price numeric(7,2)

> > Constraints

> Indexes

> RLS Policies

> Rules

> Triggers

booking_flight flights passengers security_check Trigger Functions Types

Query History

```
27 --where weight_in_kg >25 order by weight_in_kg desc limit 3;
28
29
30 --Select first_name ,last_name from passengers
31 --order by date_of_birth desc limit 1;
32
33
34 --SELECT booking_platform, MIN(price) AS min_price
35 --FROM booking
36 --GROUP BY booking_platform;
37
38
39 --select *
40 --from airline
41 --where airline_code ~'[0-9]';
42
43
44 select airline_name from airline
45 order by created_at desc
46 limit 5;
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

airline_name	character varying (50)
1	NQX
2	CU
3	HGZ
4	RUG

Total rows: 5 Query complete 00:00:00.078 CRLF Ln 45, Col 25

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18*

Materialized Views Operators Procedures Sequences Tables (10)

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking

Columns (7)

- booking_id integer
- passenger_id integer
- booking_platform chara
- created_at date
- update_at date
- status character varying(
- price numeric(7,2)

> > Constraints

> Indexes

> RLS Policies

> Rules

> Triggers

booking_flight flights passengers security_check Trigger Functions Types

Query History

```
22 --select airline_name from airline
23 --where airline_country in('France','Poland','Portugal') and created_at between '2023-11-01' and '2024-
24
25
26 --select baggage_id,weight_in_kg from baggage
27 --where weight_in_kg >25 order by weight_in_kg desc limit 3;
28
29
30 --Select first_name ,last_name from passengers
31 --order by date_of_birth desc limit 1;
32
33
34 --SELECT booking_platform, MIN(price) AS min_price
35 --FROM booking
36 --GROUP BY booking_platform;
37
38
39
40 select *
41 from airline
42 where airline_code ~'[0-9]';
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

airline_id	airline_code	airline_name	airline_country	created_at	update_at
[PK] integer	character varying (50)	character varying (50)	character varying (50)	date	date
1	22	2AK6	HGZ	Philippines	

Total rows: 1 Query complete 00:00:00.095 CRLF Ln 41, Col 29

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- booking_flight
- flights
- passengers

Columns (10)

- passenger_id integer
- first_name character varying (50)
- last_name character varying (50)
- date_of_birth date
- gender character varying (1)
- country_of_citizenship character varying (50)
- country_of_residence character varying (50)
- passport_number character varying (50)
- created_at date
- update_at date

Constraints

Indexes

RLS Policies

Rules

Query Query History

```
-- TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS formatted_birth_date
--FROM passengers;

--select flight_no
--from flights
--where actual_arrival>scheduled_arrival;

--select airline_name from airline
--where airline_country in('France','Poland','Portugal') and created_at between '2023-11-01' and '2024-

--select baggage_id,weight_in_kg from baggage
--where weight_in_kg >25 order by weight_in_kg desc limit 3;

Select first_name ,last_name from passengers
order by date_of_birth desc limit 1;
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

first_name	last_name
Bernie	Michal

Total rows: 1 Query complete 00:00:00.089

CRLF Ln 30, Col 1

17:43 06.10.2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X airport_db/postgres@PostgreSQL 18 X

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

- airline
- airport
- baggage

Columns (5)

- baggage_id integer
- weight_in_kg numeric (4,2)
- created_date date
- update_date date
- booking_id integer

Constraints

Indexes

RLS Policies

Rules

Triggers

baggage_check

boarding_pass

booking

booking_flight

flights

passengers

Query Query History

```
--HAVING COUNT(DISTINCT airline_id) >= 2;

--select airport_name from airport
--where airport_name like '%Reginal' and airport_name like 'Air';

--SELECT first_name,last_name,
-- TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS formatted_birth_date
--FROM passengers;

--select flight_no
--from flights
--where actual_arrival>scheduled_arrival;

--select airline_name from airline
--where airline_country in('France','Poland','Portugal') and created_at between '2023-11-01' and '2024-

select baggage_id,weight_in_kg from baggage
where weight_in_kg >25 order by weight_in_kg desc limit 3;
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

baggage_id	weight_in_kg
321	49.80
61	49.57
102	49.44

Total rows: 3 Query complete 00:00:00.119

CRLF Ln 27, Col 59

17:39 06.10.2026