Report ID: Hemo Check-20260628002420 | Patient: PT-20260628002416 | Physician: Dr. Sharma | Scan: MRI Brain

COMBINED AI ASSESSMENT

High Blood Clot Risk Detected 70.6% confidence

Scan model: 40.0% | Clinical model: 30.6% | Symptom score: 0.0%

Overall risk classification:	**HIGH**
Overall confidence:	**70.6%**
Scan model contribution:	**40.0%**
Clinical model contribution:	**30.6%**
Symptom score contribution:	**0.0%**
Scan finding:	**Brain Clot Detected**
Scan confidence:	**79.9%**
Clinical risk level:	**HIGH**
Clinical confidence:	**87.5%**
Symptom severity:	**NONE (0/100)**
Urgency:	**URGENT - within 24 hours**
Recommended follow-up:	**24-48 hours with specialist**

MRI BRAIN - IMAGING ANALYSIS

Brain Clot Detected 79.9% confidence

Scan type:	**MRI Brain**	Confidence:	**79.9%**
Model:	**ResNet-50**	Inference:	**1.17s**
Risk level:	**HIGH**	Grad-CAM:	**Generated**

Grad-CAM Attention Heatmap



CLINICAL RISK ASSESSMENT

Clinical Risk: HIGH 87.5% confidence

Age:	**55 years**	Blood pressure:	**120 mm Hg**
Sex:	**Male**	Cholesterol:	**200 mg/dl**
BMI:	**25.0**	Max heart rate:	**150 bpm**
Smoking:	**Never**	ST depression:	**1.0**
Diabetes:	**No**	XGBoost prob.:	**99.19999694824219%**

Symptom severity score: **NONE (0/100)**

AI EXPLAINABILITY - SHAP FEATURE ANALYSIS

Red bars increase clot risk; blue bars reduce risk. Bar length = magnitude of impact on the prediction.



CLINICAL RECOMMENDATIONS

1. Urgent clinical evaluation for brain clot or stroke indicators.
2. Immediate physician referral - do not delay.
3. Consider anticoagulation therapy consultation.
4. Repeat imaging within 24 hours if clinically indicated.
5. Review all current medications with treating physician.
6. Patient should not travel or remain immobile.

Urgency:	**URGENT - within 24 hours**
Follow-up:	**24-48 hours with specialist**

DISCLAIMER

This report is generated by an AI system for educational and research purposes only. It does not constitute medical advice and must not be used for clinical diagnosis or treatment decisions. Always consult a qualified healthcare professional for medical evaluation.