
Part 1

1.


```
BEGIN
DBMS_OUTPUT.PUT_LINE('Hello ADBMS Section C');
END;
/
```



2.


```
declare
num1 number := 10;
num2 number := 20;
BEGIN
declare
num3 number;
begin
num3 := num1+num2;
DBMS_OUTPUT.PUT_LINE(num3);
```

```
end;
END;
/
```




3.

```
BEGIN
DBMS_OUTPUT.PUT_LINE('multiplication: ' || (8 * 10 * 3));
END;
/
```




4.

```
DECLARE
var_str VARCHAR2(20) := 'Hello World';
BEGIN
DBMS_OUTPUT.PUT_LINE(upper(var_str));
END;
/
```




5.

```
DECLARE
   v_x number:= 100;
   v_y number:= 35;
   res NUMBER;
BEGIN
res := v_x - v_y ;
DBMS_OUTPUT.PUT_LINE('subtraction= ' || res);
END;
/
```



6.

```
DECLARE
avg_v NUMBER;
BEGIN
avg_v := (12 + 14 + 16 + 18) / 4;
DBMS_OUTPUT.PUT_LINE('avg= ' || avg_v );
END;
```




/

7.

```
DECLARE
pi CONSTANT NUMBER := 3.1416;
BEGIN
DBMS_OUTPUT.PUT_LINE('Pi: ' || pi);
END;

/
```




Part 02

1.


```
DECLARE
v_dname varchar2(20);
 BEGIN
SELECT dname
INTO v_dname
FROM dept
WHERE deptno = 10;
DBMS_OUTPUT.PUT_LINE(v_dname);
```

```
END;
/
```




2.

```
DECLARE
v_dname VARCHAR2(20);
BEGIN
SELECT dname
INTO v_dname
FROM dept
WHERE deptno = 20;
DBMS_OUTPUT.PUT_LINE(lower(v_dname));
END;
/
```




3.

```
DECLARE
v_sal NUMBER;
BEGIN
SELECT sal
INTO v_sal
FROM emp
WHERE ename = 'SMITH';
DBMS_OUTPUT.PUT_LINE(v_sal+ 250);
END;
/
```



4.


```
DECLARE
v_hir date;
BEGIN
SELECT hiredate
INTO v_hir
FROM emp
WHERE ename = 'KING';
DBMS_OUTPUT.PUT_LINE(v_hir);
END;
/
```



5.


```
DECLARE
v_sal NUMBER;
BEGIN
SELECT SUM(sal)
INTO v_sal
FROM emp;
DBMS_OUTPUT.PUT_LINE(v_sal);
END;
```

/



6.

```
DECLARE
v_sal number;
v_comm number;
BEGIN
SELECT sal, comm
INTO v_sal, v_comm
FROM emp
WHERE ename = 'ALLEN';
DBMS_OUTPUT.PUT_LINE('Salary: ' || v_sal ||' | Com: ' || v_comm);
END;
/
```



7.

```
BEGIN
```

```
FOR arr in (SELECT ename FROM emp WHERE ename LIKE '%TT%')
LOOP
DBMS_OUTPUT.PUT_LINE('name= ' || arr.ename);
END LOOP;
END;
/
```

