Project Executable Files

Date	21 October 2026
Team ID	TDS-AI-2026
Project Name	Personalized Travel Itinerary Planner
Maximum Marks	5 Marks

Project Title

Personalized Travel Itinerary Planner

Live Deployment URLs

Component	URL
Live Web Application (Frontend)	https://personalized-travel-itenerary-planner-ob42m5s4v-tanay-e4be.vercel.app/
Backend API	https://personalized-travel-itenerary-planner.onrender.com
Interactive Swagger API Docs	https://personalized-travel-itenerary-planner.onrender.com/docs
GitHub Repository	https://github.com/Tanay-Ds/Personalized-Travel-Itenerary-Planner
Supabase Project ID	vskaghlmvjqambnrshhy

How to Run Locally

Prerequisites

- Python 3.11+
- Node.js 18+
- npm
- Git

Backend Setup

```
# Clone the repository
git clone https://github.com/Tanay-Ds/Personalized-Travel-Itenerary-Planner.git
cd Personalized-Travel-Itenerary-Planner/backend

# Create virtual environment
python -m venv venv
venv\Scripts\activate       # Windows
# source venv/bin/activate  # Mac/Linux

# Install dependencies
pip install -r requirements.txt

# Create .env file with required variables
# Copy from .env.example and fill in:
# SUPABASE_URL=https://vskaghlmvjqambnrshhy.supabase.co
# SUPABASE_ANON_KEY=your_anon_key
```

```
# SUPABASE_JWT_SECRET=your_jwt_secret
# LLM_PROVIDER=gemini
# LLM_API_KEY=your_gemini_api_key
# GROQ_API_KEY=your_groq_api_key (optional fallback)
# ALLOWED_ORIGINS=http://localhost:5173

# Run the backend server
uvicorn app.main:app --reload --port 8000
```

Frontend Setup

```
cd ../frontend

# Install dependencies
npm install

# Create .env file
# VITE_SUPABASE_URL=https://vskaghlmvjqambnrshhy.supabase.co
# VITE_SUPABASE_ANON_KEY=your_anon_key
# VITE_API_BASE_URL=http://localhost:8000

# Run the dev server
npm run dev
```

Running Tests

```
cd backend
pytest tests/ -v
```

Environment Variables

Backend (.env)

Variable	Description	Required
SUPABASE_URL	Supabase project URL	Yes
SUPABASE_ANON_KEY	Supabase anonymous API key	Yes
SUPABASE_JWT_SECRET	JWT secret (unused — JWKS verification used instead)	No
LLM_PROVIDER	Primary LLM provider: "gemini" or "groq"	Yes
LLM_API_KEY	Google Gemini API key	Yes
LLM_MODEL	Gemini model name (default: gemini-2.5-flash)	No
GROQ_API_KEY	Groq API key for fallback	No
GROQ_MODEL	Groq model name (default: llama-3.3-70b-versatile)	No
ALLOWED_ORIGINS	Comma-separated frontend origins for CORS	Yes

Frontend (.env)

Variable	Description	Required
VITE_SUPABASE_URL	Supabase project URL	Yes

Variable	Description	Required
VITE_SUPABASE_ANON_KEY	Supabase anonymous API key	Yes
VITE_API_BASE_URL	Backend API base URL	Yes

Build & Deployment

Frontend Build

```
cd frontend
npm run build    # Outputs to dist/ directory
```

Vercel Deployment

- Framework: Vite
- Build Command: npm run build
- Output Directory: dist
- vercel.json configured with SPA rewrites

Render Deployment

- Runtime: Python 3.11
- Build Command: pip install -r requirements.txt
- Start Command: uvicorn app.main:app --host 0.0.0.0 --port $PORT