

BASIC COMMAND

Q.1 Open your linux terminal and use the pwd, Ls, and cd commands to navigate to your downloads folder and list all files inside it.

Ans: step 1- check current directory

pwd

step 2- List files and folders

ls

step 3 – Move to downloads directory


cd downloads

step 4- verify

pwd

step 5- list all files in downloads

ls



```
root@localhost:/home/du/Down
/home/du/Down

root@localhost:~# cd /home/du
root@localhost:/home/du# pwd
/home/du
root@localhost:/home/du# mkdir Down
root@localhost:/home/du# ls
Desktop  Down  DU  my_linux.txt  Public  Videos
Documents Downloads Music Pictures  Templates

root@localhost:/home/du# cd Down
root@localhost:/home/du/Down# pwd
/home/du/Down
root@localhost:/home/du/Down# ls
root@localhost:/home/du/Down#
```

Q.2 Create a new directory called ‘Music_playlist’ inside your home directory using the mkdir command, then use the touch command to create three empty files named song1.mp3, song2.mp3, song3.mp3 inside it.

Ans-step 1- Go to home Directory

Cd ~

Step 2- Create directory

Mkdir music_playlist

Step 3-Enter Directory


Cd music_playlist

Step 4- create three empty files

Touch song1.mp3 song2.mp3 song3.mp3

Step 5- Verify

ls

A terminal window with a pink header bar. The header bar contains a plus icon, the text 'root@localhost:~/md5_player', and the path '~/md5_player'. The terminal shows the following commands and output:

```
root@localhost:~# cd ~
root@localhost:~# mkdir md5_player
root@localhost:~# cd md5_player
root@localhost:~/md5_player# touch s1.mp3 s2.mp3 s3.mp3
root@localhost:~/md5_player# ls
s1.mp3 s2.mp3 s3.mp3
root@localhost:~/md5_player#
```

Q.3 Use the cp command to copy all files from your ‘music_playlist’ directory to a new directory called ‘backup_playlist’. Then use the Ls command to verify the files were copied.

Ans- Step 1 – Return to home directory

Cd ~

Step 2- Create Backup Directory

Mkdir backup_playlist

Step 3- Copy all files

Cp music_playlist/* backup_playlist/

Step 4- Verify copied files

Ls backup_playlist

```
root@localhost:~  
root@localhost:~# cd ~  
root@localhost:~# mkdir backup_player  
root@localhost:~# cp md5_player/* backup_player/  
root@localhost:~# ls backup_player  
s1.mp3 s2.mp3 s3.mp3  
root@localhost:~#
```

Q.4 Use the mv command to rename song1.mp3 to favorite_song.mp3 inside the music_playlist directory and then use the rm command to delete song3.mp3 from the same directory. **hint make sure you are inside the correct directory before running mv or rm.**

Ans-

Step 1-Enter music_playlist directory

Cd ~/music_playlist

Step 2- Rename song1.mp3

Mv song1.mp3 favorite_song.mp3

Step 3-verify

Ls

Step 4- Delete song3.mp3

Rm song3.mp3

Step 5- Verify final

ls



root@localhost:~/md5_player

~/md5_player

```
root@localhost:~# cd ~/md5_player
root@localhost:~/md5_player# mv s1.mp3 fav_song.mp3
root@localhost:~/md5_player# ls
fav_song.mp3  s2.mp3  s3.mp3
root@localhost:~/md5_player# rm s3.mp3
rm: remove regular empty file 's3.mp3'?
root@localhost:~/md5_player# ls
fav_song.mp3  s2.mp3  s3.mp3
root@localhost:~/md5_player# rm s3.mp3
rm: remove regular empty file 's3.mp3'? y
root@localhost:~/md5_player# ls
fav_song.mp3  s2.mp3
root@localhost:~/md5_player#
```