

USING FILER

In this chapter, Edwin needs to find, display, and print data from a Filer file. Then he creates a new file for vendors.

Edwin Raymond maintains a file of current customers, `Clients.fil`. Highlight the application, `Filer`, using the arrow keys to position the marker. Then, move the marker down to the filename, `Clients.fil`. Press `ENTER` to open the file.

The first record in the file, shown below, appears on your screen:

<ESC> = Commands		First Record	FILER Clients	11/20/85 10:30am
Last Name	:	Beauchamp		
First Name.	:	Cindy		
Address	:	2209 Riverdale Road		
Address	:			
City.	:	Fort Worth		
State	:	Tx		
Zip Code.	:	76107		
Phone	:	817-555-1267		
Acct Bal (\$).	:*		0.00	
Remarks	:	Prefers French cuisine, very dry wines. Allergic to almonds. Member of Riverdale Country Club.		

Figure 13.1

Edwin has set up a form to use for his clients. A form has 2 distinct parts: the left column contains labels, and the right half of the screen is for entering the actual data for the client. Each time Edwin enters data in a blank form, he completes a new *record*.

Figure 13.1 shows the first record in the file. In the figure, `Last Name` is a label, and `Beauchamp` occupies the *data field* opposite the label.

When you create a form, the fields are left-justified unless you change their format. The colon (:) at the end of the label area

indicates a left-justified field. A right-justified format is normally more useful for a numeric field. The number symbol (#), next to the Account Bal (\$) label, indicates a right-justified field.

An asterisk (*) in the label area indicates that Filer will print or display that item (both the label and the data) if you choose one of those functions (Print or Display).

Press **[ESC]** and then **[→]** to see the next record. The screen shows a form that Edwin has completed for Frederick Davis.

<ESC> = Commands		FILER Clients	11/20/85 10:30am
Last Name.....*	Davis		
First Name.....*	Frederick		
Address.....*	6601 Oak Boulevard		
Address.....*			
City.....*	Arlington		
State.....*	Tx		
Zip Code.....*	77109		
Phone.....*	817-555-9011		
Acct Bal (\$)...*#	217.33		
Remarks.....*	Outstanding bill for 10/15/85 dinner. Sent 10/31/85. Call if not paid by 12/28/85.		

Figure 13.2

Filer arranges your records in alphabetical order or ascending numerical order, depending on the type of data that is entered for the first label of a form. For example, if clients are given account numbers and Account # is the first label of the form, the records in the Clients file are arranged according to ascending account number.

Note: Using the Order function, you can arrange records using any label you wish. This topic is explained later in this chapter in "Creating a New Form."

Finding and Printing Records

Edwin Raymond wants to review all records of his clients who live in Fort Worth. Using the Find function, he can specify search criteria on a blank filer form. Then, he can take further action with those files that meet the criteria.

1. Press **[ESC]** to display at the bottom of the screen the menu of functions for this Filer screen. Then press **[1]** to use the Find function. A blank form appears: it displays the labels Edwin uses in his record keeping, but contains no data in the fields after each label.
2. To skip the first 4 data fields, press **[↓]** (or **[ENTER]**) until the marker is on the data field for **City**, and type **Fort Worth** **[ENTER]**.
3. Press **[ESC]** and then **[Q]** to return to the original Filer screen and display the first match found. Cindy Beauchamp's record reappears on the screen.
4. Press **[ESC]**, then **[→]** to see the next match found. The screen shows the record of Laura Wordsworth.

Suppose Edwin wants to print a list of those customers who have an outstanding balance in their account (account balance greater than or equal to 1).

1. Press **[ESC]** and then **[1]** for Find and **[ESC]** and then **[5]** for Reset. The Reset function clears the search criteria you entered previously.

Note: To examine the functions you can employ when you are setting up the Find criteria, press **[ESC]**. The bottom lines display the 5 functions available to you (plus the general DeskMate functions). Press **[ESC]** a second time to erase the function lines.

2. Press **[↓]** until the marker is positioned on the **Account Bal** line.
3. Press **[ESC]**, then **[2]** to change the operator from Equal to (=) to Greater than or equal to (>). Then, type **001** **[ENTER]** for the amount.

Note: The Find function searches for an entry that is Equal to (=) to search data. You can introduce a different operator by using one of the functions. Pressing **[ESC]** and then **[2]** changes the operator to

Greater than or equal to; press `[ESC]` and then `[3]` to select all records with data Less than or equal to the search data.

4. At present, all labels and data fields are marked to be printed or displayed, as indicated by the asterisk on each label line. It is necessary to *unmark* any labels that you wish to exclude from the display and printout.

Before exiting the Find screen, move the marker to the first Address line, and press `[ESC]`, then `[7]`. The asterisk disappears so that now the first Address label and the associated data will not be displayed or printed. Pressing `[ESC]` and then `[7]` a second time reverses the command, marking an item that you unmarked. (Do not re-mark the first Address line.)

5. Move the marker to the second address line, and press `[ESC]` and then `[7]` to switch from Mark to unMark. Repeat this process for the labels, City, State, Zip Code, Phone, and Remarks.
6. When only the labels, Last Name, First Name, and Account Bal, have an asterisk next to them, press `[ESC]`, then `[Q]` to return to the original Filer screen and display the first match. The first record with an outstanding balance, that of Frederick Davis, is displayed.
7. The Display function lists a group of records (rather than a single record at a time) in horizontal format. To display a list of those customers who meet the current Find criteria (account balance equal to or greater than \$0.01), press `[ESC]` and then `[3]`.

The screen soon displays the list of records with data arranged in columns. The labels appear on the top line with the data of the matching records below the appropriate label. See the arrangement of data in Figure 13.3.

<ESC> = Commands			FILER Clients	Find	11/20/85 10:30am
Last Name	First Name	Acct Bal			
Davis	Frederick	217.33			
Helmer	John	650.51			
Williams	Eliot (Mrs.)	88.00			
End of List					
			4-Print	7-Select	8-Copy
			<?> Help	<P> Print	<X> Cancel
			<Q> Quit	<=> Desk Accessories	

Figure 13.3

Notice that the contents of the Display screen are governed by the Find screen: the displayed report contains only the Marked items (those items that you did not unMark).

8. At the bottom of the screen in Figure 13.3, you see the menu of functions available from the Display screen. Press **[ESC]** to display these lines on your screen. Now press **[4]** to print the entire list using the horizontal format. Be sure that your printer is on-line.
9. Next, check the printer settings that appear on the screen.
10. To change the printer settings to the values for printing this list, make the following changes:

At	Type
Total lines per page	[ENTER]
Printed lines per page	[ENTER]
Left Margin	0 [ENTER]
Printed line width	79 [ENTER]
Double Space	[ENTER]

At the next prompt, select a destination for the printed copy. If your system supports local printing and your terminal is connected to a printer, press **[L]** for Local followed by **[ENTER]**. Otherwise, press **[ENTER]** to accept the displayed value, c, and print at the console.

- 11. After you respond to the last prompt, the printer begins to operate. Filer prints your records using the horizontal format that appears on the Display screen.
- 12. When the printed copy is complete, the Display screen returns. Press **[ESC]**, then **[Q]** to return to the Main Filer screen.

Edwin has landed a new client and needs to add a new record to the file.

- 1. Press **[ESC]**, then **[0]**. A blank screen appears so that you can fill in the information for the new client.
- 2. The form displays a label for each information field in the new record. Type the information after the appropriate label.

At	Type
Last Name	McKinney [ENTER]
First Name	Ellen [ENTER]
Address	3398 Ridgeway [ENTER]
Address	Apartment 500 [ENTER]
City	Fort Worth [ENTER]
State	Tx [ENTER]
Zip Code	76103 [ENTER]
Phone	8175558166 [ENTER]
Account Balance	0 [ENTER]
Remarks	Prefers Szechwanese cuisine—very spicy.

- 3. To exit the Add screen, press **[ESC]** and then **[Q]**.

Using Scratchpad Within Filer

Edwin remembers that he promised a friend that he would send him a recipe for oyster stuffing. He uses one of the Desk Accessories, Scratchpad, to make a note to himself.

1. Press **[ESC]** and then **[=]** to execute an accessory. Press **[S]** to choose Scratchpad. (You can type your selection before the Desk Accessories menu appears.)
2. The Scratchpad window appears within the Filer screen. Type the following reminder at the cursor:

**Send oyster dressing recipe to Brandon
before Thanksgiving!**

Notice that the word `before` wraps to the second line as you type.

3. To quit the Scratchpad and return to the Filer screen, press **[ESC]** and then **[Q]**. The accessory saves your note so that you can refer to it later.

Creating a New Form

Edwin needs to create a special form for the stores and companies he deals with. He creates the form in a new file in the current directory, his home directory.

1. Press **[ESC]** and then **[Q]** to return to the Main Menu.
2. Highlight the application name, `Filer`, using the arrow keys, and press **[ENTER]**. A prompt appears at the bottom of the screen:

Enter filename:

3. At the prompt, type **Supplier** **[ENTER]** as the name of the new file you are creating. Filer displays the following message:

File doesn't exist. Create? Y or N?

Press **[Y]** to create the new file.

4. A blank Form screen appears. At the cursor, type **Company** **[ENTER]** for the first label in the form. The rest of the area allocated for the label fills with periods and acquires a colon (signifying a left-justified data field). The cursor reappears at the first position in the data area.
5. Press **[ENTER]** to fill the rest of the line with underline characters. When you actually enter data for this label, you will be able to type 59 characters for a firm's name.

6. Press **[ENTER]** to return to the label area.
7. For the second label, type **Contact** **[ENTER]**.
8. Press **[ENTER]** again to indicate the data area.
9. Press **[ENTER]** to return to the label area, and type **Address** **[ENTER]** for the next label. Then press **[ENTER]** twice.
10. To create an additional address line, repeat the above instruction—type **Address**; then press **[ENTER]** 3 times.
11. Type **City**, and press **[ENTER]** 3 times for the fifth label.
12. Next, type **State** **[ENTER]**. This time, limit the number of characters to 2 for the standard 2-letter state abbreviation. Press **[ESC]** to display the available functions in the Form creation mode, shown below.

```
1-Order 3-Number 9-Delete 0-Add
<?>Help <P>Print <X>Cancel <Q>Quit <=> Desk Accessories
```

Press **[0]** to use the Add function. Then, press **[ESC]** and then **[0]** to use the Add function a second time. Each time you press **[ESC]** and then **[0]** on the data entry side of the form, you establish a character position in the data field. You now have 2 character positions in the field opposite **State**. When you enter data for **State**, you will be able to enter only 2 letters in the data field. Press **[ENTER]** to move to the next line.

13. Type **Zip Code** **[ENTER]** for the next label, press **[ESC]** and then **[0]** 5 times, and then press **[ENTER]** for the data field. Press **[ENTER]** to create a blank line below **Zip Code**.
14. Type **Phone** **[ENTER]**. To specify the phone number format, type the key sequence **[ESC]** and then **[0]** 3 times, press **[-]**, and then repeat the series—**[ESC]** and then **[0]** 3 times followed by **[-]**. Type the sequence **[ESC]** and then **[0]** 4 more times and press **[ENTER]**. When you finish the screen displays a format for phone numbers (including area code):

_____-_____-_____

Press **[ENTER]** again to create a blank line below **Phone**.

15. For the next label, type **Amount Due** . To create a numeric field, press and then . The colon between the label and the data column becomes a number symbol (#). Press to display the numeric field format, and then press again to move to the next line.
16. Press to create a blank line; then for the last label, type **Remarks** . To create the maximum amount of space that a data field can contain (255 characters) press ; then press and again. Press and in succession until you have 4 complete lines and 1 partial line.

Your form should look like this:

Company.....	:	_____
Contact.....	:	_____
Address.....	:	_____
Address.....	:	_____
City.....	:	_____
State.....	:	___
Zip Code.....	:	_____
Phone.....	:	____-____-____
Amount Due.....	#	_____.____
Remarks.....	:	_____

17. You need to add another label. Press to move the marker to the label area.
18. To insert a label between Phone and Amount Due, move the marker to the beginning of the Amount Due line, and press , then to Add a label.
19. Type **Due Date** as the label. To specify a __/__/__ format for the date, press and then twice, followed by , and twice again and then . Type the sequence and then twice more, and press .

Arranging Records Using the Order Function

Use the Order function to arrange the records according to 1 or more fields. For example, suppose Edwin wants to sort his records according to Due Date and Company name. You specify Due Date as the first label by which to sort and Company as the second label by which to sort.

The records are then arranged so that the first record displayed has the earliest Due Date. If 2 records have the same Due Date, the record with the Company that comes first alphabetically is displayed before the other.

Note: If you don't specify the order in which you want to sort records, Filer automatically arranges the records in ascending order using the first label on the form. In this case, if no order is specified, the records are arranged alphabetically according to Company.

1. To specify Due Date/Company order, move the marker to the Due Date label, and press **[ESC]**, then **[1]**.
2. Type **1** **[ENTER]** for the Priority Number. Note that the priority number appears at the end of the label.
3. Next, move the marker to the Company label, and press **[ESC]** and then **[1]**.
4. Type **2** **[ENTER]** for the next priority number.

Adding New Records

1. Now that the form is complete, press **[ESC]**, then **[Q]** to exit the Form screen. The blank form is displayed so that you can now start adding records.

2. Fill in the form with the following data, pressing after typing information for a data field.

```
Company.....*: ABC Exterminators
Contact.....*: Roy Johnson
Address.....*: 4000 Main Street
Address.....*: P.O. Box 112
City.....*: Fort Worth
State.....*: Tx
Zip Code.....*: 76101
```

```
Phone.....*: 817-555-1212
```

```
Due Date.....*: 12/05/85
Amount Due....*: 33.87
```

```
Remarks.....*:
```

3. At the data field for Remarks, press and then to store this record and add another.
4. After you save a record by using the Add function, a blank form reappears for adding a new record. Type the following data for the next 2 records, pressing after typing information for a data field.
5. Press to skip the second Address line, and press and then after you enter the Amount Due.

```
Company.....*: LaFrance Bakery
Contact.....*: Francine Dominique
Address.....*: 634 Trinity Avenue
Address.....*:
City.....*: Fort Worth
State.....*: Tx
Zip Code.....*: 76018
```

```
Phone.....*: 817-555-2200
```

```
Due Date.....*: 12/02/85
Amount Due....*: 45.14
```

```
Remarks.....*:
```

```
Company.....*: Petta Linen Service
Contact.....*: Giorgio or Giuseppe Petta
Address.....*: 6501 Blackwood
Address.....*:
City.....*: Fort Worth
State.....*: Tx
Zip Code.....*: 73092

Phore.....*: 817-555-1198

Due Date.....*: 12/06/85
Amount Due.....# 17.16

Remarks.....*:
```

6. Type the information shown below for the last record. When you get to the **Remarks** data field, type each line, and then type a series of spaces to move the cursor to the beginning of the next line. Word-wrapping is not automatic. Fill the rest of the line with spaces whenever you want to start a new line.
7. When you're finished typing the **Remarks** information, press **[ESC]**, then **[Q]** to save the last record entered and exit Add mode.

```
Company.....*: Young's Fish Market
Contact.....*: Ann Young
Address.....*: 554 2nd Avenue
Address.....*:
City.....*: Fort Worth
State.....*: Tx
Zip Code.....*: 77069

Phore.....*: 817-555-2199

Due Date.....*: 12/02/85
Amount Due.....# 78.44

Remarks.....*: DAILY SPECIALS: Monday - Fresh lobster.
                  Tuesday - Shrimp. Wednesday - Red snapper.
                  Thursday - Crab. Friday - Lake trout.
                  Saturday - oysters and clams.
```

The record on your screen is the first one in your file. As you can see, Filer did sort your records according to the Due Date / Company order. The record with the earliest due date, December 2nd, is LaFrance Bakery, and that record appears on the screen, even though the first record entered was for ABC Exterminators.

1. Press **[ESC]** **[→]** to see the next record. The record for Young's Fish Market is displayed. It has the same due date as the first record. But the second ordering field dictates that records with the same due date be arranged alphabetically by company name. As a result, Young's comes after LaFrance Bakery.
2. To see the last record in the file, press **[ESC]** and then **[↓]**. The record for Petta Linen Service comes at the end because this record has the last due date, December 6th.
3. Press **[ESC]** and then **[Q]** to return to the Main Menu.

USING CALENDAR

Edwin Raymond keeps track of his daily commitments in a Calendar file. In this chapter, you will use Edwin's Calendar file to find, add, and delete events.

To open Edwin's file from the Main Menu, move the marker to `Calendar` in the row of applications and press `[↓]` to highlight `Events.cal`. Then, press `[ENTER]`.

The Calendar screen soon appears. The current date appears on the monthly calendar in the upper right part of the screen. Initially, the current date matches the system date. To use the sample data, change the date to November 20, 1985.

1. Press `[ESC]` to display the function labels for the Calendar screen. Then, press `[2]` to select the Date function.
2. A prompt appears, `Enter date`, followed by the current date. Type the date for the sample session data, **11/20/1985** `[ENTER]`. Edwin's agenda for November 20th appears on the screen, as shown in Figure 14.1.

The top line of your screen continues to display your system date, but the monthly calendar and the event information correspond to the new current date.

<ESC> = Commands										Calendar Events										11/20/85 10:30am									
12 1 2 3 4 5 6 7 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11										Nov 1985																			
Sun	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mon	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tue	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Wed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Thu	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Fri	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sat	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Date	Begin	End	Description
11/20/1985	00:00a	00:00a	Make appointment with accountant
11/20/1985	00:00a	00:00a	Mom's birthday - call florist
11/20/1985	00:00a	00:00a	Write confirmation letter to Wilson
11/20/1985	05:30a	06:30a	Shop at fish and produce wholesale markets
11/20/1985	07:30a	08:30a	Meet Bill at gym
11/20/1985	08:30a	11:30a	Prepare food for Davis luncheon
11/20/1985	11:45a	01:45p	Luncheon at Riverdale Country Club
11/20/1985	02:00p	02:30p	Meeting with Club President
11/20/1985	03:00p	05:30p	Prepare food for Roach dinner
11/20/1985	06:30p	10:30p	Dinner at 7400 Seventh Street
11/20/1985	10:30p	11:30p	Pick up cake and go to Mom's
11/21/1985	07:30a	08:30a	Meet Bill at racquet club
11/21/1985	12:00p	02:00p	Anniversary lunch for Millers
11/21/1985	04:00p	05:00p	Meet attorneys

Figure 14.1

The top line identifies the particular Calendar file with which you are working (Events.cal), along with the system date and time. The current date (20) is also highlighted in the calendar block on the right.

The Weekly Time Chart occupies the upper left portion of the screen. It shows the schedule for the current week with the days of the week in the vertical column and the hours of the day arranged horizontally (starting with 12:00 a.m.).

The symbols in the grid give you a picture of your time commitments for each day of the week. A period indicates a free time slot, that is, a time slot that you have not committed for an event. For example, note that there is nothing scheduled for 7:00 a.m. or 6:00 p.m. on Wednesday.

A time slot you have allocated to an event is indicated by * in the Weekly Time Chart. For example, you can tell that Wednesday is the busiest day of the week because it is almost full of *s. A ! indicates a time conflict; for example, 2 events overlap at 8:30 a.m. on Wednesday.

The bottom half of the screen shows the itemized agenda of events for the current day. All events and appointments displayed are scheduled for today's Date, 11/20/1985. The next column,

Begin, shows the time at which the event begins. The time at which the event ends is shown under the **End** column. And the last column contains a **Description** of the event.

You can change or delete events entered previously and add new ones. For example, you need to change the name in one of the day events to **Williams** instead of **Wilson**.

1. Press **[ESC]** and then **[3]** to transfer the marker from the current date (indicated on the monthly calendar in the upper right) to the events list.
2. Position the marker on the event, and page to the right (**[ESC]** and then **[→]**) 3 times to skip the first 3 columns.
3. Press **[→]** until the cursor is over the **s** in **Wilson**; then type **liams** **[ENTER]**. You are always typing in *overstrike* mode while using **Calendar** so that you can quickly correct mistakes by typing over them.

Finding Events

Using the **Find** function, you can display an event or a group of related events.

1. Press **[ESC]**, then **[1]** to use the **Find** function. The screen in **Figure 14.2** appears, except for the menu of functions shown across the bottom of the screen. (These appear only after your press **[ESC]**.)

<ESC> = Commands		Calendar Events	11/20/85 10:30am
121.2.3.4.5.6.7.8.9.1011121.2.3.4.5.6.7.8.9.1011		Nov 1985	
Sun		1 2	
Mon		3 4 5 6 7 8 9	
Tue		10 11 12 13 14 15 16	
Wed	***!!*****!*****!*****!***	17 20 19 20 21 22 23	
Thu	***.....*****!***	24 25 26 27 28 29 30	
Fri	*****!*****!*****		
Sat	***.....*****!***		
Date	Begin	End	Description
//** **:**a **:**a *****			
1-Equal 2-Greater 3-Less 5-Reset <?> Help <P> Print <C> Cancel <Q> Quit <=> Desk accessories			

Figure 14.2

- To find all events/appointments scheduled on or after November 20 associated with Mrs. Williams, press **[ESC]** to display the function labels along the bottom of the screen in Figure 14.2. Then, press **[2]** to specify Greater than or equal as the relationship to use in the search. Calendar finds all events scheduled on or after November 20. Press **[ENTER]** to proceed to the next field.

- Press **[ENTER]** twice to skip the Begin and End fields.

- For Description, press **[+]** once to skip over the first asterisk (*), and type **Williams**. * is a wildcard character. The * before Williams matches any number of characters that might precede the string, Williams. Likewise, the * after Williams matches all characters after Williams.

When you type the search data as directed, the Find function lists all entries that match the search data. All must contain the word Williams somewhere in the Description field and be dated November 20th or later.

- Press **[ESC]**, then **[Q]** to return to the original Calendar screen and display the events that match the Find criteria.

The screen lists the following events:

<ESC> = Commands		Calendar Events	11/20/85 10:30am
121.2.3.4.5.6.7.8.9.1011121.2.3.4.5.6.7.8.9.1011		Nov 1985	
Sun		1 2	
Mon		3 4 5 6 7 8 9	
Tue		10 11 12 13 14 15 16	
Wed	***!!*****!*****!*****!*	17 18 19 20 21 22 23	
Thu	***.....*****!*****!*	24 25 26 27 28 29 30	
Fri	*****!*****!*****!*		
Sat	***.....*****!*****!*		
Date	Begin	End	Description
11/20/1985	00:00a	00:00a	Write confirmation letter to Williams
12/03/1985	12:00p	02:00p	Williams' luncheon for 8
12/12/1985	03:00p	04:00p	Afternoon tea for Williams - 6 people
12/15/1985	02:00p	05:00p	Bridge at Williams' house
12/19/1985	09:00a	11:00a	Williams' business breakfast at Club
12/26/1985	08:00p	10:00p	Williams' dinner for 10
12/31/1985	07:30p	11:30p	Reception for Williams at Club - 60 people

Adding and Deleting Events

You need to add an event to the Calendar file—the same event you inserted in the letter while using Text.

1. Press **[ESC]** and then **[0]** to add an event.
2. For Date, type **12011985** **[ENTER]**.
3. After the cursor moves to the Begin field, type **1p** **[ENTER]** for 1:00 p.m.
4. For the End time, type **4:30p** **[ENTER]**.
5. For Description, type **Bridal Shower for Williams - 15 people** **[ENTER]**.

Note: You can add an event anytime and anywhere on the screen. Calendar sorts the events chronologically and puts them in the appropriate date and time slot.

Edwin received a letter from Mrs. Williams cancelling the 2 events scheduled for December 15th and 19th. To delete these events, first use the Select function to define a block of events; then, use the Delete function.

1. Use **[↓]** to move the marker to the line on which the December 15th event appears.
2. Press **[ESC]**, then **[7]** to use the Select function.
3. To include the next event, press **[↓]** so that both events are highlighted, and press **[ESC]**, then **[9]** for Delete. The Delete function erases the selected events, and the events below move up to close up the vacant lines.

Before printing the events that match the current Find criteria, be sure that your printer is properly connected and on line.

1. Press **[ESC]** and then **[P]** to see the current printer settings.
2. Type **5** **[ENTER]** for Left Margin and **78** **[ENTER]** for Printed line width. If you have a printer connected to your terminal, indicate Local as the destination for the printed copy by pressing **[L]** **[ENTER]**. Press **[ENTER]** instead if you are using the printer at the console.
3. The printer begins to operate after you respond to the last prompt.

Using the Phone Directory Within Calendar

Edwin receives another telephone call from the manager of a produce market that opened recently. The manager offers to help Edwin personally with any special orders. After his conversation, Edwin decides to add the manager's phone number to his Phone Directory.

To add the number, open the Phone Directory accessory. You need not exit Calendar. When you finish adding an entry, you can exit the accessory and return directly to Calendar at the precise point at which you stopped work.

1. Press **[ESC]**, then **[=]** to display the menu of Desk Accessories in the center of your Calendar screen.
2. Select the Phone Directory by pressing **[P]**. The screen displays the directory with a series of sample entries, as shown in Figure 14.3. Visualize this accessory as a revolving set of file cards.

Name	Phone	
		A-B
		C-D
		E-F
		G-H
Johnson, Paul	555-9900	I-J
		K-L
Jones Hardware Supply	312 555-3322	M-N
		O-P
June's Camera Outlet	555-3302	Q-R
		S-T
LaFrance Bakery	555-2200	U-V
		W-X
Petta Linen Service	555-1198	Y-Z
Prensa Graphics	555-8191	
<ESC> = Commands		

Figure 14.3

- To add an entry, press **[ESC]**, then **[0]**. A blank file card appears on the screen. It contains 3 information areas, one for the name, a second one for the telephone number, and a third, below the other two, for general comments.
- Type the name in the first area:

Worldwide Produce **[ENTER]**

- Type the phone number, **555-1293** **[ENTER]**, and then type the following comment:

Ask for Louise. Special orders, tropical fruits and vegetables.

- Press **[ESC]** and then **[Q]** to insert the new entry. The new entry appears on the first line. Later entries appear below it. After the last entry in the alphabetical list, the list starts over with the first entry.

Edwin needs to check the file card for Jones Hardware Supply. He wants to know how late the service is open.

- Press **[J]** to move the cursor to entries beginning with that letter.
- Press **[J]** to move the cursor to Jones Hardware Supply. Then, press **[ENTER]** to read the comment area of the card.

3. After noting the closing time, press **[ESC]**, then **[Q]** to replace the card.
4. Press **[ESC]**, then **[Q]** again to return to Calendar. The screen shows the full Calendar screen again so that you can continue work.

Putting Events into the Alarm File

Edwin wants to set an alarm for the events of the next day. To do this, you must reset the Find criteria so that you can see the complete list again. Then, select the events for tomorrow and use the Alarm function.

1. Press **[ESC]** and then **[1]** to select the Find function. The screen displays the current Find criteria.
2. To use the Reset function, press **[ESC]**, then **[4]**. The function erases the existing criteria.
3. With no specific Find criteria on the screen, you can execute the Find function and display a complete list of events, beginning with the current date. Press **[ESC]**, then **[Q]** to display the events.
4. Transfer the marker control to the monthly calendar by pressing **[ESC]** and then **[3]**.
5. Advance the current date 1 day by pressing **[→]**. The date indicator on the monthly calendar moves to the right 1 day to November 21st. At the same time, the list of events changes so that events for the 21st appear at the top of the list.
6. Press **[ESC]** and then **[3]** to return the marker to the events list.
7. To select the 3 events for the 21st, press **[ESC]** and then **[7]**. Then, press **[↓]** to enlarge the selection area so that it includes all 3 events.
8. Set the Alarm for the selected block of events by pressing **[ESC]**, then **[5]**.

The Alarm function sounds a beep to remind you of a scheduled event. You can then check the Events/Alarm accessory to see which appointment activated the alarm.

Note: You have access to the Events/Alarm file from any DeskMate file **except** `dmevents.cal`.

Press `[ESC]`, then `[Q]` to return to the Main Menu.

USING MAIL

In this section, Edwin needs to use the Mail application. You are going to read and file mail sent by other users and reply to the mail you receive.

To save your important mail in an orderly way, you can set up a number of message files, just as you have separate files for individual projects or accounts. In the sample session, Edwin reads a series of messages and creates 2 brief letters in response to his mail. When he finishes his letters, he saves 2 messages from his current mailbox to a separate Mail file.

Begin by entering Edwin's Mail file to read your new mail. Using the arrow keys, position the cursor on the application name, Mail and press **[↓]** to highlight Mailbox.msg. Press **[ENTER]** to open the file. The first screen to appear displays a summary of the messages Edwin has received. Press **[ESC]** and then **[4]** to retrieve new mail; then, press **[ESC]**, then **[↑]** to see the complete list, as depicted below:

<ESC> = Commands		Mail	Mailbox	11/20/85 10:30am
From	Date	Subject		
jill	Tue Nov 19 14:42:23 1985	More on Johnson wedding		
len	Tue Nov 19 17:50:49 1985	Tax planning		
dan	Wed Nov 20 09:15:15 1985	Change of plans--Johnson wed		
jody	Wed Nov 20 09:46:26 1985	Reassignment		
you	Wed Nov 20 10:30:00 1985	Johnson wedding reminder		

Each entry on the initial Mail screen identifies a letter by its sender, the date and time it was sent, and its subject. Mail arranges entries chronologically with the most recent letters at the bottom of the list. Use this screen to select a letter you want to read or a letter to which you want to reply.

Reading Messages

Edwin wants to review the 4 most recent letters. He can read them separately or select a block of letters and then read them as a group. Follow these steps:

1. Press **[ESC]**, then **[↓]** to move the marker to the end of the list.
2. To read the message currently highlighted by the selection marker, you can press **[ENTER]**. However, by first selecting a block of letters, you can read a group of letters in sequence without returning to the selection screen between letters.
3. Press **[ESC]** and then **[7]** to use the Select function.
4. In Select mode, you can use the arrow keys to increase or decrease the highlighted area. Press **[↑]** 3 times to highlight the last 4 messages.

Note: The last message is the one that you created in Chapter 10 using the Message accessory.

5. To begin reading letters in the selected block, press **[ENTER]**. The following messages appear on the screen:

From len Tue Nov 19 17:50:00 1985

To: edwin

Subject: Tax Planning

I talked with the accountant about a firm date for the tax planning session. It's set for Monday at 3:00 (til 5?) in my office. B.Y.O. Balance sheet.

Lenore

From dan Wed Nov 20 09:15:00 1985
To: edwin
Subject: Change of plans--Johnson wed

Don't worry--the wedding is still on.
Mrs. Johnson now favors the champagne
punch instead of the fountain.

I'll make sure we've got enough punch
cups, but let me know if we need to
order extra ingredients for the brew.

Thanks

From jody Wed Nov 20 09:46:00 1985
To: edwin
Subject: Reassignment

Elizabeth did a great job on the Beauchamp gala.
Let's give her another challenging project. I know
you've been up to your ears, so why don't you pass
on one of yours?

jody

From edwin Wed Nov 19 10:30:00 1985
To: edwin
Subject: Johnson wedding reminder

Don't forget to cancel the champagne
fountain now that the Johnsons have
opted for punch.

Because all the messages do not fit on a single screen, press the space bar to continue reading the messages until the inventory of mail reappears.

Using Events/Alarm Within Mail

Before you dispose of the message from Lenore, enter the meeting information in your Events/Alarm file.

- 

-

-

2. Press **[ESC]**, then **[9]** to delete the message under the marker. Mail removes the message immediately.

Creating Messages

Now that you've reviewed all your recent mail, you need to create 2 messages—one for Jody and one for Elizabeth.

1. Use the Reply function to respond to the message from Jody. Begin by moving the marker to the entry for Jody's message. Press **[ESC]** and then **[2]** to reply to the highlighted letter.

The Reply function displays the Create Mail screen. In the heading, it responds to those prompts for which the reply is predictable: it addresses the reply to the sender of the original letter and assigns to the reply the same subject specified in the original letter.

In the present case, Edwin, and not you, was the recipient of the message. Because Mail recognizes you as the sender of the reply, it directs your reply to both Jody and Edwin. Mail assumes that you are responding to a blind carbon copy of a message from Jody to Edwin.

The following figure shows the Create Mail screen with information in the heading supplied by the Reply function.

<ESC> = Commands		Mailbox	11/21/85 10:50am
CREATE MAIL			
To.....	jody edwin		
Subject.....	Reassignment		
Return Receipt To.:			

3. Press **ENTER** at each prompt in the heading. Then, type the following letter in the message area of the Create Mail screen:

I think you're right about giving Elizabeth another major project. I have the perfect job for her—the Johnson wedding reception. It's not a huge affair, but there is a multitude of detail. (I'm glad to marry it off to someone!) Thanks for the suggestion. **ENTER**
ENTER
ed

4. To send the letter, you would press **ESC**, then **1** to use the Send function. Mail would then transfer the letter to the system mailbox, from which Jody could retrieve it. But unless someone on your system has Jody for a user name, you would get an error message if you actually sent the mail.

Rather than send the letter, use the Clear function to erase the Create Mail screen: press **ESC** and then **9**. The Clear function erases the data so that you can enter a new heading and compose another letter.

Edwin wants to send the second letter to Elizabeth. This time, type the letter **as if** it were going to Elizabeth, but enter an actual user name for the destination, so that Mail can actually deliver the letter.

1. In the first blank, you would enter Elizabeth's user name. To send the mail successfully, send it to an actual user.

Press **ESC**, then **3** to display the User List. Below the current marker position, the screen displays a list of the user names recognized by the system, along with an (optional) comment.

If you have been added to the system, your own user name appears in the window.

2. Position the marker on your user name. Press **ENTER** to duplicate your name opposite the current item in the heading. In response to the first prompt, **To:**, the screen now shows your user name.

3. Press **[ESC]** and then **[Q]** to exit the User List and display the complete heading once again. Press **[ENTER]** to move to the next prompt.

Identify the subject of the letter by typing the following:

New Assignment **[ENTER]**

Press **[ENTER]** at each subsequent prompt until you reach the message area.

5. Anticipating a need for more space than the message area provides, use the Edit function to type a full-page (or multi-page) letter. Press **[ESC]** and then **[2]**. The screen clears and then displays the header you entered on the Create Mail screen, as well as any part of the message you have already typed.
6. Type the following letter. Begin on the second line below the heading. Unless you specify a different editor (on the Mail Options screen), the functions and features available to you are those of the DeskMate Text application.

As I mentioned last week, I am pleased with the job you did for the Beauchamp party. We have already had a couple of inquiries from guests who were impressed with the food and the smooth operation. **[ENTER]**

[ENTER]

Mr. Beauchamp told me that he appreciated the way you accommodated the last minute additions to the guest list—and even managed to get matching place cards for them. I still don't know how you managed that! **[ENTER]**

[ENTER]

With Thanksgiving nearly here, I could use some help with a few major projects. For starters, I want you to take over the Johnson wedding reception for me. It's about two weeks away, and I've made most of the arrangements. But the Johnsons change their minds daily and want us to do some elaborate decorating, so you'll have your hands full. **[ENTER]**

[ENTER]

I've saved my recent messages—the ones I haven't dealt with yet—in a mailbox named Johnson.msg. Read up on what needs doing and call me about a meeting so I can go over the menu with you. **[ENTER]**

[ENTER]

Good Luck, **[ENTER]**
edwin

7. Press **[ESC]**, then **[Q]** to return to the Create Mail screen.
8. Press **[ESC]**, then **[Q]** again to send your letter and return to the initial Mail screen.

From the list of messages, Edwin wants to select those that concern the Johnson wedding and save them to a mailbox named johnson. Use the Select function to define a block of listings, and transfer them to a different file using the Merge function.

1. With the marker on the first entry, press **[ESC]** and then **[7]** to use the Select function. Press **[↓]** to include the second entry in the block.
2. Press **[ESC]**, then **[6]** to use the Merge function. At the bottom of the screen, a prompt appears:

Merge to:

Type **Johnson** **[ENTER]** in response to the prompt.

Edwin wants to check the permissions assigned to the new mailbox to be certain that Elizabeth can read the new file. To do so, return to the Main Menu and use the Permissions function.

1. Press **[ESC]**, then **[Q]** to exit Mail. The Main Menu reappears.
2. Position the cursor on the new filename, Johnson. (Do not press **[ENTER]**.)
3. Press **[ESC]** and then **[6]** to select the Permissions function. The screen shows the prompts you need for changing the values for a file.
4. In response to the first prompt, the screen shows the filename you marked. The permission settings show that every user has read permission for the file. These are the values assigned to all new files.

To change the settings for the current file, you could position the marker on a setting and press **[Y]** or **[N]** to change the displayed value. However, since the existing settings permit Elizabeth to read the file, you can exit without making any changes.

5. Press **[CTRL]** **[C]** (or **[BREAK]**) to return to the Main Menu.

ENDING THE SAMPLE SESSION

You are now finished with the sample session. You can continue using the sample data files to experiment and try new things not covered in the Sample Session. For example, you can use the Utilities to display current users or processes, you can print the information in the Phone Directory or Scratchpad, or you can copy data from an application such as Calendar to a Text file. Use the Reference section to find information on the application and function you want to use.

When you are ready to start using DeskMate for your own purposes, use the Delete function on the Main Menu to erase the sample data files. Although the sample files are within the sub-directory `edwin/`, you cannot simply delete that directory. Under XENIX, deleting a directory requires that you first delete all files in the directory. In addition, the current directory cannot be the directory you are deleting.

1. With `edwin/` as the current directory, move the cursor to the first file under the Text application.
2. Press `[ESC]` and then `[7]` to use the Select function, and then press `[↓]` until you have highlighted all the files in the column.
3. Press `[ESC]` and then `[9]` to delete the block of files.
4. Proceed in this way to delete all files displayed on the menu. Use the Select function wherever there are multiple files in a column.
5. To delete the remaining files and subdirectories, press `[ESC]` and then `[2]` to change the current directory. A prompt appears:

`<ENTER>` to Expand or
New Current Directory:

Type the name of your home directory, and press `[ENTER]`.

6. After DeskMate redraws the menu, press `[ESC]` and then `[2]` to execute the Directory function. Press `[ENTER]` to display the expanded menu.

7. Position the marker on `edwin/` and press `[ENTER]` to display any files remaining in that directory. The screen shows one directory remaining, `Personal/`.
8. Move the marker to `Personal/` and press `[ENTER]` to see its contents.
9. Highlight the remaining file, `Budget.wks`, and press `[ESC]` and then `[9]` to delete the file. Press `[Y]` at the prompt to confirm that you want to delete the file.
10. Finally, delete `Personal/` and `edwin/` in the same manner, using the Delete function, `[ESC]` and then `[9]`.

Press `[ESC]` and then `[Q]` to return to the Mail Menu. The only remaining sample data are two messages in the default mailbox, `dmbox.msg`. Delete them in the following manner:

1. Move the marker to the Mail application, and press `[ENTER]`. The screen displays the contents of your default Mail file.
2. Using the arrow keys, move the marker to each sample message — one from Dan and one from Jill. Delete each one using the Delete function, `[ESC]` and then `[9]`. You can verify that the messages match the sample data by reading them (especially if you have actual users named `dan` or `jill`).

Press `[ESC]` and then `[Q]` to return to the Main Menu. You have now erased all sample data from your directory. Of course, you can reload the sample files by executing `dmsample` again, repeating the procedure by which you began the sample session.

INSTALLING DeskMate

DeskMate for the Tandy 3000 can be used by a single user or by multiple users. Where there are multiple users, it is advisable that an individual be designated system administrator. That individual should be responsible for installing new applications and ensuring that other users know how to execute the applications and store data.

On a system configured with minimal swap space or RAM, you can encounter system halts with multiple users. Similar problems can occur if, as a single user, you add large applications to the original DeskMate application. To avoid such problems, we suggest that you equip your system with 2-megabytes of RAM and 2-megabytes of swap space.

Before you can install DeskMate, you must install XENIX System V/286 or a later version on your disk. Instructions for this procedure are included in *The XENIX Installation Guide*.

To install DeskMate, log in as root and complete the following steps:

1. At the root prompt, type:

installap

The screen shows the following Installation Menu:

```
Installation Menu
-----
1.  to install
q.  to quit
```

with a selection prompt at the bottom of your screen:

Please select :

2. Type **1** to install DeskMate. The following prompt appears:

Insert diskette in Drive 0 and press <Return>

- Put the installation diskette in Drive 0, close the drive door, and press **ENTER**. The screen then displays the following information:

```

                                DISK CONFIGURATION
                                -----
#   Name                               Free Space Available (blocks)
-   -
1.  /                                   nnnnn
2.  /usr                               nnnnn
3.  Quit

> Enter selection (1-3):
```

Type **1** **ENTER** to install DeskMate on the root file system (/), assuming that there are 1700 or more blocks of free space on the disk. Type **2** **ENTER** to install on the alternate device or partition, /usr. To quit the installation at this point, type **3** **ENTER**.

If you have other file systems mounted, they appear as additional options. You can install DeskMate on a secondary file system, provided, of course, that it offers sufficient disk space.

- After you select a file system on which to install the program, the following message appears:

```
DeskMate installation takes approximately 4 minutes
```

```
Installing DeskMate...
```

- The screen lists each file as it is installed. After the transfer of these files is complete, the following prompt appears:

```
DeskMate has been successfully installed.
```

```
Installation complete - Remove the diskette, then press <Return>
```

6. After you press **ENTER**, the Installation Menu returns. Type **q** **ENTER** to quit; XENIX returns you to the root prompt.

Once DeskMate is installed, you can display the Main Menu by typing **desk** **ENTER** at your XENIX system prompt.

FILES CREATED BY DeskMate

As you use the DeskMate applications and accessories, the programs create a number of files in your home directory. These files record the data you enter and adjustments you make as you use the programs. The Phone Directory, for example, creates a file, `.dmphone`, in which it saves the names, numbers, and other comments you enter in that accessory.

The following list matches these files with the programs that create them:

File	Created by
<code>.desk</code>	Main Menu
<code>.dmcalc</code>	Calculator accessory
<code>.dmscratch</code>	Scratchpad accessory
<code>.dmphone</code>	Phone Directory accessory
<code>.dmail</code>	Mail application
<code>dmbox.msg</code>	Mail application
<code>dmevents.cal</code>	Calendar application

The last 2 files in this list, `dmbox.msg` and `dmevents.cal`, provide DeskMate with a specific delivery point for messages and a clearing point for all alarms. The Mail and Calendar applications open these files by default—when you choose one of the 2 applications without specifying a particular file.

Refer to the preceding list if you want to back up or delete the contents of a file. If you delete or rename a file that a program has automatically generated, the program will recreate it. If, for example, you rename `.dmphone`, the Phone Directory creates an empty file named `.dmphone` the next time you use that accessory.

INDEX

- ! to indicate schedule conflict 98
- * to indicate executable file 27
 - to indicate alarm event 46
 - to indicate excess characters 69
 - to indicate marked fields 89
 - to indicate Calendar commitment 98
- / to indicate directory name 17
- ABS 74
- Absolute value 74
- Accessories, menu of 39-40
 - selecting 39
- Activity utility 125-126
- Add function 36-37
 - Calendar 104
 - Filer 95
 - Filer form 94
- Add mode 61
- Add screen 86
- Add/Replace function 61
- Adding applications 36-37 *See also*
 - Create; Creating
 - Calendar files 97
 - directories 29
 - entries to Phone Directory 52-53
 - events in sample Calendar file 191
 - events to Events/Alarm 46
 - files on Main Menu 36
 - sample data to Clients.fil 178
 - sample data to Supplier.fil 182-185
 - sample event in Events/Alarm 199-200
- Alarm function 102
- Alias, establishing 114
 - removing 114
- Altering format on sample worksheet 156
- Amortization table, sample 161-171
- Appending a document to a message 119
- Applications 12
- Applications, adding to menu 36-37
 - deleting 35
 - replacing 31
- Arctangent 74

- Arranging records in sample file 182
- Arrow keys *See* Marker movement
- ASCII copies *See* Copy function
- ATN 74
- Attach function 119
- Average value 74
- AVG 74

- Backing up files 19, 122-123
- Beeper for alarm events 102
- Beginning sample session 129-138
- Blind Carbon Copy 113, 118
- Budget, entering sample data 155-160
- Buffer function, Text 62
 - Worksheet 79
- Bytes free 124

- Calc function 82
- Calculate Worksheet formulas 82
- Calculating sample worksheet 159-160,
167-168, 170-171
- Calculator 40-45
 - selecting 40
 - used in sample session 149-151
- Calendar application 97-105
 - Sample Session 187-195
- Calendar functions 99-104
- Calendar/Events function 101
- Cancel edit, Text 65
 - Worksheet 83
- Cancel selected text 63
- Carbon Copy 113, 118
 - Blind 113, 118
- Cell 39
 - location 69
 - notation 71
 - status line 69
- Changing application names 29-30
 - current directory 27, 29
 - date, Calendar 98, 101
 - directory names 29-30
 - filenames 29-30
 - permission settings 32-34
 - sample directories 153
- Choosing *See also* Selecting
- Choosing a utility 121-122

- an accessory 39
 - fields to display, print 89
- Clearing entry line on Calculator 41-42
 - Memory in Calculator 44
 - pages in Scratchpad 55
- CMT 74
- Column width on Worksheet 77-78
- Combining data in Calendar files 102-103
 - file data, Filer 94
 - messages from different files 115
- Command keys 14-16
- Command line 69
- Commands, executing 130
- Console printing 19-20
- Constants, in Worksheet 73
- Copy buffer 62
- Copy function 35
 - Calendar 103
 - Filer 94
 - in Mail creation 119
 - Mail 116
 - Text 64
 - Worksheet 81
- Copy text within document 64 *See also*
 - Buffer function
 - to ASCII file *See* Copy function
- Copying cells within a worksheet 79
 - files 35
 - sample files 131
- COS 74
- Cosine 74
- Create function, Mail 117-119
- Creating a sample form 179-181
 - a sample message in Mail 201-202
 - a sample message using Edit
 - function 202-204
 - a sample Text file 139-142
 - Calendar files 97
 - Filer files 85-86
 - Filer forms 91-94
 - empty files 36-37
 - Mail files 107-108
 - messages 49-50
 - Text files 57
 - Worksheet files 67
- Cumulative sum of column 74

- sum of row 74
- Current directory 24
 - changing 27
 - in XENIX Command 55-56
- Cursor 129
- Daily Events Calendar 98
- Date function, Calendar 101
 - Events/Alarm 47
- Day event 104
- Default Calendar file 97
 - editor 112
 - mailbox 107-108
 - permission settings 34
- Defining *See also* Select function
 - block of cells 80
 - block of events, Calendar 103
 - block of messages 115-116
 - text block 63
- Delete function 35-36
 - Calendar 104
 - Filer 95
 - Filer form 94
 - Mail 116
 - Text 64
 - Worksheet 81
- Deleting applications 35
 - directories 35-36
 - entries in Phone Directory 53
 - files 35
 - sample events from Calendar
 - file 191-192
 - sample files 205-206
 - text 64
- Desk Accessories 12-13, 39-56
 - Calculator 40-45
 - Events/Alarm 45-48
 - Messages 48-50
 - Phone Directory 50-54
 - Scratchpad 54-55
 - XENIX Command 55-56
- DeskMate accessories *See* Desk Accessories
- DeskMate, conventions 13-17
 - exiting 19
 - features of 11-13

- for multiple users 13
- installing 18, 207-209
- learning 9
- opening 18-19
- Destination of message 117
- Dir *See* Directory function
- Directories, changing 27, 29
 - creating 29
 - deleting 36
 - expanding 27-28
 - renaming 29-30
- Directory function 27-29
- Display function 90-91
 - order, Calendar 98
 - order, Filer 93
 - screen 87
- Displaying a message 108
 - Main Menu 132
 - sample files 133-134
- Distribution List 114-115
 - of mail, options 113
- dmbox.msg 108
- dmevents.cal 97
- Documentation, other 9
 - using 9
- Duplicate *See also* Merge, Copy, and Buffer functions
 - Calendar data in ASCII file 103
 - messages in ASCII file 116, 119
 - text in documents 64
 - worksheet contents 81-82
- Edit characters 92-93
 - function
- Editing documents *See* Text functions
 - entries in Phone Directory 53
 - formulas, Worksheet 74
 - text blocks in Worksheet 72
- Editor, default 112
- Ending Sample Session 205, 206
 - session *See* Exiting
- Entering *See also* Adding
- Entering data on worksheet 69
 - formulas in Worksheet 72-74
 - records in Filer 86, 95
 - sample formulas 158, 163, 166

- sample text 140-144
- text in Scratchpad 54-55
- Entry line 41
 - marker 69
- Erase cell data 81
 - values in formula cells 74
- Events List, moving marker to 101
- Events/Alarm functions 46-48
- Events/Alarm, sample use 199-201
- Executable file 27
- Executing commands 130
- Exiting Calculator 44, 45
 - Calendar 105
 - DeskMate 19
 - Filer 96
 - Find mode, Calendar 100-101
 - Find mode, Filer 89
 - Mail 120
 - Mail Options 115
 - Main Menu 25
 - Messages 50
 - Phone Directory 54
 - Scratchpad 55
 - Text 65
 - Utilities 122
 - Worksheet 83
- EXP 74
- Expanding a directory 27-29
- Exponential 74

- Features of DeskMate 11-13
- Field 35, 92-94
 - labels 91-92
- Filename 16-17
 - extension 17
 - wildcard 17
- Filename, changing 29-30
- Filer application 85-96
 - Sample Session 173-185
 - Filer form 85
 - functions 88-95
 - reports 90-91
 - reports, printing 95-96
 - screens 86-87
- Files, adding 36-37
 - deleting 35-36

- finding 26
- printing from Main Menu 38
- renaming 29-30
- Find function, Calendar 100
 - Filer 89
 - Mail 110
 - screen, Filer 87
 - Text 60
 - Worksheet 71
- Finding events in sample Calendar
 - file 189-191
 - phone numbers 51-52
 - sample records using Filer 175-177
 - string in sample Text file 148-149
- Fixed cell reference 73
- Form 85
 - function 91-94
 - screen 86
- Format function, in Text 61-62
 - Worksheet 77-78
- Format types, Worksheet 78
- Formula edit window 43
 - function 72-77
- Formulas, Calculator 42-44
 - editing in Worksheet 74
 - entering sample 161-166
 - examples 75-77
 - fixed cell reference 73
 - variable cell reference 73
- Forward function 111
- Forwarding mail to another user *See*
Forward function
- Free space 124
- Free-form text on sample worksheet 168-169
- Frequency of mail checks 112-113
- Function keys 15
 - keys, in place of sequences 130
- Functions on expanded directory 29
- Get Mail function 111
- GetMal *See* Get Mail function
- Getting mail 107-108, 111
- Heading information, Mail 117-118
- Help screens 9, 12
 - Accessories 40

- Calendar 98
- Filer 87
- Mail 109
- Text 58
 - using in Text 147-148
- Worksheet 69
- Home mailbox See dmbox.msg
- Horizontal format, Filer 90-91

- Insert character in text 64
 - function, Worksheet 82
 - mode 61
 - text block 64
- Installing DeskMate 18, 207-209
- INT 74
- Integer truncation 74
- Internal Memory 44
- Invisible files 211

- Key fields 93
 - sequences 130
 - usage 13-16
- Key, Control 13
 - Escape 13-14
- Keys, Command 14-16

- Line width 61-62
- List of current processes 125-126
 - of current users 124-125
- Load a Worksheet file 79-80
- Local printing 19-20
- LOG 74
- Logarithm 74

- Mail application 107-120
 - Sample Session 197-204
- Mail Functions 110-119
 - Options 111-115
- Main Filer screen 86
- Main Menu 23-38
 - functions 25-37
 - functions, selecting 25-26
 - finding files on 26
 - in Sample Session 132-134
 - using the 23-25

- Manual, using the 9
- Margins 19-20
- Mark Filer fields 89
- Marker movement 14
 - Calendar 98-99
 - Filer 87-88
 - Mail 109
 - Text 59
 - Worksheet 70
- Math functions 41-42
- MAX 74
- Maximum value 74
- Memory *See also* Buffer function
 - amount free 124
 - in Calculator 44-45
- Merge function, Calendar 102-103
 - Filer 94
 - Mail 115
 - Text 62-63
 - Worksheet 79-80
- Merging sample messages 204
 - sample text 142-143
- Messages 48-50
- Messages, reading 49
 - reading sample 134-137
- MIN 74
- Minimum value 74
- MS-DOS file save 79-80
- Multiple users on DeskMate 13

- Name function 29-30
- New events, Calendar 104
 - mail 49, 107
 - page in document 58
- Number function, Filer 93-94
- Numeric field 93-94

- Opening a file on expanded directory 28
 - Calendar files 97
 - DeskMate 18-19, 132
 - Worksheet files 67-68
 - Filer files 85-86
 - Mail files 107-108
 - sample Calendar file 187
 - sample Mail file 197-198
 - Text files 57

- Operand 73
- Operators, in Worksheet formulas 74
 - searching in Filer 89
- Option function 111-115
- Order function, Filer 93
- Order of operations, in Calculator formula 43
- Overstrike mode 61

- Page length 58
- Permission function 32-34
- Permissions, checking for sample file 204
- Phone Directory 50-54
 - adding entries 52-53
 - deleting entries 53
 - reading data 51-52
 - sample use 192-194
- Primary mailbox *See* dmbox.msg
- Print function, Filer 90, 91
- Printer settings 19-21
- Printing 19-21
 - Calendar data 104-105
 - cell contents, Worksheet 83
 - documents in Text 64-65
 - events in sample Calendar file 192
 - Filer data from Display 91
 - from Main Menu 38
 - in horizontal format 91
 - messages 119
 - Phone Directory data 53
 - records, Filer 95-96
 - sample records 175-178
 - sample Text file 145-147
 - sample worksheet 160-161, 169-170
 - tc console 20
 - tc screen 20
- Priority numbers 93
- Process identification number 125-126
- Processes currently operating 125-126

- Read permission 33
- Reading messages in Mail 108
 - sample mail 198-199
- Recalculate *See* Calculate Worksheet
 - formulas
- Recalculating sample worksheet 170-171

- Receiving mail 107-108, 111
- Record form 91-94
- Reformatting text blocks in Worksheet 72
- Relationship in Calendar search 100
- Remind time *See* Alarm time
- Renaming applications 29-30
 - directories 29-30
 - files 29-30
- Replace function 31
 - mode 61
- Replacement string 60-61
- Replacing text 61
- Reply function 110-111
- Resetting search criteria, Calendar 100
 - search criteria, Filer 89
- Restoring files 123
- Retrieving mail 111
- Return Receipt 112-113, 118
- Revising *See also* Editing
 - Alarm entries 46
 - entries in Phone Directory 53
 - Filer forms 91-94
 - formulas in Worksheet 74
 - sample data in Calendar file 190
- RMT 74
- Root, avoid running in 23
- Rounding cell contents 69
- Run permission 33

- Sample files, copying 131
 - displaying 132-133
- Saving *See also* Copy function
 - messages you send 112-113
 - to floppy disk 122-123
 - selected Worksheet cells 81
- Scratchpad 54-55
- Scratchpad, sample use 178-179
- Screen, printing to 20
- Search data in Filer 89, 100-101
 - string 60-61
- Searching for cell or string 71
 - for files 26
 - for messages 110
 - for records, Filer 89
- Select function Calendar 103
 - Filer 90

- Mail 115-116
- Main Menu 34
- Text 63
- Worksheet 80
- Selection marker 129
- Sending messages 119
 - sample message 137-138
- Setting alarm, for sample events 194-195
 - in Calendar 102
 - in Events/Alarm 46-47
- SGN 74
- Sign 74
- Sign, changing on Calculator entry 42
- Signature, Mail Option 114
- SIN 74
- Sine 74
- Sort order, Filer 93
- SQR 74
- Square root 74
- Status line 23-24
- Storing messages 112-113
- Subst See Substitute function
- Substitute function 60-61
- Substitutions in sample Text file 148-149
- SUM 74
- Sum of values 74
- Switching applications on menu 31
- System administrator 207
- System command See Xenix Command

- TAN 74
- Tangent 74
- Tape readout on Calculator 41
 - when executing formulas 44
- Terminal requirements 13
- Text application 57-65, 118
 - Sample Session with 139-151
- Text blocks in Worksheet 72
 - function in Worksheet 72
 - functions 59-60

- Unmark Filer fields 89
- Updating Events/Alarm 46
- Users function 115, 117
 - in Messages accessory 49
- Option screen 114-115

User's Guide to XENIX 9
Users currently logged on 124-125
Users, categories of 32-33
Using the manual 9
Util *See* Utilities function
Utilities 121-126
 function 32

Variable cell reference 73
Variables, in Calculator 43
 in Worksheet formulas 72-77

Weekly Time Chart 98
Who utility 124-125
Wildcards 17
 in search data, Filer 89
Window 39
Window, Worksheet 68
Working directory 37
Worksheet application 67-83
 Sample Session 153-171
Worksheet dimensions 68
 functions 70-82
 window 68
Write permission 33
Writing messages 117-119

XENIX Command 55-56



THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
TEL. 773-936-5000
FAX 773-936-5000
WWW.CHICAGO.EDU